

arco®
Experts in Safety

Safety Signs and Lockout Solutions

Signs
Lockout Tagout
Shadow Boards
A Boards
Posters
Labels
Stencils

Contents

Fire Safety and Safe Condition 10 - 15
Fire Exit and Evacuation
Refuge Fire Exit
Double Sided Hanging Signs
Safety Instruction
Fire Assembly
First Aid and Treatment

Fire Extinguishers and Equipment 16 - 21
Fire Extinguisher Signs
Fire Safety Signs
Fire Alarm Signs
Fire Equipment Sign
Projection Signs

Mandatory 22 - 27
Personal Protective Equipment
Multi-Message
Machinery
Fire Door and Access
Fire Action and First Aid Procedure
General Mandatory
Hygiene

No Smoking and Prohibition 28 - 33
Smoking Prohibition
Electronic Cigarettes
Desk Signs
Smoking Permitted
Restricted Access
Mobile Phone
Machine Safety
Parking
General

Hazard Warning 34 - 43
Electrical Safety
Flammable and Gaseous
Chemical Safety
Access and Situational Awareness
Temperature
CCTV Security
Cleaning
Asbestos
Radiology
Agricultural
Parking
Noise
Multi-Message
Lorry Halt

Photoluminescent 44 - 47
Fire Exit and Evacuation
Safe Condition
Mandatory
Fire Exit and Evacuation
Safety Light Sticks
Tape and Floor Markings

Safety Posters 48 - 51
Regulation and Safety Guidance
Workplace and General Safety
First Aid and Emergency
Official Health and Safety Posters

Recycling Signs 52 - 57
Recycling Signs
Racking Aisle Sacks

A-Boards 58 - 61
Heavy Duty A-Boards
Retail Box Deals
Economy A-Boards

Floor Markings 62 - 67
Floor Graphics
Floor Signalling
Photoluminescent Tape & Floor Markings
Non-slip Floor Tape & Treads
Floor Marking Tape

Stencils 68 - 69
Stencils
Stencil Letter and Number Kits

Construction 70 - 79
Site Safety Notices
Build Your Own - Site Safety Notice
Fire Safety and Safe Condition
Fire Extinguishers and Equipment
Mandatory
Prohibition
Hazard Warning
Highway / Motorway Maintenance
Construction and General
Quarry Signs

Road and Traffic Signs 80 - 91
UKCA / CE Marked Permanent Road Signs
Permanent Road Signs
MOT Signs
Road Sign Fixings and Posts
Temporary Road Signs
Road Sign Frames (Stanchions)
Non-Reflective Road Signs
Speed Control
Lollipop Signs and Banksman Paddles

6S Lean Manufacturing 92 - 99
Spill control Boards
Cleaning Stations
Safety Rescue Hook Board

Labels 100 - 105
Quality Control Labels
Asbestos Labels
Door Labels
Packaging Labels
Label Rolls
Hazardous Substances Labels
Globally Harmonised System (GHS) Labels
Labels On A Roll / Label Packs

Lockout Tagout 106 - 143
Safety Lockout Padlocks
Long Shackle Padlock
Di-electric Padlock
Brass Lockout Padlocks
Wire Padlock
Padlock Caddy
Padlock Cabinet
Padlock Station
Ladder Lockout
Hasps
Lockboxes
Cable Lockout
Gate Valve Lockout
Ball Valve Lockout
Electrical Lockout
Plug and Hoist Control Cover
Lockout Stations
Premium Lockout Pouch
Premium Lockout Bag
Lockout Pouch Kit
Lockout Kits
Lockout Tags
Lockout Signs

Tagging Systems 144 - 155
Scaffold Tagging System
Ladder Tagging System
Tower Scaffold Tagging System
Scaffold / Tower Tagging System
Scaffold Prohibition
LOLER Safety
Racking Safety
MEWP Safety
Forklift Safety
Chemical Safety
Universal Equipment Inspection
Isolation Tags
Flange Tags
Asset Tag Holder
AssetTag Medium
AssetTag Flex

Workplace Supplies 156 - 163
Report Books
Safety Mirrors
Steering Wheel Covers
Literature Holder
Fire Safety Accesories
Safety Light Sticks
Magnetic Products
Label Holder
Printed Tape
Pens

Our capabilities

We can produce what you want, how you want it, any size, any material. We can work with you to bring your ideas into reality, from the initial concept design through to the final production and installation.

Services

- Design
- In situ concept artwork
- Appropriate materials
- Legal requirements
- Manufacturing
- Installation

Manufacturing Techniques

Large Format Digital Printing

Our digital flatbed printers use the very latest technology to enable us to print extremely high quality graphics onto substrates up to 3m x 2m.

Digital Cutting

Our state of the art digital cutters use optical recognition software to accurately cut a range of materials. We have a range of different cutting methods available depending on the substrate to be cut, varying from the high-tensile strength knife blades through to diamond cut routers and oscillating blades.

Laser Cutting and Engraving

We have multiple laser machines onsite, providing us with the ability to cut or engrave various materials. Vector artwork is imported and the computer carefully controls the position and power of the laser to cut or engrave materials as required.

This is a small selection of the equipment and production techniques available to our trained staff. Others methods include, pad and label printing, 3d letter forming, LED sign production and many more.

Our products are under continual development and /or are determined by legislation requirements, as such we reserve the right to modify them as we deem necessary. Product sizes, materials and colours are subject to standard commercial tolerances and are shown in nominal form. Where possible all signs are manufactured to the latest symbols detailed in BS ISO EN 7010. In cases where an ISO symbol has not been specified then the sign will be manufactured to BS 5499 standards until one has been published, at which point the stock will be updated and supplied in lieu of the design shown in the catalogue.

This catalogue is protected by the Laws of Copyright, no part may be reproduced, transmitted in any form or stored in a retrieval system without prior written permission from the Manufacturer.

Services

Site Surveys . Training . Custom Design

We are not just about product, we pride ourselves on offering expertise when it comes to the products we sell and our commitment towards safety has led us to create our range of services. Our expert teams are constantly keeping up to date with safety legislation allowing us to provide much more than just a product. We can help strengthen your current site, your teams and your premises management. We free up your time and give you the resources to concentrate on what's important to you.

Site Survey & Safety Advisory Service

Identify risks, ensure regulatory compliance, and support a safe working environment through expert site visits. Our team advises on correct tools and equipment, implementation of procedures, long-term safety goals, missing or outdated signage, appropriate sizes and materials, and any bespoke site requirements.

Training Programmes

Designed to upskill reseller sales teams and support resellers in training their business customers, including specialist areas such as Lock Out Tag Out.

Sign Design, Manufacture & Installation

Our experienced team delivers fast, efficient service across all sign types from one-off vinyl signs to large hoarding boards and high-volume print runs. We offer flexible design support or can work from customer-supplied artwork, backed by industry-leading production facilities.



The Essentials

Material Key:

SAV	Self Adhesive Vinyl
PP	1.2mm Recyclable Polypropylene
SAPP	1.2mm Recyclable Polypropylene (Self Adhesive)
RPVC	Rigid 1mm PVC Board (Non Adhesive)
PVC	Self Adhesive Semi Rigid PVC
FMX	3mm Foamed PVC Board
PHO	1.3mm Rigid Photoluminescent Board
PHS	Flexible Photoluminescent Vinyl
STN	Polyester Unprinted Stencil Sheet
BAN	Flexible Banner PVC
BRG	Brushed Gold Effect Laminate (Self Adhesive)
BRS	Brushed Silver Effect Laminate (Self Adhesive)
CHR	Polished Chrome Effect (Self Adhesive)
CLG	Window Cling Vinyl
CRU	Classic Roll-up Sign
CRX	Lightweight Corrugated Plastic
ACP	Aluminium Composite Panel
ACPC	Aluminium Composite Panel with Channel
FLR(Ph)	Anti-Slip Laminated Floor Sign (Photoluminescent)
LAM	Laminated Paper
PAP	Paper
PB	1.5mm Polished Brass
POL	Polished Gold Effect Laminate (Self Adhesive)
PSS	1.2mm Polished Stainless Steel
PYC	2mm Vandal Resistant Polycarbonate
SAA	Satin Anodised Aluminium
SSE	Stainless Steel Effect Laminate
SSS	1.2mm Satin Stainless Steel
ZFM	Mild Steel Sheet (in a mild Steel frame)
ZIN	Mild Steel Sheet (without frame)
EGR	Rigid Engraved

Icon Key:



The number of signs per sheet.



The number of signs per pack.


This sign has a moving part.


This signs is double sided.


Additional SAV arrow included.


The image has been enlarged

The best material for the job:

Polypropylene - PP
Available with or without adhesive This fully recyclable plastic is suitable for both internal and external use.

Self Adhesive Vinyl - SAV
Thin and flexible, ideal for indoor use and in low traffic areas. Application to clean, smooth surfaces.

Foamed PVC Board - FMX
A versatile, lightweight rigid PVC foam sheet, durable and with low water absorption making it suitable for indoor and outdoor use.

Aluminium Composite - ACP
Strong and lightweight, ideal for long term outdoor use. Resistant to inclement weather conditions, it is commonly used for fabrication and road traffic signs.

Stencil - STN
Specially modified flexible polyester which is laser cut for accuracy. Can be reused multiple times.

Laminated Floor Vinyl - FLR
Permanent vinyl floor graphics with an hard wearing laminate face, rated to R9 grade for its anti-slip properties. Suitable for dry, Indoor sealed surfaces.

Photoluminescent - PHS / PHO
This material glows in dark or low light areas in the event of a power failure or fire. Often specified for Fire Exit signs so that the exit route remains visible.

Safety Sign Symbol Guide

Health and Safety signs can be broken down into the following categories, as specified by British and European standards, BS EN ISO 7010.The BS EN ISO 7010 regulation ensures that all graphical safety symbols are consistent and compliant.



Safe Condition
A green rectangle or square with a symbol or text in white providing information about first aid, escape or other safe conditions.



Fire Equipment
A red rectangle or square with a symbol or text in white providing information about the location and use of fire fighting equipment.



Mandatory Signs
A blue circle containing a white image denoting that a specific course of action must be taken.



Prohibition Signs
A red circular band with a diagonal bar on a white background. The black symbol behind indicates the prohibited action.



Hazard Warning Signs
A yellow triangle with a black border and symbol denoting a hazard in the environment.

Viewing Distances


These are suggested maximum viewing distances in the latest simplified draft format.

This is a guide only and other factors may need to be considered.

Distance	Examples of Use
17m	Small offices, small shops and factories.
22m	Large offices, large factories, warehouses and shopping centres.
30m	Large warehouses, distribution centres and exhibition halls.

Smaller or more text characters and symbols(s) in sign will require an increase in size to be legible at distance.

Note: signs in poor lighting conditions that are not likely to fall within observer's line of sight will need to increase in size by 50%



How to Order

Underneath each sign image there is a set of details which refers to the product above. Each line refers to one version of the product. For non sign products the order code is clearly marked next to the item.

If you cannot find the exact design, size or material you require please contact our sales team who are always happy to help.



300 x 100 SAV 55F1482

The code
Please state this when ordering.

The size,
(w x h) in millimetres

The materials are abbreviated, refer to the material key

Fire Safety and Safe Condition

Safe Condition signs provide clear, vital information to help keep people safe in the workplace. They identify escape routes, emergency exits, and the location of essential safety equipment such as first aid kits.

Defining Characteristics

These signs are typically green rectangles or squares with a white border. A centrally placed symbol, along with any supplementary text, is shown in white for maximum clarity.

When to Use

Safety Equipment Signs should be positioned prominently so equipment can be located quickly in an emergency.

Fire Exit Signs must be clearly visible and indicate the safe route to follow in the event of fire or other emergencies. Where necessary, directional arrows should also be included to provide additional guidance.

Things to Consider

Some signs are available in a photoluminescent finish, which absorbs natural or artificial light and glows in the dark for a period of time. While not a legal requirement, photoluminescent Fire Exit signs are often specified as part of a comprehensive Safety Way Guidance System (SWGS). Please note, they are designed as a supplementary safety measure and not a replacement for emergency lighting.


exit
ire
exit

Fire Exit and Evacuation



300 x 200	SAPP	55S1505
300 x 200	PP	55F2282
300 x 200	PHO	55F0419



300 x 200	SAPP	55S1503
300 x 200	PP	55F2284
300 x 200	PHO	55F0418



300 x 200	SAPP	55S1506
300 x 200	PP	55F2285
300 x 200	PHO	55S1583



300 x 200	SAPP	55S1504
300 x 200	PP	55F2283
300 x 200	PHO	55S1581



300 x 100	SAV	55F1484
400 x 150	SAV	55A1621
400 x 150	PP	55A1622
400 x 150	SAPP	55TB002
600 x 200	SAV	55A1623
600 x 200	PP	55A1624
400 x 150	PHS	55TB120
400 x 150	PHO	55A5106



300 x 100	SAV	55F1485
400 x 150	SAV	55A1609
400 x 150	PP	55A1610
400 x 150	SAPP	55TB001
600 x 200	SAV	55A1611
600 x 200	PP	55A1612
400 x 150	PHS	55TB116
400 x 150	PHO	55A5104



300 x 100	SAV	55F1482
400 x 150	SAV	55A1605
400 x 150	PP	55A1606
400 x 150	SAPP	55TB003
600 x 200	SAV	55A1607
600 x 200	PP	55A1608
400 x 150	PHS	55TB118
400 x 150	PHO	55A5098



300 x 100	SAV	55F1483
400 x 150	SAV	55A1601
400 x 150	PP	55A1602
400 x 150	SAPP	55TB004
600 x 200	SAV	55A1603
600 x 200	PP	55A1604
400 x 150	PHS	55TB122
400 x 150	PHO	55A5096



400 x 150	SAV	55A1625
600 x 200	SAV	55A1627
600 x 200	PP	55A1628
400 x 150	PHS	55TB117
400 x 150	PHO	55A5108



400 x 150	SAV	55A1617
600 x 200	SAV	55A1619
600 x 200	PP	55A1620
400 x 150	PHS	55TB121
400 x 150	PHO	55A5102



400 x 150	SAV	55A1629
600 x 200	SAV	55A1631
600 x 200	PP	55A1632
400 x 150	PHS	55TB119
400 x 150	PHO	55A5110



400 x 150	SAV	55A1613
400 x 150	PP	55A1614
600 x 200	SAV	55A1615
600 x 200	PP	55A1616
400 x 150	PHS	55TB123
400 x 150	PHO	55A5100



300 x 200	SAPP	55S1507



300 x 100	SAV	55TB007
300 x 100	PP	55TB008



300 x 200	SAPP	55S1513



300 x 200	SAPP	55F0390



300 x 150	SAV	55F2317
300 x 150	PP	55F2318
300 x 150	SAPP	55TB005
400 x 200	SAV	55F2319
400 x 200	PP	55F2320



300 x 100	SAV	55F1487
300 x 150	SAV	55A1749
300 x 150	PP	55A1750
300 x 150	SAPP	55TB006
400 x 200	SAV	55A1751
400 x 200	PP	55A1752
600 x 200	PP	55F1486



300 x 200	SAPP	55F4164
450 x 200	SAV	55A1803
450 x 200	PP	55A1804
600 x 200	SAV	55A1805
600 x 200	PP	55A1806
300 x 200	PHS	55TB142
300 x 200	PHO	55F0060

Find Our Full Material Key On 6



300 x 200 SAPP 55TB000



300 x 200 SAPP 55F0385



300 x 200 SAPP 55S1516

Refuge Fire Exit



300 x 100 SAV 55TB016
300 x 100 PP 55TB017



300 x 200 PP 55TB058
300 x 200 SAPP 55F0399
300 x 200 SAV 55TB069
300 x 200 PHS 55TB128



200 x 300 SAPP 55F0401
200 x 300 PHS 55TB156
200 x 300 PHO 55F0431

Double Sided Hanging Signs

Manufactured from 3mm Foamex Board and printed on both sides, these signs are designed to be hung from the ceiling and provide emergency exit information. Ideal for corridors, they come pre-drilled with holes in the top corners for use in conjunction with our hanging kits.

Fixings and Hanging Kits
100mm : 55F2185
150mm : 55F2186





450 x 150 FMX 55TB011



450 x 150 FMX 55TB012



450 x 150 FMX 55TB935



450 x 150 FMX 55TB014



450 x 150 FMX 55TB015

IS YOUR SIGNAGE CORRECT?



Before 2013 the traditional emergency sign used above doorways to identify the escape route, pictured a DOWN arrow. Under BS EN ISO 7010 the DOWN arrow should be used to identify a change of level going down.





Following the introduction of BS EN ISO 7010 the directional arrow above a corridor doorway or exit door, should be the UP arrow. This is to inform the occupants that they need to carry straight on or exit through here.



Safety Instruction



300 x 200	SAPP	55S1523
300 x 200	PHS	55TB158
300 x 200	PHO	55F0421



100 x 150	SAV	55TB938
100 x 150	PP	55TB939



200 x 300	SAPP	55F0398



100 x 150	SAV	55A1823
100 x 150	PHS	55TB154
100 x 150	PHO	55TB155



200 x 300	SAV	55A1865
200 x 300	PP	55A1866
200 x 300	SAPP	55F4165



200 x 50	SAPP	55F0707



300 x 75	SAV	55A1853
300 x 75	PP	55A1854



300 x 75	SAV	55A1855
300 x 75	PP	55A1856



200 x 50	SAPP	55F0708



200 x 50	SAPP	55F0712



300 x 150	SAV	55A1847
300 x 150	PP	55A1848



200 x 50	SAPP	55F0704



300 x 100	SAV	55A1849
300 x 100	PP	55A1850
300 x 100	PHS	55TB160
300 x 100	PHO	55A5154
600 x 100	SAV	55A1851
600 x 100	PP	55A1852
600 x 100	SAPP	55F0396



100 x 150	SAV	55A1827
100 x 150	PP	55A1828



100 x 150	SAV	55A1829
100 x 150	PP	55A1830



75 x 150	SAV	55TB029
75 x 150	PP	55TB030



75 x 150	SAV	55TB031
75 x 150	PP	55TB933



300 x 100	SAV	55A1839
300 x 100	PP	55A1840



200 x 50	SAPP	55F0710

Fire Assembly



300 x 200	SAPP	55S1527



300 x 200	SAV	55A1741
300 x 200	PP	55A1742
300 x 200	PYC	55F0567
300 x 200	ACP	55F2321
600 x 400	SAV	55A1743
600 x 400	PP	55A1744
600 x 450	ACP	55F2322



300 x 100	SAV	55F1457
600 X 200	PP	55F1456



200 x 300	SAPP	55F0397

Find Our Full Material Key On 6


First Aid and Treatment



200 x 300 SAPP 55S1550



200 x 300 SAV 55A1859
200 x 300 PP 55A1860



200 x 300 SAV 55F4331
200 x 300 PP 55TB399



200 x 300 SAV 55A1861
200 x 300 PP 55A1862




200 x 300 SAV 55A1861
200 x 300 PP 55A1862



200 x 300 SAV 55TB038
200 x 300 PP 55TB039




200 x 300 SAV 55TB036
200 x 300 PP 55TB037



200 x 300 SAV 55F4356
200 x 300 PP 55F4359



200 x 300 SAV 55F4355
200 x 300 PP 55F4358



200 x 300 SAV 55F4357
200 x 300 PP 55F4360
200 x 300 SAPP 55F4361



300 x 200 SAPP 55F0410



50 x 50 SAV 55F1440
100 x 100 SAV 55TB034
100 x 100 PP 55TB035



300 x 100 SAV 55F1455
300 x 100 PHS 55TB152
300 x 100 PHO 55A5164
600 x 200 PP 55F1454



200 x 300 SAV 55F2294
200 x 300 PP 55F2295
200 x 300 SAPP 55F0408



200 x 300 SAPP 55S1555
200 x 300 SAV 55A1867
200 x 300 PP 55A1868



200 x 50 SAPP 55F0709



300 x 100 SAV 55A1845
300 x 100 PP 55A1846



300 x 100 SAV 55A1873
300 x 100 PP 55A1874
300 x 100 PHS 55TB150
300 x 100 PHO 55A5160



Fire Extinguishers and Equipment

Fire Fighting Equipment signs provide clear information on the location of vital fire safety tools such as alarms, dry risers, and extinguishers.

Defining Characteristics

Designed in red with white symbols and text, these signs are instantly recognisable and ensure quick identification in an emergency.

When to Use


Place these signs in highly visible areas so fire equipment can be located and accessed quickly. Where equipment is not immediately obvious, additional signs should be used to direct people to its location.


Fire
alarm
9
FIRE
BREAK GLASS
PRESS HERE
Tel. (01282) 717171


Fire Extinguisher Signs



75 x 200	SAPP	55F0345
82 x 202	SAV	55A1534
82 x 202	PP	55A1535
75 x 200	PHS	55TB200
75 x 200	PHO	55F0427
82 x 202	PHS	55TB201
82 x 202	PHO	55A5228



75 x 200	SAPP	55F0347
82 x 202	SAV	55A1536
82 x 202	PP	55A1537
75 x 200	PHS	55TB204
75 x 200	PHO	55F0429
82 x 202	PHS	55TB205
82 x 202	PHO	55A5226



75 x 200	SAPP	55F0346
82 x 202	SAV	55A1532
82 x 202	PP	55A1533
75 x 200	PHS	55TB202
75 x 200	PHO	55F0428
82 x 202	PHS	55TB203
82 x 202	PHO	55A5230




75 x 200	SAPP	55F0348
82 x 202	SAV	55A1530
82 x 202	PP	55A1531
75 x 200	PHS	55TB206
75 x 200	PHO	55F0430
82 x 202	PHS	55TB207
82 x 202	PHO	55A5224



75 x 200	SAPP	55F0350
82 x 202	SAV	55F1434
82 x 202	PP	55F1435





350 x 200	SAV	55A1501
350 x 200	PP	55A1502
600 x 370	SAV	55A1503
600 x 370	PP	55A1504

Fire Safety Signs



200 x 300	SAV	55A1315
200 x 300	PP	55A1316
300 x 400	SAV	55A1317
300 x 400	PP	55A1318
200 x 300	PHS	55TB183
200 x 300	PHO	55A5206



200 x 200	SAV	55A1343
200 x 200	PP	55A1344



200 x 50	SAPP	55F0694



300 x 100	SAV	55A1301
300 x 100	PP	55A1302
300 x 100	PHS	55TB188
300 x 100	PHO	55A5208

IN THE KNOW

BS EN ISO 7010 is a European standard to ensure there is a standardised, easy to understand safety message which is globally recognised. This standard covers safety signs in the workplace and other locations where people need to be informed about safety.

Find Our Full Material Key On 6

Fire Alarm Signs



200 x 300	SAV	55F1438
200 x 300	PP	55F1439
200 x 300	SAPP	55F0352
200 x 300	PHS	55TB184
200 x 300	PHO	55S1572



200 x 300	SAV	55A1311
200 x 300	PP	55A1312
300 x 400	SAV	55A1313
300 x 400	PP	55A1314
200 x 300	PHS	55TB185
200 x 300	PHO	55A5190



100 x 100	SAV	55F1282
100 x 100	PP	55F1283
200 x 200	SAV	55A1341
200 x 200	PP	55A1342
100 x 100	PHS	55TB190
100 x 100	PHO	55F0416



200 x 200	SAV	55A1349
200 x 200	PP	55A1350



300 x 100	SAV	55A1305
300 x 100	PP	55A1306
300 x 100	PHS	55TB191
300 x 100	PHO	55A5192

Fire Equipment Sign



300 x 100	SAV	55F1422



200 x 50	SAPP	55F0696



200 x 300	SAV	55A1319
200 x 300	PP	55A1320
200 x 300	PHS	55TB186
200 x 300	PHO	55A5212



200 x 300	SAV	55F2309
200 x 300	PP	55F2268



200 x 300	SAPP	55F0358



200 x 300	SAV	55TB053
200 x 300	PP	55TB054



200 x 200	PP	55A1346



300 x 200	SAPP	55F0366



300 x 200	SAV	55TB055
300 x 200	PP	55TB056
300 x 200	SAPP	55F0356



250 x 150	SAV	55F1425
250 x 150	PP	55A1352



200 x 150	SAV	55A1367
200 x 150	PP	55A1368



200 x 200	SAV	55TB398
200 x 200	PP	55AT018

Accessories

Fire alarm

With plastic fronted 'glass' which is ideal for glass sensitive environments.

Secure 'snap fit' mechanism.



Description	Code
Break Glass Keybox	55TB953
Replacement 'Glass'	55TB954

Nylon Armbands

Printed Nylon armbands with Velcro fastening.



Description	Code
Fire Marshal	55F2459

Lanyards

Lanyards with hook and safety release clasp.



Description	Code
Fire Marshal	55TB050
First Aider	55TB052

Projection Signs


Visible. Simple. Durable.

In any workplace, safety starts with clear communication. Our projection safety signs are designed to stand out, literally. Printed directly onto durable PVC and folded into a triangular shape, these signs project from the wall to provide maximum visibility from multiple angles.

Product Specifications

Dimensions: 200 x 200mm face panels (triangular projection)
Material: PVC
Design: Direct print on both sides
Shape: Triangular for 180° visibility
Standard Icons: Fire exit, hazard warnings, PPE reminders, and more
Custom Designs Available on request

Dimensions



Applications:

Factories | Warehouses | Hospitals | Construction Sites | Schools | Public Buildings



200 x 200 PVC 55F0626



200 x 200 PVC 55F0627



200 x 200 PVC 55F0629



200 x 200 PVC 55F0631



200 x 200 PVC 55F0633




200 x 200 PVC 55F0632



200 x 200 PVC 55F0634



200 x 200 PVC 55F0635



200 x 200 PVC 55F4362



200 x 200 PVC 55TC001



200 x 200 PVC 55TC002



200 x 200 PVC 55TC003



200 x 200 PVC 55TC004



200 x 200 PVC 55TC005



200 x 200 PVC 55TC006

Find Our Full Material Key On 6



200 x 200 PVC 55TC007



200 x 200 PVC 55TC008

Mandatory

Mandatory signs clearly indicate the actions that must be followed to ensure safety and compliance. They cover essential instructions such as required PPE, doors that must be kept shut for fire safety, or steps to take during an emergency.

Defining Characteristics

These signs feature a bold white symbol within a blue circle and may include supplementary white text on a blue background for added clarity.

When to Use

Mandatory signs should be placed directly on, or close to, the relevant equipment or at entry points to areas where the instruction applies..


High visibility
clothing must be
worn in this site

Personal Protective Equipment



200 x 300 SAPP 55S0001



200 x 300 SAV 55A1023
200 x 300 PP 55A1024
400 x 600 PP 55A1026



200 x 300 SAPP 55S0007



200 x 300 SAV 55F1170
200 x 300 PP 55A0938
400 x 600 PP 55A0940



100 x 100 SAV 55A0941
100 x 100 PP 55A0942
200 x 200 SAV 55A0943
200 x 200 PP 55A0944



600 x 450 SAV 55A1019
600 x 450 PP 55A1020



300 x 100 SAV 55A1005
300 x 100 PP 55A1006
600 x 200 PP 55A1008



300 x 100 SAV 55F1137
300 x 100 PP 55A0946
600 x 200 SAV 55A0947
600 x 200 PP 55A0948



200 x 50 SAPP 55F0652



300 x 100 SAV 55A0949
300 x 100 PP 55A0950
600 x 200 SAV 55A0951
600 x 200 PP 55A0952



200 x 300 SAPP 55S0005



200 x 300 SAV 55A0969
200 x 300 PP 55A0970
400 x 600 PP 55A0972



200 x 50 SAPP 55F0667



300 x 100 SAV 55A0981
300 x 100 PP 55A0982
600 x 200 SAV 55A0983
600 x 200 PP 55A0984



100 x 100 SAV 55A0977
100 x 100 PP 55A0978
200 x 200 SAV 55A0979
200 x 200 PP 55A0980



150 x 150 SAV 55TC009



200 x 300 SAPP 55S0003



200 x 300 SAV 55A0889
200 x 300 PP 55A0890
400 x 600 SAV 55AT042
400 x 600 PP 55AT043



300 x 100 SAV 55F4354
300 x 100 PP 55A0906



200 x 50 SAPP 55F0651



200 x 300 SAPP 55F0001



300 x 100 SAV 55F1129
300 x 100 PP 55A0902
600 x 200 SAV 55A0903
600 x 200 PP 55A0904



200 x 50 SAPP 55F0653



200 x 300 SAPP 55S0016



200 x 300 SAV 55A0881
200 x 300 PP 55A0882
400 x 600 SAV 55A0883
400 x 600 PP 55A0884



200 x 50 SAPP 55F0666



300 x 100 SAV 55F1125
300 x 100 PP 55A0898
600 x 200 SAV 55A0899
600 x 200 PP 55F1128



200 x 300 SAV 55A0893
200 x 300 PP 55A0894
400 x 600 SAV 55F1168
400 x 600 PP 55F1169



200 x 300 SAV 55A0885
200 x 300 PP 55A0886
400 x 600 SAV 55F1160
400 x 600 PP 55F1161

Find Our Full Material Key On 6



200 x 300 SAPP 55S0009



200 x 300 SAPP 55S0013



200 x 300 SAPP 55F0003



200 x 300 SAPP 55S0015



200 x 300 SAV 55A0877
200 x 300 PP 55A0878
400 x 600 SAV 55A0879
400 x 600 PP 55A0880



400 x 600 SAPP 55F0573



200 x 300 SAV 55TB995
200 x 300 PP 55F2281
400 x 600 PP 55TB996



200 x 300 SAV 55TB067
200 x 300 PP 55TB068
200 x 300 SAPP 55F0007



600 x 200 PP 55F1441



300 x 100 SAV 55F4333
600 x 200 PP 55F4336



300 x 100 SAV 55A0873
300 x 100 PP 55A0874



300 x 100 SAV 55F1280
300 x 100 PP 55F1281
600 x 200 PP 55TB071

Multi-Message



600 x 400 PP 55F2269



300 x 200 SAPP 55F0009

Machinery



200 x 300 SAPP 55F0030



200 x 300 SAPP 55AT006



200 x 300 SAPP 55F0035




100 x 100 SAV 55A1145
100 x 100 PP 55A1146



200 x 50 SAPP 55F0654



200 x 50 SAPP 55F0661



Fire Door and Access



100 x 100	SAV	55A1113
100 x 100	PP	55A1114
150 x 150	SAV	55A1115
150 x 150	PP	55A1116



100 x 100	SAV	55A1137
100 x 100	PP	55A1138
150 x 150	SAV	55A1139
150 x 150	PP	55A1140



200 x 300	SAV	55A0849
200 x 300	PP	55F1147
200 x 300	SAPP	55S0158
400 x 600	PP	55F1149



200 x 300	SAPP	55S0163



150 x 200	SAV	55F2286
200 x 300	SAV	55A0829
200 x 300	PP	55A0830
200 x 300	SAPP	55F0066



100 x 100	SAV	55A1117
100 x 100	PP	55A1118



100 x 100	SAV	55A1101
100 x 100	PP	55A1102
150 x 150	SAV	55A1103
150 x 150	PP	55A1104
100 x 100	PHS	55TB166
100 x 100	PHO	55F0062



300 x 100	SAV	55A0841
300 x 100	PP	55A0842
600 x 200	SAV	55A0843
600 x 200	PP	55A0844



300 x 100	SAV	55F1101
300 x 100	PP	55A0806



300 x 100	SAV	55A0837
300 x 100	PP	55A0838
600 x 200	SAV	55A0839
600 x 200	PP	55A0840



200 x 50	SAPP	55F0655



200 x 50	SAPP	55F0663



200 x 50	SAPP	55F0660



300 x 100	SAV	55A0869
300 x 100	PP	55A0870
600 x 200	SAV	55F1089
600 x 200	PP	55F1090



200 x 300	SAPP	55S0353



100 x 100	SAV	55F4260
100 x 100	PP	55TB072
150 x 150	SAV	55F1184
150 x 150	PP	55F1185
200 x 200	SAV	55F1186
200 x 200	PP	55F1187
300 x 300	SAV	55F1188
300 x 300	PP	55F1189



100 x 100	SAV	55A1105
100 x 100	PP	55A1106
150 x 150	SAV	55A1107
150 x 150	PP	55A1108
100 x 100	PHS	55TB169
100 x 100	PHO	55TB170



600 x 450	PP	55A1022



200 x 300	PP	55F2280
200 x 300	SAPP	55S0255

Fire Action and First Aid Procedure



200 x 300	SAV	55F2166
200 x 300	PP	55F2167
200 x 300	SAPP	55F0053



200 x 300	SAV	55F2164
200 x 300	PP	55F2165
200 x 300	SAPP	55F0054



200 x 300	SAV	55F1182
200 x 300	PP	55F1183



200 x 300	SAPP	55F0056



200 x 300	SAV	55F4363
200 x 300	PP	55TB405

Find Our Full Material Key On 6

General Mandatory



200 x 300 SAPP 55F0063



400 x 600 SAPP 55TB066



200 x 300 SAPP 55F0064
400 x 600 SAPP 55S4002



200 x 300 SAPP 55F0048



200 x 300 SAV 55A0817
200 x 300 PP 55A0818



300 x 200 SAPP 55F0065
300 x 200 SAV 55TB086
300 x 200 PP 55TB087



600 x 450 SAV 55A1031
600 x 450 PP 55A1032



600 x 200 PP 55AT052



600 x 200 PP 55F1448



300 x 100 PP 55TC010
300 x 100 SAV 55TC011



200 x 300 SAV 55TC012
200 x 300 PP 55TC013

Hygiene



200 x 300 SAV 55A2118
200 x 300 PP 55A2119
200 x 300 SAPP 55F0093



200 x 300 SAPP 55F0094



200 x 300 SAV 5555601
200 x 300 PP 5773602



200 x 300 SAV 55A2110
200 x 300 PP 55A2111



200 x 300 SAV 55A2150
200 x 300 PP 55A2151



300 x 200 SAPP 55F0097



300 x 200 SAPP 55F0110



300 x 100 SAV 55A2116
300 x 100 PP 55A2117
600 x 200 SAV 55A2120
600 x 200 PP 55F1176



200 x 50 SAPP 55F0665



View the full range of Skin Care Boards...
...on page 99



No Smoking and Prohibition

Prohibition signs clearly show which actions are not allowed, helping to maintain safety and compliance. Common examples include No Smoking, No Mobile Phones, or No Entry.

Defining Characteristics

These signs feature a black symbol with a bold red circular band and diagonal crossbar, instantly recognisable as a prohibition message. Supplementary text, where required, appears in white on a red background.

When to Use

Prohibition signs should be placed at entry points or near the relevant area to ensure the restriction is clear and visible to all.


o smoking
or naked
flames

Smoking Prohibition



100 x 150	SAV	55A0019
100 x 150	PP	55A0020
200 x 300	SAV	55A0021
200 x 300	PP	55A0022
400 x 600	SAV	55A0023
400 x 600	PP	55A0024



200 x 300	PP	55A0054
400 x 600	SAV	55F1314



148 x 210	SAV	55A0253
148 x 210	PP	55F1339



148 x 210	PP	55F1341



148 x 210	PP	55F1343



200 x 50	SAPP	55F0668



300 x 100	PP	55F1291



150 x 50	SAV	55A0001
150 x 50	PP	55A0002
300 x 100	SAV	55A0003
300 x 100	PP	55F1287
600 x 200	SAV	55A0005
600 x 200	PP	55A0006



300 x 100	SAV	55A0045
300 x 100	PP	55A0046
600 x 200	PP	55F1311



300 x 100	SAV	55A0035
300 x 100	PP	55A0036
600 x 200	SAV	55A0037
600 x 200	PP	55A0038



148 x 210 D/S	SAV	55A0255



80 x 80	CLG	55F2476
80 x 80	SAV	55F4231
100 x 100	PP	55F1325



200 x 300	SAPP	55F0135
200 x 300	CLG	55F4228



200 x 300	PP	55A0032
400 x 600	SAV	55A0033
400 x 600	PP	55A0034



200 x 300	SAV	55F1731
200 x 300	PP	55F1732
400 x 600	SAV	55F1733
400 x 600	PP	55F1734



200 x 300	PP	55A0062
400 x 600	SAV	55F1318
400 x 600	PP	55A0064



148 x 210	SAV	55TB982
148 x 210	PP	55TB983
200 x 300	SAV	55TB984
200 x 300	PP	55TB985
200 x 300	SAPP	55TB986



200 x 300	PP	55TC014
200 x 300	SAPP	55TC015



200 x 300	PP	55TC016
200 x 300	SAPP	55TC017



300 x 100	SAPP	55TC018
300 x 100	PP	55TC019



300 x 100	SAPP	55TC020
300 x 100	PP	55TC021



300 x 200	SAV	55TB990
300 x 200	PP	55TB991

Smoking Permitted



100 x 150	SAV	55F1399
100 x 150	PP	55F1400



300 x 100	PP	55F1384



300 x 200	SAV	55A1983
300 x 200	PP	55A1984



300 x 100	SAV	55A1857
300 x 100	PP	55A1858



200 x 300	PP	55TB988



300 x 100	PP	55A1968



200 x 300	SAPP	55F0444



300 x 100	PP	55F1396



300 x 100	PP	55A1970

Find Our Full Material Key On 6

Restricted Access



200 x 300 SAPP 55S0600



200 x 300 PP 55A0146
400 x 600 SAV 55A0147
400 x 600 PP 55A0148



200 x 300 SAV 55F1222
200 x 300 PP 55A0150
400 x 600 SAV 55A0151
400 x 600 PP 55A0152



200 x 300 SAV 55TB061
200 x 300 PP 55TB062



200 x 300 SAPP 55S0608



200 x 50 SAPP 55F0670



300 x 100 SAV 55A0133
300 x 100 PP 55A0134
600 x 200 SAV 55F2288
600 x 200 PP 55AT035



300 x 100 SAV 55A0125
300 x 100 PP 55A0126
600 x 200 SAV 55A0127
600 x 200 PP 55A0128



300 x 100 SAV 55A0117
300 x 100 PP 55A0118
600 x 200 SAV 55A0119
600 x 200 PP 55A0120



300 x 100 SAV 55A0121
300 x 100 PP 55F1247
600 x 200 SAV 55A0123
600 x 200 PP 55A0124



300 x 100 SAV 55A0137
300 x 100 PP 55A0138
600 x 200 SAV 55A0139
600 x 200 PP 55A0140



100 x 100 SAV 55A0111
100 x 100 PP 55A0112
200 x 200 SAV 55A0113
200 x 200 PP 55F1215
400 x 400 SAV 55A0115
400 x 400 PP 55A0116



200 x 300 SAV 55F1196
200 x 300 PP 55F1197
400 x 600 SAV 55F1198
400 x 600 PP 55A0098



200 x 300 SAPP 55F0175



200 x 300 SAV 55A0099
200 x 300 PP 55A0100
400 x 600 SAV 55A0101
400 x 600 PP 55A0102



200 x 300 SAV 55A0103
200 x 300 PP 55A0104
400 x 600 SAV 55A0105
400 x 600 PP 55A0106



400 x 600 CRX 55AT011



200 x 300 SAPP 55F0164



Mobile Phone



200 x 300 SAPP 55F0173



300 x 100 SAV 55A0039
300 x 100 PP 55A0040
300 x 200 SAV 55F1240
300 x 200 PP 55F1241
600 x 200 SAV 55F2179
600 x 200 PP 55F2180



200 x 50 SAPP 55F0676

Machine Safety



300 x 200	SAV	55F2296
300 x 200	PP	55F2297



200 x 300	SAV	55A0179
200 x 300	PP	55A0180



200 x 300	SAV	55A0175
200 x 300	PP	55A0176

Parking



200 x 300	SAV	55A0141
200 x 300	PP	55F1219
400 x 600	SAV	55A0143
400 x 600	PP	55A0144



300 x 100	SAV	55A0129
300 x 100	PP	55A0130
600 x 200	SAV	55F1256
600 x 200	PP	55F1257

General



200 x 300	PP	55TB065
200 x 300	SAPP	55F0165



200 x 300	SAPP	55F0170



200 x 300	SAV	55A0171
200 x 300	PP	55A0172



200 x 300	SAPP	55F0561



200 x 300	SAV	55TC022
200 x 300	PP	55TC023



200 x 300	SAV	55F1228
200 x 300	PP	55F1229



200 x 300	SAPP	55S0556



600 x 450	SAV	55F1747
600 x 450	PP	55F1748



150 x 75	SAV	55A0185
150 x 75	PP	55A0186
300 x 100	SAV	55F1270
300 x 100	PP	55A0188



300 x 100	SAV	55TC024
300 x 100	PP	55TC025



Find Our Full Material Key On 6

think safe
actsafebesafe



PROMOTING A STRONG **HEALTH & SAFETY** CULTURE







SAFETY SIGNS

LOCKOUT TAGOUT

CONSTRUCTION SAFETY


WORKING AT HEIGHTS


FIRE SAFETY


WORKPLACE SAFETY


PIPELINE SAFETY


WAREHOUSE SAFETY

WORKPLACE HEALTH AND SAFETY IS A LEADING CONCERN FOR ALL BUSINESS OWNERS AND MANAGERS.

With an estimated cost of £16.2 billion to industry due to injuries and ill health in the workplace, employers cannot afford to neglect the fundamentals of health and safety. Creating a culture of safety in the workplace is no mean feat. Broken down, the various health and safety elements you need to consider, implement as well as communicate can seem overwhelming at first glance. However, getting a handle on the basics, sharing the responsibility and making use of the various tools and aids that are available will help you comply with the law and get your health and safety message across. We offer a wide range of products to help improve your workplace health and safety.

Hazard Warning

Hazard warning signs are used to alert individuals to nearby dangers that could pose a risk to health or wellbeing. These include hazards such as electrical risks, flammable materials, or wet floors that may cause slipping.

Defining Characteristics

A hazard warning sign is typically a yellow triangle with a black border and a black symbol centered within the triangle. Any supplementary text should appear in black on a yellow background, and the sign should include a white border around the triangle for clear visibility.

When to Use Them


Hazard warning signs should be displayed when a potential hazard cannot be fully controlled by other means. They must be positioned in a clearly visible location—either on or near the hazard itself, or at the entrance to an area where the hazard exists.

Things to Consider

Safety signage should complement, not replace, other risk control measures. All reasonable steps must be taken to minimise hazards in the workplace before relying on warning signs. For example, if there is a risk of falling, physical barriers or modifications should be implemented in addition to displaying an appropriate warning sign.


Danger
Keep out

Electrical Safety




100 x 100 SAPP 55F0236




100 x 100 SAV 55A0333
100 x 100 PP 55A0334
200 x 200 SAV 55F0859
200 x 200 PP 55F0860
400 x 400 SAV 55F0861
400 x 400 PP 55F0862



200 x 300 SAV 55TB105
200 x 300 PP 55TB106
200 x 300 SAPP 55S0753



200 x 300 SAPP 55F0193



200 x 300 SAV 55A0325
200 x 300 PP 55A0326



300 x 100 SAV 55TB089
300 x 100 PP 55TB090



300 x 100 SAV 55A0301
300 x 100 PP 55A0302



300 x 100 SAV 55TB093
300 x 100 PP 55TB094



300 x 100 SAV 55A0305
300 x 100 PP 55A0306



300 x 100 SAV 55A0309



200 x 50 SAPP 55F0678



300 x 100 SAV 55A0365
300 x 100 PP 55A0366



300 x 100 SAV 55A0369
300 x 100 PP 55A0370



200 x 50 SAPP 55F0677




300 x 100 SAV 55A0343
300 x 100 PP 55A0344



200 x 300 PP 55F2308



200 x 300 SAV 55A0353
200 x 300 PP 55A0354




200 x 300 SAV 55F0867
200 x 300 PP 55A0358




200 x 300 SAPP 55F4157



200 x 300 SAPP 55F0198



200 x 300 PP 55F4156



600 x 200 PP 55F1470



300 x 100 SAV 55A0373



200 x 300 SAV 55A0351
200 x 300 PP 55A0352



600 x 450 SAV 55A0575
600 x 450 PP 55A0576



200 x 300 SAPP 55F0300



200 x 300 SAV 55TC026
200 x 300 SAPP 55TC027
300 x 400 ACM 55TC028
300 x 400 SAPP 55TC029
400 x 600 ACM 55TC030
400 x 600 SAPP 55TC031



Find Our Full Material Key On 6

Flammable and Gaseous



200 x 50 SAPP 55F0684



200 x 50 SAPP 55F0682



200 x 50 SAPP 55F0680



200 x 50 SAPP 55F0681



200 x 300 SAPP 55F0264



200 x 50 SAPP 55F0679



200 x 50 SAPP 55F0685



300 x 100 SAV 55F1476
600 x 200 PP 55F1475



300 x 100 SAV 55A0419
300 x 100 PP 55A0420



200 x 300 SAPP 55S0904



200 x 300 SAV 55F1772
200 x 300 PP 55F1773



200 x 300 SAPP 55S0915



200 x 300 SAPP 55S0916



200 x 300 SAPP 55S0907



200 x 300 SAPP 55S0901



200 x 300 SAPP 55S0910



200 x 300 SAV 55A0589
200 x 300 PP 55A0590



200 x 300 SAV 55A0591
200 x 300 PP 55A0592



200 x 300 SAV 55A0431
200 x 300 PP 55A0432

Chemical Safety



200 x 300 SAV 55A0583
200 x 300 PP 55A0584



200 x 300 SAV 55A0581
200 x 300 PP 55A0582



200 x 300 SAV 55A0579
200 x 300 PP 55A0650



200 x 300 SAV 55A0585
200 x 300 PP 55A0586



200 x 300 SAPP 55S0853



200 x 300 SAPP 55S0861



200 x 300 SAV 55A0469
200 x 300 PP 55A0470
400 x 600 SAV 55A0471
400 x 600 PP 55A0472



300 x 100 SAV 55F1039
300 x 100 PP 55A0458
600 x 200 SAV 55A0459
600 x 200 PP 55A0460



300 x 100 SAV 55A0449
300 x 100 PP 55A0450
600 x 200 SAV 55A0451
600 x 200 PP 55A0452



200 x 300 SAPP 55S0854

Access and Situational Awareness



200 x 300 SAV 55A0461
200 x 300 PP 55A0462
400 x 600 PP 55A0464



200 x 300 SAV 55A0427
200 x 300 PP 55A0428
400 x 600 SAV 55A0429
400 x 600 PP 55A0430



200 x 300 SAPP 55S0954
400 x 600 SAPP 55F0594



200 x 300 PP 55F2307
200 x 300 SAPP 55F0291
400 x 600 PP 55F2272



200 x 300 SAPP 55F0298



600 x 200 PP 55F1473



600 x 200 PP 55F1472



300 x 100 SAV 55A0415
300 x 100 PP 55A0416
600 x 200 SAV 55A0417
600 x 200 PP 55A0418



200 x 50 SAPP 55F0689



300 x 100 SAV 55F0943
300 x 100 PP 55F0944



200 x 50 SAPP 55F0690



300 x 100 SAV 55A0409
300 x 100 PP 55A0410
600 x 200 SAV 55A0411
600 x 200 PP 55A0412



200 x 50 SAPP 55F0687



200 x 300 SAPP 55F0297



200 x 300 SAPP 55S1203



200 x 300 PP 55F0290



200 x 300 SAV 55A0391
200 x 300 PP 55A0392
400 x 600 SAV 55F0937
400 x 600 PP 55A0394



200 x 300 SAV 55A0383
200 x 300 PP 55A0384




200 x 300 SAV 55A0441
200 x 300 PP 55A0442
400 x 600 SAV 55A0443



600 x 450 SAV 55A0535
600 x 450 PP 55A0536



600 x 400 SAPP 55F0572



600 x 400 PP 55TB109



600 x 450 SAV 55A0539
600 x 450 PP 55A0540



600 x 450 SAV 55A0551
600 x 450 PP 55A0552



200 x 300 SAV 55A0561
200 x 300 PP 55A0562
400 x 600 SAV 55A0563
400 x 600 PP 55A0564



200 x 300 SAPP 55S1301



400 x 600 SAPP 55F0600



200 x 300 PP 55F2279



200 x 300 SAPP 55F2271



200 x 50 SAPP 55F0686



300 x 100 SAV 55A0491
300 x 100 PP 55A0492



600 x 200 PP 55F1442



300 x 100 SAV 55TB110
300 x 100 PP 55TB111



300 x 100 SAV 55F1445
600 x 200 PP 55F1444

Find Our Full Material Key On 6



200 x 300 SAV 55A0379
200 x 300 PP 55A0380
400 x 600 SAV 55F0881
400 x 600 PP 55F0882



200 x 300 SAPP 55S1105



200 x 300 SAPP 55S1100



200 x 300 SAV 55F2298
200 x 300 PP 55F2299



200 x 300 SAPP 55F0303



200 x 300 PP 55A0504
400 x 600 SAV 55A0505
400 x 600 PP 55A0506



200 x 300 SAPP 55F0293



200 x 300 SAPP 55F0319
400 x 600 SAPP 55S4107



200 x 300 SAV 55A0495
200 x 300 PP 55A0496



200 x 300 SAV 55A0497
200 x 300 PP 55F0992



200 x 300 SAPP 55F0308



200 x 300 SAPP 55F0296



200 x 300 SAV 55A0473
200 x 300 PP 55A0474
400 x 600 PP 55A0476



200 x 300 SAPP 55S1306
200 x 300 PYC 55F0565



200 x 300 SAPP 55F0314



100 x 100 SAV 55A0395
100 x 100 PP 55A0396
200 x 200 SAV 55A0397
200 x 200 PP 55A0398
400 x 400 SAV 55F0887
400 x 400 PP 55F0888



200 x 300 PP 55A0388



200 x 300 SAV 55TC246
200 x 300 PP 55TC247



300 x 100 SAV 55TC248
300 x 100 PP 55TC249



300 x 100 SAV 55TC250
300 x 100 PP 55TC251



200 x 300 SAV 55TC252
200 x 300 PP 55TC253

Temperature



200 x 300 SAPP 55F0316



200 x 300 SAPP 55F0318



75 x 50 SAV 55F0999
75 x 50 PP 55A0548



200 x 50 SAPP 55F0693



75 x 50 SAV 55F0997
75 x 50 PP 55A0546



200 x 50 SAPP 55F0692



200 x 50 SAPP 55F0710

200 x 50 SAPP 55F0669

CCTV Security



200 x 300 SAV 55F1051
200 x 300 PP 55A0500



200 x 300 SAPP 55F0324



200 x 300 SAPP 55F0325



300 x 200 SAPP 55S1607



300 x 400 SAV 55A0637
300 x 400 PP 55A0638



300 x 400 SAV 55A0635
300 x 400 PP 55A0636



300 x 400 SAV 55F1071
300 x 400 PP 55A0640

The sign below is supplied with your details printed.

Please remember to supply this information when ordering.



300 x 400 SAV 55A0645
300 x 400 PP 55F1754



300 x 400 SAV 55A0643
300 x 400 PP 55A0644

IN THE KNOW

Since 1st March 2000 businesses operating a CCTV system must comply with the Data Protection Act 1998. This means that individuals are able to exercise their rights under the act and ***'appropriately sized signs should be placed in and around areas where CCTV cameras are to be located'.***

The signs should ***'identify the owner/operator of the system and the purpose for which the data may be used'.*** If the correct signs are not used, businesses will be in breach of the law and a counter claim may be launched when CCTV evidence is used in a prosecution.

Cleaning



200 x 300 SAPP 55S1107



200 x 300 PP 55F0332



200 x 300 SAV 55A0465
200 x 300 PP 55A0466
400 x 600 SAV 55A0467
400 x 600 PP 55A0468



200 x 300 SAV 55A0375
200 x 300 PP 55F0876
400 x 600 SAV 55A0377
400 x 600 PP 55A0378

FIND A-BOARDS ON PAGE 58





200 x 300 SAPP 55F0295



200 x 300 SAPP 55S1106



300 x 100 SAV 55A0487
300 x 100 PP 55A0488
600 x 200 SAV 55A0489
600 x 200 PP 55A0490



300 x 100 SAV 55A0401
300 x 100 PP 55A0402
600 x 200 SAV 55S1105
600 x 200 PP 55A0404



200 x 300 SAPP 55F0226

Find Our Full Material Key On 6

Asbestos



200 x 300	SAV	55A0435
200 x 300	PP	55A0436
400 x 600	SAV	55A0437
400 x 600	PP	55A0438



300 x 100	SAV	55A0423
300 x 100	PP	55A0424

Radiology



200 x 300	SAV	55A0439
200 x 300	PP	55A0440

Agricultural



200 x 300 SAPP 55F4157



200 x 300 SAPP 55S0950



200 x 300 SAPP 55S0861



200 x 300	SAV	55A0581
200 x 300	PP	55A0582



200 x 300 SAPP 55S0952

Parking



200 x 300 SAPP 55F0296



200 x 300 SAPP 55F0331



200 x 300 SAPP 55F0441



300 x 200 SAPP 55F0569

Noise



200 x 300 SAPP 55F0309



200 x 300	SAV	55TC254
200 x 300	PP	55TC255



300 x 100	SAV	55TC256
300 x 100	PP	55TC257



300 x 200 SAPP 55F0311



300 x 200 SAPP 55F0310

Multi-Message



600 x 400 SAPP 55F0576



600 x 400 SAPP 55F0577



600 x 400 SAPP 55F0578



200 x 300	SAV	55TC261
200 x 300	SAPP	55TC262
300 x 400	ACM	55TC263
300 x 400	SAPP	55TC264
400 x 600	ACM	55TC265
400 x 600	SAPP	55TC266



600 x 400 SAPP 55F0580



600 x 400 SAPP 55F0587



600 x 400 SAPP 55F0582





600 x 400 SAPP 55F0579



600 x 400 SAPP 55F0588



600 x 400 PP 55F4901

Lorry Halt


Easy to use, Lorry Halt prevents the movement of vehicles whilst they are being loaded or unloaded.

- Simple to use wheel based unit made from powder coated metal.
- The lorry halt is telescopic and easy to adjust to the required height.
- Supplied flat packed including stickers.
- Full assembly instructions are also included.



Total weight base empty - 8.06kg
Total weight base full - 25.66kg
(External sand bag weight additional)

Included Stickers



Example alternate signs that can be used with our lorry halt:




Customisation options available.

Description	Code
Lorry Halt	5551800


Find Our Full Material Key On 6

Lorry Halt - Dimensions

Dimensions	
A	48cm
B	30cm
C	322cm
D	252cm
E	150cm
F	80cm
G	73cm
H	14cm
I	45cm



***Additional weight can be placed on the base of the Lorry Halt in the centre for added stability.**



*Stand design may vary slightly from image shown

Photoluminescent

Our photoluminescent signs are part of our standard health and safety range, printed on a special material that glows in the dark. In normal lighting, they function exactly like standard safety signs. However, in the event of a power failure or low visibility, these signs remain illuminated for a period of time, allowing critical safety messages to remain visible in darkness.

Defining Characteristics

Photoluminescent signs differ from standard versions only in the material used — not in the message, colour, or design.

These signs do not require electricity to illuminate but must first be “charged” by exposure to natural or artificial light. Once the light source is removed, they emit a visible glow for a set duration, which depends on both the grade of material and the amount of prior light exposure.

Our photoluminescent signs are manufactured using P.S.P.A. Class B material brighter than the standard Class A grade commonly used in the industry and can glow for up to 10 hours when fully charged. They have been independently tested to DIN 67510 Part 1–4 standards for afterglow performance, exceeding international requirements for flammability, smoke, and toxicity.

When to Use Them

While photoluminescent signs are not a legal requirement, they are strongly recommended as part of a Safety Way Guidance System (SWGS) particularly for Fire Exit signage, where maintaining visibility in low light is critical.


exit
FOAM
A
✓ USE ON:
Wood, paper and textiles
B
✓ USE ON:
Flammable liquids fires
DO NOT USE ON:
Live electrical equipment
DO NOT USE ON:
Flammable metal fires
Keep cl

Fire Exit and Evacuation



400 x 150 PHS 55TB120
400 x 150 PHO 55A5106



400 x 150 PHS 55TB116
400 x 150 PHO 55A5104



400 x 150 PHS 55TB118
400 x 150 PHO 55A5098



400 x 150 PHS 55TB122
400 x 150 PHO 55A5096



400 x 150 PHS 55TB119
400 x 150 PHO 55A5110



400 x 150 PHS 55TB117
400 x 150 PHO 55A5108



400 x 150 PHS 55TB121
400 x 150 PHO 55A5102



400 x 150 PHS 55TB123
400 x 150 PHO 55A5100



300 x 200 PHO 55F0419



300 x 200 PHO 55F0418



300 x 200 PHO 55S1581



300 x 200 PHS 55TB142
300 x 200 PHO 55F0060

Safe Condition



300 x 200 PHS 55TB128



200 x 300 PHS 55TB157
200 x 300 PHO 55F0423



200 x 300 PHS 55TB156
200 x 300 PHO 55F0431



100 x 150 PHS 55TB154
100 x 150 PHO 55TB155



300 x 200 PHS 55TB158
300 x 200 PHO 55F0421





300 x 100 PHS 55TB150
300 x 100 PHO 55A5160



300 x 100 PHS 55TB152
300 x 100 PHO 55A5164



300 x 100 PHS 55TB160
300 x 100 PHO 55A5154

Mandatory




200 x 300 PHS 55TB175
200 x 300 PHO 55A5188



200 x 300 PHS 55TB179
200 x 300 PHO 55F0425



200 x 300 PHS 55TB178
200 x 300 PHO 55A5186



200 x 300 PHO 55A5184



100 x 100 PHS 55TB169
100 x 100 PHO 55TB170



100 x 100 PHS 55TB166
100 x 100 PHO 55F0062

Find Our Full Material Key On 6

Fire Exit and Evacuation



75 x 200 PHS 55TB200
75 x 200 PHO 55F0427
82 x 202 PHS 55TB201
82 x 202 PHO 55A5228



75 x 200 PHS 55TB204
75 x 200 PHO 55F0429
82 x 202 PHS 55TB205
82 x 202 PHO 55A5226



75 x 200 PHS 55TB202
75 x 200 PHO 55F0428
82 x 202 PHS 55TB203
82 x 202 PHO 55A5230



75 x 200 PHS 55TB206
75 x 200 PHO 55F0430
82 x 202 PHS 55TB207
82 x 202 PHO 55A5224



200 x 300 PHS 55TB183
200 x 300 PHO 55A5206



200 x 300 PHS 55TB184
200 x 300 PHO 55S1572



200 x 300 PHS 55TB185
200 x 300 PHO 55A5190



200 x 300 PHS 55TB186
200 x 300 PHO 55A5212



100 x 100 PHS 55TB190
100 x 100 PHO 55F0416



300 x 100 PHS 55TB188
300 x 100 PHO 55A5208




300 x 100 PHS 55TB191
300 x 100 PHO 55A5192


Safety Light Sticks

Multi-purpose, cool to the touch, water resistant light source.

- CE & EN71 UN approved
- Glows for 12 hours +
- Non Flammable
- Non Toxic



Description	Code
Green Light Stick (each)	55F4251
Orange Light Stick (each)	55F4252
Yellow Light Stick (each)	55F4253



Tape and Floor Markings

Our photoluminescent tape is ideal for creating clear, easy to use way finding systems. Exceeds PSPA Class B for longevity and brightness.



20mm x 10m PHS 55A5245
40mm x 10m PHS 55A5246
80mm x 10m PHS 55F2113



40mm x 10m (R) PHS 55A5248
40mm x 10m (L) PHS 55A5250
80mm x 10m (R) PHS 55F1988
80mm x 10m (L) PHS 55F1989



40mm x 10m PHS 55A5252
80mm x 10m PHS 55F1990



40mm x 10m PHS 55A5243
80mm x 10m PHS 55F1991

Safety Posters

Providing a clear and effective way to continuously communicate essential safety information. Designed to present key messages in a concise, easy-to-read format, these posters help ensure that employees, visitors, and customers are reminded of safe practices and made aware of potential risks.

Why Are They Important?

Displaying relevant Health and Safety posters can help increase awareness, influence attitudes, and encourage safer behaviour. When positioned correctly, they deliver timely and appropriate information—offering both general safety guidance and critical, situation-specific instructions.

Where Should They Be Displayed?

Posters should always be placed in prominent, accessible locations where they can be easily seen by all employees. The ideal placement will depend on the message—for example, near workstations, in communal areas, or close to specific hazards.

What Posters Do I Need to Display?

The types of Health and Safety posters required vary depending on your industry, workplace environment, and specific risks. However, some posters are universally applicable—such as the Health and Safety Law Poster, General Safety Posters, and Fire Safety Posters. Industries with specialised risks may also require bespoke or topic-specific posters to address particular hazards and reinforce safety procedures.


What you must do
If there's a problem
Fire safety
Employment rights
and Safety Executive
HSE


Regulation and Safety Guidance




400 x 600 PP 55A3102



400 x 600 PP 55A3104




400 x 600 PP 55A3101




400 x 600 PP 55A3721



400 x 600 PP 55F2058



400 x 600 PP 55A3879



400 x 600 PP 55TB696




400 x 600 PP 55TB695




400 x 600 PP 55A2004



400 x 600 SAPP 55A3110



400 x 600 PP 55A8112



400 x 600 PP 55A8111

Workplace and General Safety



594 x 420 PVC 55A8128



594 x 420 PVC 55A8114



594 x 420 PVC 55A8119



594 x 420 PVC 55A8124



594 x 420 PVC 55A8117



594 x 420 PVC 55A8131



594 x 420 PVC 55A8120




594 x 420 PVC 55A8115



594 x 420 PVC 55A8118

First Aid and Emergency




594 x 420 PVC 55A8113




594 x 420 PVC 55A8116



594 x 420 PVC 55A8123



594 x 420 PVC 55A8130



594 x 420 PVC 55A8125




594 x 420 PVC 55A8121

Health & Safety Executive Posters

The latest version of the HSE Poster has a simplified layout with clearly marked sections.

Each poster has been produced using environmentally friendly materials, is serially numbered and incorporates an embedded hologram.

Description	Size	Code
UK Standard Poster Laminated	A2	55A2011
UK Standard Poster Laminated	A3	55TB705
Northern Ireland Version Laminated	A2	55A2012



Recycling Signs

Workplaces generate a significant amount of waste — much of which can be recycled. Implementing an effective recycling programme is an excellent way to save energy, reduce carbon emissions, and divert waste from landfill. It also plays a key role in meeting environmental standards such as ISO 14001.

Encouraging employees to recycle and providing clear guidelines helps foster a culture of environmental responsibility. Maintaining high recycling standards doesn't have to be difficult — identifying what can be recycled and providing clearly marked bins and signage makes the process simple and effective.

Where to Start

Assess Waste Streams

Conduct a waste assessment to identify the types of waste generated by different departments or functions.

Select Appropriate Bins

Determine the correct type and size of recycling bins needed in key areas.

Position Bins and Signage

Place recycling bins and clear signage in visible, accessible locations to encourage correct use.

Communicate and Train

Ensure all employees understand your recycling policy and procedures through communication and training.



Designed to make it quick and easy to see exactly what goes where. The symbols, clear lettering and distinctive colours allow anyone to check at a glance and recycle appropriately.



200 x 300	PP	55F5079



200 x 300	SAV	55F5082
200 x 300	PP	55F5083




150 x 200	SAV	55F5084
200 x 300	SAV	55F5086
200 x 300	PP	55F5087



150 x 200	PP	55F5101
200 x 300	PP	55F5103



150 x 200	SAV	55F5116
150 x 200	PP	55F5117
200 x 300	SAV	55F5118



150 x 200	SAV	55F5104
150 x 200	PP	55F5105
200 x 300	SAV	55F5106




150 x 200	SAV	55F5108
150 x 200	PP	55F5109



150 x 200	SAV	55F5112
200 x 300	PP	55F5115



150 x 200	SAV	55F5120
150 x 200	PP	55F5121
200 x 300	SAV	55F5122
200 x 300	PP	55F5123




150 x 200	PP	55F5125
200 x 300	SAV	55F5126



150 x 200	SAV	55F5128
150 x 200	PP	55F5129
200 x 300	SAV	55F5130
200 x 300	PP	55F5131




150 x 200	SAV	55F5132
150 x 200	PP	55F5133



150 x 200	SAV	55F5144
150 x 200	PP	55F5145
200 x 300	SAV	55F5146
200 x 300	PP	55F5147



150 x 200	SAV	55F5148
150 x 200	PP	55F5149
200 x 300	SAV	55F5150
200 x 300	PP	55F5151



150 x 200	SAV	55F5152
200 x 300	SAV	55F5154



150 x 200	SAV	55F5136
150 x 200	PP	55F5137
200 x 300	SAV	55F5138
200 x 300	PP	55F5139



To meet the new recycling standards, businesses should consider implementing multi-stream recycling systems that simplify waste segregation at the source. Providing properly designated bins and clear labelling can significantly reduce contamination and make sorting easier.

Find Our Full Material Key On 6

All businesses with 10 or more employees must comply with the government's 'Simpler Recycling' legislation. This scheme aims to standardise waste collection across England by requiring businesses to separate food waste and dry recyclables. In addition to the benefits of simplification, the goal is to increase recycling rates and reduce landfill waste.

Detailed Version



150 x 200	SAV	55TC032
150 x 200	PP	55TC033
200 x 300	SAV	55TC034
200 x 300	PP	55TC035
300 x 400	PP	55TC036



150 x 200	SAV	55TC037
150 x 200	PP	55TC038
200 x 300	SAV	55TC039
200 x 300	PP	55TC040
300 x 400	PP	55TC041




150 x 200	SAV	55TC042
150 x 200	PP	55TC043
200 x 300	SAV	55TC044
200 x 300	PP	55TC045
300 x 400	PP	55TC046




150 x 200	SAV	55TC047
150 x 200	PP	55TC048
200 x 300	SAV	55TC049
200 x 300	PP	55TC050
300 x 400	PP	55TC051



150 x 200	SAV	55TC052
150 x 200	PP	55TC053
200 x 300	SAV	55TC054
200 x 300	PP	55TC055
300 x 400	PP	55TC056



150 x 200	SAV	55TC057
150 x 200	PP	55TC058
200 x 300	SAV	55TC059
200 x 300	PP	55TC060
300 x 400	PP	55TC061



150 x 200	SAV	55TC062
150 x 200	PP	55TC063
200 x 300	SAV	55TC064
200 x 300	PP	55TC065
300 x 400	PP	55TC066



150 x 200	SAV	55TC067
150 x 200	PP	55TC068
200 x 300	SAV	55TC069
200 x 300	PP	55TC070
300 x 400	PP	55TC071

Waste should be separated into the following categories:*

- Paper and card
- All other dry recyclable materials
- Food waste
- Residual waste

Simplified Version



150 x 200	SAV	55TC072
150 x 200	PP	55TC073
200 x 300	SAV	55TC074
200 x 300	PP	55TC075
300 x 400	PP	55TC076



150 x 200	SAV	55TC077
150 x 200	PP	55TC078
200 x 300	SAV	55TC079
200 x 300	PP	55TC080
300 x 400	PP	55TC081




150 x 200	SAV	55TC082
150 x 200	PP	55TC083
200 x 300	SAV	55TC084
200 x 300	PP	55TC085
300 x 400	PP	55TC086




150 x 200	SAV	55TC087
150 x 200	PP	55TC088
200 x 300	SAV	55TC089
200 x 300	PP	55TC090
300 x 400	PP	55TC091



150 x 200	SAV	55TC092
150 x 200	PP	55TC093
200 x 300	SAV	55TC094
200 x 300	PP	55TC095
300 x 400	PP	55TC096



150 x 200	SAV	55TC097
150 x 200	PP	55TC098
200 x 300	SAV	55TC099
200 x 300	PP	55TC100
300 x 400	PP	55TC101



150 x 200	SAV	55TC102
150 x 200	PP	55TC103
200 x 300	SAV	55TC104
200 x 300	PP	55TC105
300 x 400	PP	55TC106



150 x 200	SAV	55TC107
150 x 200	PP	55TC108
200 x 300	SAV	55TC109
200 x 300	PP	55TC110
300 x 400	PP	55TC111



Your local council and waste collectors still have the flexibility to make their own decisions based on local needs. They may request that waste be further separated or differently combined. Please check with your local council or waste provider for the specific requirements.

Recycling Aisle Sacks

Easily segregate waste in a warehouse with the use of our industrial grade aisle sacks. Designed to be attached to the end of racking aisles with stainless steel hooks (supplied).

Each sack is manufactured from industrial strength waterproof polyester,

double-stitched for strength and durability. The sack incorporates a top flap with Velcro fixing strips, allowing the contents to be secured when full for transportation. The three handle straps incorporated into the sides and the bottom allow for easy relocation and emptying.

Dimensions: 920 x 1000mm (WxH)
Capacity: 160 litres (approx)



Description	Code
General Waste	5625901
Mixed Paper & Card	5625911
Cardboard	5625921
Plastic Only	5625931
Shrink Wrap	5625941
Mixed Recycling	5625961
'Blank'	5625951



Top Flap

The integrated top flap covers the contents and helps prevent waste from spilling out when being transported. With two Velcro strips on the flap and one corresponding strip on the main body, this allows for two fixing points depending on how full the sack is.

Eyelets

Four eyelets providing multiple fixings.



Stitching

Double stitched for strength.



Hooks

Supplied with two stainless steel 'S' hooks




MIXED
RECYCLING

A-Boards

A double-sided, free-standing sign designed to communicate important warning or information messages most commonly about temporary hazards. Lightweight and portable, A-Boards can be quickly positioned where needed and easily removed once the hazard or situation has been resolved.

Why Use an A-Board?

Employers have a responsibility to warn employees and the public of potential hazards. Failure to provide adequate warning could result in injury and possible legal action. A-Boards are an ideal solution for temporary risks, such as wet floors, cleaning in progress, or maintenance work, clearly communicating the danger until it is resolved.

Types of A-Boards

Our A-Boards are manufactured from durable polypropylene, providing a long-lasting and effective way to highlight temporary hazards and reduce the risk of accidents. Each board is double-sided, lightweight, and features an integrated carry handle for easy transport and storage.

For a more economical option, our Economy A-Boards are made from 4mm Correx board, offering a lightweight and cost-effective solution for short-term use. These can be fitted with your choice of adhesive signs on either side, making them highly versatile for various messages and environments.


Caution
Slippery
surface

Heavy Duty A-Boards

Manufactured from polypropylene this durable A-Board is designed to help reduce the risk of accidents or injuries occurring by highlighting temporary hazards. This double-sided A-Board is lightweight and is easily transportable with its integral carry handle.



55F0639



55F0641



55F0642



55F0644



55F0643



55F0640



55F0650



55F0645



55TB755



55TB758



55F0649



55F0648



55TB756



55F0646



55F0647



55TB754



55TB757



55TB753

Retail Box Deals


Ready for retail box of 5 A-Boards, providing you with excellent margins and an effective POS.



Description	Code
Danger Men At Work	55F0649DB
Warning Wet Floor	55F0641DB
Caution Cleaning In Progress	55F0642DB
Caution Work In Progress	55TB756DB
Caution Trip Hazard	55F0645DB
Caution Electricians Working	55F0648DB

Dimensions

A	200mm
B	620mm
C OPEN	300mm
C CLOSED	30mm
D	290mm



Find Our Full Material Key On 6

Economy A-Boards

Manufactured from 4mm Correx board, digitally cut and creased to provide a lightweight but sturdy A-Board.

Available in yellow, this unit is provided without any signs allowing you to choose your own for maximum versatility. These A-Boards are large enough to place a 200 x 300mm sign on either side.
Note: Sign not included.


Description	Code
Economy A-Board	4660

Dimensions

A	250mm
B	480mm
C	190mm







IN THE KNOW

Slip incidents are extremely common and result in severe to permanent injuries.

The majority of slip accidents take place in the workplace or public areas and can be caused from ice, snow, water, oil and debris with the most common being from wet floor, spills and leaks.

(source – slipstripsandfalls.org.uk)



Site Surveys

TO FIND OUT HOW SITE SURVEYS CAN HELP YOUR BUSINESS PLEASE CONTACT OUR SALES TEAM.

A site survey can be an essential tool to help in identifying risks, ensuring compliance with regulations, and promoting a safe working environment. Our advisory service can help mitigate these risks with the correct tools and equipment, advice on implementation and procedures to ensure long term safety goals are achieved.

One of our team members will visit your site and work with your teams to advise on:

- Identification of missing or outdated signage.
- Ensuring the correct size and materials are being used.
- Work with you on any bespoke requirements you may have.

Floor Markings


An effective way to convey safety, informational, or directional messages in specific locations particularly where wall-mounted signage may not be practical. They offer a clear, highly visible method of communication directly at floor level, ensuring messages are seen exactly where they are needed most.

Materials and Specification

Our floor graphics are digitally printed on self-adhesive vinyl with a permanent adhesive backing for secure application. Each graphic is finished with a clear matt embossed PVC laminate, certified to R9 slip-resistance grade, providing both durability and safety underfoot.

These graphics should be applied only to sealed, flat surfaces—such as laminate, painted, or varnished floors, or full tiles—and are suitable for dry indoor environments.

For outdoor or more demanding conditions, a higher-specification R11 slip-resistant option is available upon request. Please contact us for further details.





Our floor graphics will adhere to most smooth, clean flat surfaces and will provide a durable long lasting safety message.Each sign is backed with a high strength adhesive and has a hard wearing non-slip, non-abrasive lamination on the face.

Application and Use

1) Locate the area where the graphic is to be placed, ensure the surface is suitable for the graphic as rough or porous surfaces are not suitable.

2) Clean the surface if required, it should be a sealed flat surface, clean from dust, oils or other contaminates.

3) Check that the graphic is centred properly and facing the correct direction (if applicable). Peel off a small strip of the release paper and stick it down to the surface.

4) Gently pull away the rest of the release paper, closely following this removal by pushing the floor graphic down, using a soft flat tool wipe from side to side to ensure no bubbles are trapped underneath the graphic.







Please note: We recommend that you test the suitability of this product before use and that a regular check is made on all floor graphics. Worn, torn or otherwise damaged floor graphics should be removed and replaced.*

**We cannot accept any responsibility for accidents to persons or damaged caused by the use of these products.*



400 dia. FLR 55F1516



400 dia. FLR 5602101



400 dia. FLR 55F1518



400 dia. FLR 55F1517



400 dia. FLR 55F4208



400 dia. FLR 5602901



400 dia. FLR 5603201



400 dia. FLR 5602001



400 dia. FLR 5601301



400 dia. FLR 5605301



400 dia. FLR 5603601



400 dia. FLR 55F1514



400 dia. FLR 55F1515



400 dia. FLR 5603401



400 dia. FLR 55F1529

Find Our Full Material Key On 6



400 dia. FLR 55F1528



400 dia. FLR 5609001



400 dia. FLR 55F1530



400 dia. FLR 55F1531



400 dia. FLR 5600501



400 dia. FLR 5607001



400 dia. FLR 55F1524



400 dia. FLR 5606201



400 dia. FLR 55F1522



400 dia. FLR 55F1526



400 dia. FLR 55F1521



Floor Signalling

A selection of pre-cut yellow shapes designed for use in warehouse environments. Used to highlight pallet locations, safe walkways or traffic flow, these tough PVC shapes are self adhesive for fast application.

Other colours available on request.

Footprints

5 pairs of footprints per pack

Material	Size	Qty	Code
FLR	300 x 100	5	5617101

‘X’ Signal

Material	Size	Qty	Code
FLR	300 x 300	10	5616501

‘T’ Signal

Material	Size	Qty	Code
FLR	300 x 200	10	5616701

‘L’ Signal

5 pairs of footprints per pack

Material	Size	Qty	Code
FLR	200 x 200	10	5616801

Dots

Material	Size	Qty	Code
FLR	90mm Dia.	100	5616901

Arrows

Material	Size	Qty	Code
FLR	90 x 90	100	5617001

Photoluminescent Tape & Floor Markings

Create clear, easy to use wayfinding systems.
Exceeds PSPA Class B for longevity and brightness.



20mm x 10m PHO 55A5245
40mm x 10m PHO 55A5246
80mm x 10m PHO 55F2113



40mm x 10m PHO 55A5252
80mm x 10m PHO 55F1990



40mm x 10m (R) PHO 55A5248
40mm x 10m (L) PHO 55F1988
80mm x 10m (R) PHO 55F1988
80mm x 10m (L) PHO 55F1989



40mm x 10m PHO 55A5243
80mm x 10m PHO 55F1991

These photoluminescent floor graphics have a strong adhesive backing with a tough anti-slip laminated face.

Anti-Slip Floor Arrow



75 x 55mm FLRph 55F4207

Anti-slip Floor Footprints



90 x 240mm FLRph 55F1987

Non-Slip Floor Tape & Treads

Our non-slip treads are manufactured using a silicon carbide grit, giving excellent slip resistance whilst being repellent to oil, fluid and grease.

The printed treads are in high contrast colours and are ideal for use where a visual warning is needed, alongside anti-slip properties.



Description	Size	Qty	Code
Plain Black	19 x 609mm	50	55F1982
Plain Black	150 x 609mm	10	55F1983
Plain Black	140 x 140mm	10	55F1984
Printed “Watch your Step”	150 x 609mm	Each	55F1986
Black and Yellow Tape	50mm x 18m	Each	55F3790
Black Tape	50mm x 18m	Each	55F3788
Yellow Tape	50mm x 18m	Each	55F3789



Find Our Full Material Key On 6

Floor Marking Tape

Adhesive PVC tape ideal for highlighting hazards and internal marking procedures.

Tape measurements: 50mm x 33m

Description	Code
Red and White Stripes	55F3782
Black and Yellow Stripes	55F3783
Green and White Stripes	55F3784







Site Surveys

TO FIND OUT HOW SITE SURVEYS CAN HELP YOUR BUSINESS PLEASE CONTACT OUR SALES TEAM.

A site survey can be an essential tool to help in identifying risks, ensuring compliance with regulations, and promoting a safe working environment. Our advisory service can help mitigate these risks with the correct tools and equipment, advice on implementation and procedures to ensure long term safety goals are achieved.

One of our team members will visit your site and work with your teams to advise on:

- Identification of missing or outdated signage.
- Ensuring the correct size and materials are being used.
- Work with you on any bespoke requirements you may have.

Stencils

Stencils are flexible polyester sheets with letters, numbers, or patterns precisely cut out. When the stencil is placed onto a surface and paint is applied through the cut-out areas, the resulting mark forms a clear, durable design in the shape of the stencil's pattern. Paint is typically applied using a spray or roller, which helps ensure even coverage and minimises movement of the stencil during application.

Why Use a Stencil Instead of a Sign?

Stencils offer a reusable and cost effective alternative to traditional signage. They can be applied to virtually any surface, including those where adhesive signs may not adhere effectively, making them ideal for rough, uneven, or outdoor surfaces.

Their simple application process means that almost anyone can achieve professional results with minimal preparation.

Stencils

Our floor graphics will adhere to most smooth, clean flat surfaces and will provide a durable long lasting safety message.Each sign is backed with a high strength adhesive and has a hard wearing non-slip, non-abrasive lamination on the face.

How to use a stencil


1) Choose an area to be place the stencil, check that it is dry, centred and facing the correct direction.

2) Place the stencil onto the surface and hold down the edges using a low-tack adhesive tape. If creating a message with individual letters / numbers, use the marks etched into the stencil to ensure they are lined up correctly.

3) Try to ensure the stencil is flat to the surface, as any raised parts will allow the paint to seep under the edge and result in a less sharp edge. Depending on your paint application method, consider adding more tape around the outside of the stencil to avoid overspray.

4) Apply your paint to the stencil, taking care not to overspray the area. Correct paint selection is important to ensure adhesion but also to prevent seepage. Remove the stencil whilst the paint is still wet to prevent the stencil being stuck to the substrate.


5) Clean the stencil with the appropriate solution suitable for the paint used. Correct cleaning will result in a longer lifespan of the stencil.








Stencil Letter and Number Kits




Our laser cut stencil packs are an ideal way to create your own message.

Each letter comes on a separate sheet of polyester, etched spacer marks on each corner allow you to align accurately to the next character.

PLEASE NOTE:

SIZE REFERS TO THE CHARACTER HEIGHT, WITH THE WIDTH VARYING DEPENDANT ON THE INDIVIDUAL CHARACTER.



Description	Size	Code
0-9	200mm	55F0804
A-Z	200mm	55F0805
0-9	250mm	55F0806
A-Z	250mm	55F0807
0-9	300mm	55S9416
A-Z	300mm	55S9417



Construction

The construction industry in the UK is worth well over £100 billion per year, yet it unfortunately experiences one of the highest rates of injury and fatality across all sectors.

While health and safety is vital in every industry, it holds even greater importance in construction due to the potential severity of workplace incidents. In recent years, health and safety has become a core focus of operations and training, with safety signs playing a key role in raising awareness of risks and helping to prevent accidents.

Safety signs are a legal requirement, providing essential information that warns of hazards and outlines mandatory actions that must be followed. It is the responsibility of site managers to ensure that all safety signage is clearly displayed and easily visible to workers, visitors, and the public.



Site Safety Notices

With the numerous dangers found on construction sites, it's become harder and harder for a site safety manager to effectively demonstrate, the relevant safety procedures and methods of work which is a lawful requirement.

These signs have been specifically designed to provide safety managers with the information they need to display on one sign.





800 x 600 FMX 55S4550



800 x 600 FMX 55A5280



600 x 800 FMX 55F0637



800 x 600 FMX 55A5281



800 x 600 PP 55A5282



600 x 900 CRX 55AT039



800 x 600 FMX 55F0636
800 x 600 PP 55F1467



800 x 600 PP 55A5283



Find Our Full Material Key On 6

Build Your Own - Site Safety Notice







Choose 8 300 x 100mm signs from the selection above to create your perfect Site Safety Notice.

Description	Code
PP (650 x 650mm)	5551900

IF NO SELECTION IS MADE, WE WILL SUPPLY THE BEST SELLING OPTION.

Fire Safety and Safe Condition



300 x 100	SAV	55F1484
400 x 150	SAV	55A1621
400 x 150	PP	55A1622
400 x 150	SAPP	55TB002
600 x 200	SAV	55A1623
600 x 200	PP	55A1624



300 x 100	SAV	55F1485
400 x 150	SAV	55A1609
400 x 150	PP	55A1610
400 x 150	SAPP	55TB001
600 x 200	SAV	55A1611
600 x 200	PP	55A1612



300 x 100	SAV	55F1482
400 x 150	SAV	55A1605
400 x 150	PP	55A1606
400 x 150	SAPP	55TB003
600 x 200	SAV	55A1607
600 x 200	PP	55A1608



300 x 100	SAV	55F1483
400 x 150	SAV	55A1601
400 x 150	PP	55A1602
400 x 150	SAPP	55TB004
600 x 200	SAV	55A1603
600 x 200	PP	55A1604



300 x 100	SAV	55F1487
300 x 150	SAV	55A1749
300 x 150	PP	55A1750
300 x 150	SAPP	55TB006
400 x 200	SAV	55A1751
400 x 200	PP	55A1752
600 x 200	PP	55F1486



300 x 100	SAV	55F1457
600 X 200	PP	55F1456



300 x 100	SAV	55F1455
600 x 200	PP	55F1454



300 x 100	SAV	55A1849
300 x 100	PP	55A1850
600 x 100	SAV	55A1851
600 x 100	PP	55A1852
600 x 100	SAPP	55F0396



50 x 50	SAV	55F1440
100 x 100	SAV	55TB034
100 x 100	PP	55TB035



300 x 100	SAV	55A1845
300 x 100	PP	55A1846




300 x 100	SAV	55A1873
300 x 100	PP	55A1874



300 x 100	SAV	55A1969
300 x 100	PP	55A1970



300 x 100	SAV	55A1839
300 x 100	PP	55A1840



200 x 300	SAV	55F4331
200 x 300	PP	55TB399




300 x 200	SAV	55A1741
300 x 200	PP	55A1742
300 x 200	ACP	55F2321
600 x 400	SAV	55A1743
600 x 400	PP	55A1744
600 x 450	ACP	55F2322


Fire Extinguishers and Equipment



75 x 200	SAPP	55F0345
82 x 202	SAV	55A1534
82 x 202	PP	55A1535



75 x 200	SAPP	55F0347
82 x 202	SAV	55A1536
82 x 202	PP	55A1537



75 x 200	SAPP	55F0346
82 x 202	SAV	55A1532
82 x 202	PP	55A1533



75 x 200	SAPP	55F0348
82 x 202	SAV	55A1530
82 x 202	PP	55A1531



200 x 300	SAV	55F2309
200 x 300	PP	55F2310



200 x 200	SAV	55A1349
200 x 200	PP	55A1350



200 x 200	SAV	55TB398
200 x 200	PP	55AT018

Mandatory



200 x 300	SAV	55A0881
200 x 300	PP	55A0882
400 x 600	SAV	55A0883
400 x 600	PP	55A0884



200 x 300	SAV	55A0889
200 x 300	PP	55A0890
400 x 600	SAV	55AT042
400 x 600	PP	55AT043



200 x 300	SAV	55A0969
200 x 300	PP	55A0970



400 x 600	SAPP	55F0573



200 x 300	PP	55F2280
200 x 300	SAPP	55S0255



150 x 200	SAV	55F2286
200 x 300	SAV	55A0829
200 x 300	PP	55A0830
200 x 300	SAPP	55F0066



200 x 300	SAPP	55F0064
400 x 600	SAPP	55S4002



200 x 300	SAV	55F4363
200 x 300	PP	55TB405



200 x 300	SAV	55F1182
200 x 300	PP	55F1183



100 x 100	SAV	55F4260
100 x 100	PP	55TB072
150 x 150	SAV	55F1184
150 x 150	PP	55F1185
200 x 200	SAV	55F1186
200 x 200	PP	55F1187
300 x 300	SAV	55F1188
300 x 300	PP	55F1189



300 x 100	SAV	55F1280
300 x 100	PP	55F1281



300 x 100	SAV	55F4333
600 x 200	PP	55F4336



600 x 200	PP	55F1441



600 x 200	PP	55F1448



600 x 200	PP	55AT052

Find Our Full Material Key On 6



600 x 400 PP 55F2269



300 x 200 SAPP 55F0009



600 x 450 SAV 55A1019
600 x 450 PP 55A1020



600 x 450 SAV 55A1031
600 x 450 PP 55A1032



100 x 100 SAV 55A1101
100 x 100 PP 55A1102
150 x 150 SAV 55A1103
150 x 150 PP 55A1104



300 x 100 SAV 55A1005
300 x 100 PP 55A1006
600 x 200 PP 55A1008



300 x 100 SAV 55F4354
300 x 100 PP 55A0906



300 x 100 SAV 55A0981
300 x 100 PP 55A0982
600 x 200 SAV 55A0983
600 x 200 PP 55A0984



300 x 100 SAV 55F1137
300 x 100 PP 55A0946
600 x 200 SAV 55A0947
600 x 200 PP 55A0948



300 x 100 SAV 55F1125
300 x 100 PP 55A0898
600 x 200 SAV 55A0899
600 x 200 PP 55F1128

Prohibition



300 x 100 SAV 55A0137
300 x 100 PP 55A0138
600 x 200 SAV 55A0139
600 x 200 PP 55A0140



300 x 100 SAV 55A0133
300 x 100 PP 55A0134
600 x 200 SAV 55F2288
600 x 200 PP 55AT035



300 x 100 SAV 55A0129
300 x 100 PP 55A0130
600 x 200 SAV 55F1256
600 x 200 PP 55F1257



150 x 50 SAV 55A0001
150 x 50 PP 55A0002
300 x 100 SAV 55A0003
300 x 100 PP 55F1287
600 x 200 SAV 55A0005
600 x 200 PP 55A0006



300 x 100 SAV 55A0121
300 x 100 PP 55F1247
600 x 200 SAV 55A0123
600 x 200 PP 55A0124



100 x 100 SAV 55A0111
100 x 100 PP 55A0112
200 x 200 SAV 55A0113
200 x 200 PP 55F1215
400 x 400 SAV 55A0115
400 x 400 PP 55A0116



200 x 300 SAPP 55F0175



100 x 150 SAV 55A0019
100 x 150 PP 55A0020
200 x 300 SAV 55A0021
200 x 300 PP 55A0022
400 x 600 SAV 55A0023
400 x 600 PP 55A0024

Hazard Warning



200 x 300 PP 55F2279



600 x 450 SAV 55A0539
600 x 450 PP 55A0540



200 x 300 SAPP 55F2271




200 x 300 SAV 55A0591
200 x 300 PP 55A0592



300 x 100 SAV 55F1445
600 x 200 PP 55F1444



600 x 200 PP 55F1472



600 x 200 PP 55F1470



600 x 200 PP 55F1473



300 x 100 SAV 55A0365
300 x 100 PP 55A0366



300 x 100 SAV 55A0415
300 x 100 PP 55A0416
600 x 200 SAV 55A0417
600 x 200 PP 55A0418



300 x 100 SAV 55F1476
600 x 200 PP 55F1475

Highway / Motorway Maintenance



HIGHWAY MAINTENANCE

600 x 75	SAV	55F0483
600 x 75	PP	55F0484
600 x 75	CLG	5769008
600 x 75	MAG	55F0486
700 x 75	SAV	5769005
600 x 300	SAV	55F0488

MOTORWAY MAINTENANCE

600 x 75	SAV	55F0472
600 x 75	SAV	55F0473
600 x 75	CLG	55F0474
600 x 75	MAG	55F0475
700 x 75	SAV	55F0476
890 x 100	MAG	55F1492
1000 x 350	SAV	55F0478

Construction and General

Site Office

300 x 100	PP	55F2261
300 x 100	SAV	55F1447

Reception

300 x 100	PP	55TB339

Office

300 x 100	PP	55TB349



Staff only

300 x 100	SAV	55TB340
300 x 100	PP	55TB341

Canteen

300 x 100	SAV	55TB337
300 x 100	PP	55F2263

Diesel fuel only

150 x 150	SAV	55TB356
150 x 150	PP	55TB357

Toilet

300 x 100	SAV	55TB319
300 x 100	PP	55F2264

Toilet

300 x 100	SAV	55TB320
300 x 100	PP	55F2265

Toilets

300 x 100	SAV	55TB327
300 x 100	PP	55TB328

Gents

300 x 100	PP	55TB322

Ladies

300 x 100	PP	55TB324

Cloakroom

300 x 100	PP	55TB355

Stores

300 x 100	SAV	55TB352
300 x 100	PP	55TB353

Trespassers will be prosecuted

300 x 200	PP	55TB386

Vehicles and contents are left entirely at owners risk

300 x 200	PP	55TB359

Please keep off the grass

300 x 200	PP	55TB388

Goods inwards

300 x 200	PP	55TB365

Goods outwards

300 x 200	PP	55TB367

Car park

300 x 200	PP	55TB370

Site car park

300 x 200	PP	55TB376

Staff car park

300 x 200	PP	55TB378

Visitors car park

300 x 200	PP	55TB372



125 x 200	SAV	55TB309
125 x 200	PP	55TB310
200 x 250	SAV	55F1495
200 x 250	PP	55TB311



125 x 200	PP	55TB313
200 x 250	SAV	55F1496
200 x 250	PP	55TB314



200 x 250	SAV	55TB317
200 x 250	PP	55TB318


Find Our Full Material Key On 6



300 x 200 SAPP 55F0446



300 x 200 SAPP 55F2162



300 x 200 SAPP 55F0436



300 x 200 SAPP 55S1652



300 x 200 SAPP 55F0440



300 x 200 SAPP 55F0448



300 x 200 SAPP 55S1607




600 x 450 ACPC 55F1610
600 x 450 ACP 55F4244




600 x 450 ACPC 55F1609
600 x 450 ACP 55F4243



600 x 450 ACPC 55F1611
600 x 450 ACP 55F4245



600 x 450 ACPC 55F1600
600 x 450 ACP 55F4234



600 x 450 ACPC 55F1601
600 x 450 ACP 55F4235



600 x 450 ACPC 55F1602
600 x 450 ACP 55F4236



600 x 450 ACPC 55F1603
600 x 450 ACP 55F4237



600 x 450 ACPC 55F1604
600 x 450 ACP 55F4238



600 x 450 ACPC 55F1605
600 x 450 ACP 55F4239



600 x 450 ACP 55F4240



600 x 450 ACP 55F4241

THESE SIGNS ARE MANUFACTURED FROM NON-REFLECTIVE MATERIALS AND ARE SUITABLE FOR USE ON PRIVATE LAND TO WHICH THE PUBLIC HAS NO ACCESS.



Quarry Signs

Under the Quarries Regulations Act 1999, Operators hold responsibility for ensuring adequate measures are taken to safeguard any persons in and around the quarry environment. Keep your quarry site safe by using the correct signage to warn staff and visitors of any potential dangers.



600 x 400 ACP 55TC112
600 x 400 FMX 55TC113



600 x 400 ACP 55TC114
600 x 400 FMX 55TC115



600 x 400 ACP 55TC116
600 x 400 FMX 55TC117



600 x 400 ACP 55TC118
600 x 400 FMX 55TC119



600 x 400 ACP 55TC120
600 x 400 FMX 55TC121



600 x 400 ACP 55TC122
600 x 400 FMX 55TC123



600 x 400 ACP 55TC124
600 x 400 FMX 55TC125



600 x 400 ACP 55TC126
600 x 400 FMX 55TC127



600 x 400 ACP 55TC128
600 x 400 FMX 55TC129



600 x 400 ACP 55TC130
600 x 400 FMX 55TC131



600 x 400 ACP 55TC132
600 x 400 FMX 55TC133





400 x 600 ACP 55TC134
400 x 600 FMX 55TC135



400 x 600 ACP 55TC136
400 x 600 FMX 55TC137



400 x 600 ACP 55TC138
400 x 600 FMX 55TC139



400 x 600 ACP 55TC140
400 x 600 FMX 55TC141



400 x 600 ACP 55TC142
400 x 600 FMX 55TC143



400 x 600 ACP 55TC144
400 x 600 FMX 55TC145



400 x 600 ACP 55TC146
400 x 600 FMX 55TC147



400 x 600 ACP 55TC148
400 x 600 FMX 55TC149



400 x 600 ACP 55TC150
400 x 600 FMX 55TC151

Find Our Full Material Key On 6

CONCEPT TO COMPLETION

WE'RE NOT JUST EXPERTS IN SAFETY SOLUTIONS



Whether it's hoarding for the development, way finding signage, site safety signage or signage for the completed building.

WE CAN PROVIDE COMPLETE SIGNAGE SOLUTIONS FOR THE LIFECYCLE OF A BUILDING.

Road & Traffic Signs

Road and traffic signs play a vital role in keeping road users informed, safe, and compliant. Positioned alongside or above roads, they communicate essential instructions, warnings, and information, helping to ensure the smooth and safe movement of traffic across all environments.

Our range includes both permanent and temporary signs, designed and manufactured to the highest standards of quality, visibility, and durability.

All permanent road signs in the UK must, by law, be produced by audited and registered manufacturers and display the appropriate compliance labelling on the reverse. As an accredited manufacturer, we meet and exceed all relevant regulatory requirements delivering products that combine safety and reliability.

We are proud to supply signs carrying the UKCA (UK Conformity Assessed) marking. This replaces the former CE marking for most products. Reflective Coating

UK CA CE

Reflective Coating

Also known as Engineering Grade, Class Ref 1 offers a lower level of retro-reflectivity and is commonly used for temporary road signage. It provides adequate visibility for short-term or temporary applications at a cost-effective price point.

Class Ref 2 features a High Intensity Prismatic (HIP) retro-reflective sheet, specifically engineered for permanent road signs. It delivers excellent reflectivity at all angles, ensuring optimal visibility for drivers, and is more durable with a longer service life compared to Class Ref 1.

Class Ref R3B, is the highest grade retro-reflective sheet available, and is specified for permanent signs where the ultimate visibility and legibility is required such as motorway signs. This material is available on request.



UKCA / CE Marked Permanent Road Signs

These Road Signs conform to the Traffic Signs Regulations and General Directions 2002 and BS EN 12899-1:2007.

Manufactured from Aluminium composite which provides excellent strength and durability. Each sign is available with or without channelling on the reverse. ACP does not have channel - ACPC has channel

High intensity Class Ref 2 facing suitable for public highway.



450 dia. ACPC 55F2329
450 dia. ACP 55F2606
600 dia. ACPC 55F1533
600 dia. ACP 55F2482



450 dia. ACPC 55F2330
450 dia. ACP 55F2607
600 dia. ACPC 55F1534
600 dia. ACP 55F2483



450 dia. ACPC 55F2331
450 dia. ACP 55F2608
600 dia. ACPC 55F1535
600 dia. ACP 55F2484



450 dia. ACPC 55F2332
450 dia. ACP 55F2609
600 dia. ACPC 55F1536
600 dia. ACP 55F2485




450 dia. ACPC 55F2333
450 dia. ACP 55F2610
600 dia. ACPC 55F1537
600 dia. ACP 55F2486



450 dia. ACPC 55F2334
450 dia. ACP 55F2611
600 dia. ACPC 55F1538
600 dia. ACP 55F2487



450 dia. ACPC 55F2335
450 dia. ACP 55F2612
600 dia. ACPC 55F1539
600 dia. ACP 55F2488



450 dia. ACPC 55F2336
450 dia. ACP 55F2613
600 dia. ACPC 55F1540
600 dia. ACP 55F2489

SIGN CHANNEL OPTIONS

These signs are available with or without channelling on the reverse.





450 dia. ACPC 55F2339
450 dia. ACP 55F2616
600 dia. ACPC 55F1543
600 dia. ACP 55F2492



450 dia. ACPC 55TB410
600 dia. ACPC 55TB411
600 dia. ACP 55TB423



450 dia. ACPC 55F2338
450 dia. ACP 55F2615
600 dia. ACPC 55F1542
600 dia. ACP 55F2491



450 dia. ACPC 55F2337
450 dia. ACP 55F2614
600 dia. ACPC 55F1541
600 dia. ACP 55F2490



600 tri. ACP 55F2511



600 tri. ACPC 55F1555
600 tri. ACP 55F2504



600 tri. ACPC 55F1553
600 tri. ACP 55F2502



600 tri. ACPC 55TB431
600 tri. ACP 55TB439



600 tri. ACP 55F4220



600 tri. ACP 55F2510

All our permanent road signs can be supplied with horizontal channel strips on the rear, providing secure fixing for anti-rotational clamps or banding.

Find Our Full Material Key On 6



600 tri. ACPC 55F1559
600 tri. ACP 55F2508



600 tri. ACPC 55TB430
600 tri. ACP 55TB438



600 tri. ACPC 55TB436
600 tri. ACP 55TB444



600 tri. ACPC 55F1554
600 tri. ACP 55F2503





600 dia. ACPC 55F1545
600 dia. ACP 55F2494



600 dia. ACPC 55F1546
600 dia. ACP 55F2495



600 dia. ACPC 55F1547
600 dia. ACP 55F2496



600 dia. ACPC 55F1548
600 dia. ACP 55F2497



600 dia. ACPC 55F1549
600 dia. ACP 55F2498



600 dia. ACPC 55F1550
600 dia. ACP 55F2499



420 x 720 ACPC 55TB463
420 x 720 ACP 55TB483

ALL OF OUR PERMANENT ROAD SIGNS HAVE A HIGH INTENSITY CLASS REF 2 FACING SUITABLE FOR PUBLIC HIGHWAY.

Permanent Road Signs

Permanent Road Signs manufactured on Aluminium composite panel, available with channel option for post fixing.

High intensity Class Ref 2 facing suitable for public highway.



600 x 450 ACPC 55F1588
600 x 450 ACP 55F4262



600 x 450 ACPC 55F1589
600 x 450 ACP 55F2529



600 x 450 ACPC 55F1594
600 x 450 ACP 55F4266



600 x 450 ACPC 55TB486
600 x 450 ACP 55TB489



600 x 450 ACPC 55F1590
600 x 450 ACP 55F2530



600 x 450 ACPC 55TB488
600 x 450 ACP 55TB491



600 x 450 ACPC 55F1595
600 x 450 ACP 55F4267



600 x 450 ACPC 55TB487
600 x 450 ACP 55TB490



600 x 450 ACPC 55F1593
600 x 450 ACP 55F4265



600 x 450 ACPC 55F1596
600 x 450 ACP 55F2531



600 x 450 ACPC 55F1592
600 x 450 ACP 55F4264



600 x 450 ACPC 55F1598
600 x 450 ACP 55F4268



600 x 450 ACPC 55F1599
600 x 450 ACP 55F2533



320 x 250 ACPC 55F1612
320 x 250 ACP 55F4246



320 x 250 ACPC 55F1613
320 x 250 ACP 55F4249



600 x 450 ACPC 55F1565
600 x 450 ACP 55F2514



600 x 450 ACPC 55F1566
600 x 450 ACP 55F1567



600 x 450 ACPC 55F1567
600 x 450 ACP 55F2516



600 x 450 ACPC 55F1568
600 x 450 ACP 55F2517




480 x 480 ACPC 55F1577
480 x 480 ACP 55F2526



600 x 450 ACPC 55F1571
600 x 450 ACP 55F2520



600 x 450 ACPC 55F1572
600 x 450 ACP 55F2521



600 x 450 ACPC 55F1575
600 x 450 ACP 55F2524



300 x 450 ACPC 55F1576
300 x 450 ACP 55F2525

MOT Signs

MOT signs required for all MOT bays. DVSA standard signs that must be displayed by law includes; the 3 triangles logo, MOT parking, test bay and viewing area signs.



600 x 200 PP 55F5158



600 x 200 PP 55F5162



600 x 200 PP 55F5157




625 x 600 PP 55F5156

Electric Vehicle Recharging Point

Help locate charging points easily.





Description	Material	Size	Code
Vehicle Recharging point	PP	300 x 200	5584101
Vehicle Recharging point	PP	400 x 300	5584201
Vehicle Recharging point	ACP	400 x 300	5584202
Sign with Vertical Channel	ACPC	400 x 300	5584203
Sign with Horizontal Channel	ACPC	400 x 300	5584301

Description	Material	Size	Code
Vehicle Recharging point	PP	200 x 300	5584401
Vehicle Recharging point	PP	300 x 400	5584501
Vehicle Recharging point	ACP	300 x 400	5584502
Sign with Vertical Channel	ACPC	300 x 400	5584503

Find Our Full Material Key On 6


Road Sign Fixings and Posts

Post & Caps

Manufactured from grey coated mild steel posts for excellent durability with standard 76mm (3") diameter.

Other sizes available on request.

Description	Code
1.8m Post	55F1581
3m Post	55F1689
Post Cap	55F1582





Post Clips

Anti-rotational post clips slide into the channel on the back of the road sign and fit around the road post.

Complete with fixings.

Description	Code
50mm dia. Post Clips (pair)	55TB493
76mm dia. Post Clips (pair)	55F1583
89mm dia. Post Clips (pair)	55TB494
114mm dia. Post Clips (pair)	55TB495





Back to Back Clip

These are used when two signs are mounted on one pole back to back.

Description	Code
76mm Back-to-Back Clip (pair)	55TB496





Channel Adaptors

Channel adaptors help when unsure about what component to use when attaching a sign on to a signpost, lamppost, bollard or telegraph pole.

Description	Code
Channel Adaptors (ea.)	55F1584





Banding Straps

Banding straps are similar to an oversized hose clip that passes through a buckle and is then tightened using a standard screwdriver. Ideal for strapping lighter weight signs or Banner Supports to round or irregular shaped posts

Description	Code
Banding Straps (pair)	55F2342
Banding Buckles (Pack of 100)	55F1586





Temporary Road Signs

Temporary Road Signs are manufactured with Class Ref 1 engineering grade reflective face onto Zintec plate. Order the material code ZFM for your sign to be pre-set into a stanchion or ZIN for just the sign.

Class Ref 1 facing suitable for temporary signage.



600 tri.	ZFM	55F1625
600 tri.	ZIN	55F2542
750 tri.	ZFM	55F1626
750 tri.	ZIN	55F2543



600 tri.	ZFM	55F1617
600 tri.	ZIN	55F2534
750 tri.	ZFM	55F1618
750 tri.	ZIN	55F2535



600 tri.	ZFM	55F1619
600 tri.	ZIN	55F2536
750 tri.	ZFM	55F1620
750 tri.	ZIN	55F2537



600 tri.	ZFM	55F1621
600 tri.	ZIN	55F2538
750 tri.	ZFM	55F1622
750 tri.	ZIN	55F2539



600 tri.	ZFM	55F1623
600 tri.	ZIN	55F2540
750 tri.	ZFM	55F1624
750 tri.	ZIN	55F2541



600 tri.	ZFM	55F1627
600 tri.	ZIN	55F2544
750 tri.	ZFM	55F1628
750 tri.	ZIN	55F2545



600 tri.	ZFM	55F1629
600 tri.	ZIN	55F2546
750 tri.	ZFM	55F1630
750 tri.	ZIN	55F2547



600 tri.	ZFM	55TB497
600 tri.	ZIN	55TB535
750 tri.	ZFM	55TB498
750 tri.	ZIN	55TB536



750 tri.	ZFM	55TB534
750 tri.	ZIN	55TB546



600 x 600	ZFM	55TB531
600 x 600	ZIN	55TB543



600 x 600	ZFM	55TB499
600 x 600	ZIN	55TB537
750 x 750	ZFM	55TB500
750 x 750	ZIN	55TB538



600 x 600	ZFM	55TB529
600 x 600	ZIN	55TB541
750 x 750	ZFM	55TB530
750 x 750	ZIN	55TB542



600 x 450	ZFM	55F1633
600 x 450	ZIN	55F2550
1050 x 750	ZFM	55F1634
1050 x 750	ZIN	55F2551



600 x 450	ZFM	55F1635
600 x 450	ZIN	55F2552
1050 x 750	ZFM	55F1636
1050 x 750	ZIN	55F2553



600 x 450	ZFM	55F1637
600 x 450	ZIN	55F2554
1050 x 750	ZFM	55F1638
1050 x 750	ZIN	55F2555



600 x 450	ZFM	55F1653
600 x 450	ZIN	55F2570
1050 x 750	ZFM	55F1654
1050 x 750	ZIN	55F2571



600 x 450	ZFM	55F1655
600 x 450	ZIN	55F2572
1050 x 750	ZFM	55F1656
1050 x 750	ZIN	55F2573



600 x 450	ZFM	55F2311
600 x 450	ZIN	55F2604



1050 x 750	ZFM	55F2306
1050 x 750	ZIN	55F2603



600 x 450	ZFM	55TB549
600 x 450	ZIN	55TB556
1050 x 750	ZFM	55TB550
1050 x 750	ZIN	55TB557



600 x 450	ZFM	55F1669
600 x 450	ZIN	55F2586
1050 x 750	ZFM	55F1670
1050 x 750	ZIN	55F2587



600 x 450	ZFM	55F1645
600 x 450	ZIN	55F2562
1050 x 750	ZFM	55F1646
1050 x 750	ZIN	55F2563



600 x 450	ZFM	55F2303
600 x 450	ZIN	55F2600



600 x 450	ZFM	55F1667
600 x 450	ZIN	55F2584
1050 x 750	ZFM	55F1668
1050 x 750	ZIN	55F2585



600 x 450	ZFM	55F1639
600 x 450	ZIN	55F2556
1050 x 750	ZFM	55F1640
1050 x 750	ZIN	55F2557

Find Our Full Material Key On 6



600 x 450	ZIN	55F2588
1050 x 750	ZFM	55F1672
1050 x 750	ZIN	55F2589



600 x 450	ZFM	55F1641
600 x 450	ZIN	55F2558
1050 x 750	ZFM	55F1642
1050 x 750	ZIN	55F2559



600 x 450	ZFM	55F1661
600 x 450	ZIN	55F2578
1050 x 750	ZFM	55F1662
1050 x 750	ZIN	55F2579



600 x 450	ZFM	55F1649
600 x 450	ZIN	55F2566
1050 x 750	ZFM	55F1650
1050 x 750	ZIN	55F2567



600 x 450	ZFM	55F1651
600 x 450	ZIN	55F2568
1050 x 750	ZFM	55F1652
1050 x 750	ZIN	55F2569



600 x 450	ZFM	55TB547
600 x 450	ZIN	55TB554
1050 x 750	ZFM	55TB548
1050 x 750	ZIN	55TB555



1050 x 450	ZFM	55F2305
1050 x 450	ZIN	55F2602



600 x 450	ZFM	55F1647
600 x 450	ZIN	55F2564
1050 x 750	ZFM	55F2565
1050 x 750	ZIN	55F1649



600 x 450	ZFM	55F1663
600 x 450	ZIN	55F2580
1050 x 750	ZFM	55F1664
1050 x 750	ZIN	55F2581



600 x 450	ZFM	55F1665
600 x 450	ZIN	55F2582
1050 x 750	ZFM	55F1666
1050 x 750	ZIN	55F2583



600 x 450	ZFM	55F1643
600 x 450	ZIN	55F2560
1050 x 750	ZFM	55F1644
1050 x 750	ZIN	55F2561




600 x 450	ZFM	55F1657
600 x 450	ZIN	55F2574
1050 x 750	ZFM	55F1658
1050 x 750	ZIN	55F2575



600 x 450	ZFM	55F1659
600 x 450	ZIN	55F2576
1050 x 750	ZFM	55F1660
1050 x 750	ZIN	55F2577



600 x 450	ZIN	55TC152
600 x 450	ZFM	55TC153
1050 x 750	ZIN	55TC154
1050 x 750	ZFM	55TC155



1050 x 750	ZFM	55F1676
1050 x 750	ZIN	55F2593



600 x 450	ZFM	55F1673
600 x 450	ZIN	55F2590
1050 x 750	ZFM	55F1674
1050 x 750	ZIN	55F2591



600 x 450	ZFM	55F1675
600 x 450	ZIN	55F2592
1050 x 750	ZFM	55F1676
1050 x 750	ZIN	55F2593



600 x 450	ZFM	55F1677
600 x 450	ZIN	55F2594
1050 x 750	ZFM	55F1678
1050 x 750	ZIN	55F2595



600 x 450	ZFM	55F1679
600 x 450	ZIN	55F2596
1050 x 750	ZFM	55F1680
1050 x 750	ZIN	55F2597



600 x 450	ZFM	55F1681
600 x 450	ZIN	55F2598
1050 x 750	ZFM	55F1682
1050 x 750	ZIN	55F2599

Road Sign Frames (Stanchions)

Our Road Sign Frames are manufactured from mild steel in a range of standard sizes.

Temporary triangular signs are printed and displayed using these stanchions.

If you require any non-standard sizes please contact our sales office.

Size	Code
750 x 750mm	55F1685
600 x 450mm	55F1686
600 x 600mm (overall height 900mm)	55F2314
1050 x 750mm	55F1686









Non-Reflective Road Signs

These signs are manufactured from non-reflective materials and are suitable for private land, work and building sites as well as private access roads.





600 x 450 PP 55TB594



600 x 400 PP 55F2250
600 x 400 FMX 55F2249
600 x 450 PP 55TB581



600 x 400 PP 55F2252
600 x 400 FMX 55F2251
600 x 450 PP 55TB582



600 x 400 PP 55F2254
600 x 400 FMX 55F2253
600 x 450 PP 55TB583



600 x 400 PP 55F2248
600 x 400 FMX 55F2247
600 x 450 PP 55TB584



600 x 400 PP 55F2240
600 x 400 FMX 55F2239
600 x 450 PP 55TB585



600 x 400 PP 55F2256
600 x 400 FMX 55F2255
600 x 450 PP 55TB586



600 x 400 PP 55F2242
600 x 400 FMX 55F2241
600 x 450 PP 55TB587



600 x 400 PP 55F2258
600 x 400 FMX 55F2257
600 x 450 PP 55TB588



600 x 400 PP 55F2260
600 x 400 FMX 55F2259
600 x 450 PP 55TB589



600 x 400 PP 55F2291
600 x 400 FMX 55F2290



600 x 400 PP 55F2293
600 x 400 FMX 55F2292
600 x 450 PP 55TB591



600 x 400 PP 55F2244
600 x 400 FMX 55F2243
600 x 450 PP 55TB592



600 x 400 PP 55F2246
600 x 400 FMX 55F2245
600 x 450 PP 55TB593



600 x 400 PP 55TB615
600 x 400 FMX 55TB616
600 x 450 PP 55TB617



600 x 400 FMX 55F0621
600 x 450 PP 55AT061



600 x 450 PP 55TB596



600 x 450 PP 55TB597



600 x 450 PP 55TB392



600 x 450 PP 55AT059




600 x 400 PP 55TB608
600 x 400 FMX 55TB609
600 x 450 PP 55TB610



600 x 400 FMX 55F0622
600 x 450 PP 55TB598



600 x 400 FMX 55F0623
600 x 450 PP 55TB605



400 x 600 FMX 55TB611



400 x 600 FMX 55TB612



400 x 600 FMX 55TB613



400 x 600 FMX 55TB614



600 x 400 FMX 55F0624
600 x 450 PP 55TB606



600 x 400 FMX 55F0625
600 x 450 PP 55TB607



400 x 400 FMX 55F0620



400 x 400 FMX 55S4321



400 x 400 FMX 55S4322
400 x 400 PP 55F2237



400 x 400 FMX 55S4323
400 x 400 PP 55F2238

Find Our Full Material Key On 6

Speed Control



600 x 400 SAPP 55F2274



600 x 400 SAPP 55F0616



600 x 400 SAPP 55F0614




600 x 400 SAPP 55F0615



400 x 300 PP 55F2270
600 x 400 SAPP 55F0611
600 x 400 PP 55F2287



600 x 400 SAPP 55F0618




600 x 400 SAPP 55F0619



600 x 450 SAPP 55AT059



600 x 450 SAPP 55TB392



600 x 400 SAPP 55S4500



400 x 400 FMX 55S4321
400 x 400 PP 55AT104



400 x 400 FMX 55S4322
400 x 400 PP 55F2237



400 x 400 FMX 55S4323
400 x 400 PP 55F2238



400 x 400 FMX 55S4331



600 x 400 PP 55F2326
600 x 400 FMX 55F2325



600 x 400 PP 55F2240
600 x 400 FMX 55F2239



600 x 400 PP 55F2242
600 x 400 FMX 55F2241



600 x 400 PP 55F2244
600 x 400 FMX 55F2243



600 x 400 PP 55F2246
600 x 400 FMX 55F2245



600 x 400 PP 55F2250
600 x 400 FMX 55F2249



600 x 400 PP 55F2256
600 x 400 FMX 55F2255



600 x 400 PP 55F2260
600 x 400 FMX 55F2259



600 x 400 PP 55F2291
600 x 400 FMX 55F2290



600 x 400 PP 55F2248
600 x 400 FMX 55F2247



600 x 400 PP 55F2252
600 x 400 FMX 55F2251



600 x 400 PP 55F2293
600 x 400 FMX 55F2292



600 x 400 PP 55F2258
600 x 400 FMX 55F2257



600 x 400 PP 55F2254
600 x 400 FMX 55F2253



600 x 400 FMX 55F0622



600 x 400 FMX 55F0623



600 x 400 FMX 55F0624




600 x 400 FMX 55F0625

Lollipop Signs and Banksman Paddles

We manufacture a variety of stop and go signs which are ideal for a range of everyday uses such as managing traffic in roadworks or accidents and directing traffic outside of schools.

Manufactured from painted galvanised steel tube with Class 1 reflective face.
Complete with foam padded handle grip.

Description	Code
Stop/Go Lollipop	55F5163
Stop Works Lollipop	55F5164
Stop/Go Paddle	55F5165
Banksman Paddle	55F5166



Dimensions	
A	600mm
B	100mm
C	1600mm
D	2200mm
E	450mm
F	70mm
G	330mm
H	850mm
I	200mm
J	155mm

Find Our Full Material Key On 6


STOP

6S Lean Manufacturing

A versatile methodology that can be applied to virtually any workplace environment. When implemented effectively, 6S helps create a cleaner, more organised, and less cluttered workspace. This improved order ensures employees always know where to find the tools and equipment they need, reducing waste and increasing efficiency.

Beyond operational benefits, 6S also contributes to a more professional and welcoming environment for visitors to your premises.

Six Steps to a Safer, Smarter Workplace

Sort: Keeping only what is necessary and discarding everything else

Set In Order: Arranging and labelling only necessary items for easy use and return by anyone

Cleanliness: Keeping everything in the workplace clean and tidy

Standardise: Establishing procedures to ensure repetition of the process.

Sustain: Making a habit of properly maintaining correct procedures

Safety: Improve productivity and eliminate waste.



Spill Control Boards

Everything you need to control spills of oil, chemical and water based liquids in and around the workplace environment. The range starts with a simple 20 litre spill and go dispensing box ideal for dealing with incidental spills and leaks anywhere, and goes up to a 360 litre kit in a strong, waterproof, two wheeled plastic bin, ideal for responding to large scale spillages.

All kits come equipped with a range of absorbent formats depending on the size of kit including disposal bags and ties. A total 'one stop' package for a quick and effective response to spillages.

Industry colour coding for absorbent

Absorbents are one of the most effective and efficient ways of containing and recovering split liquids. Having the correct type of absorbents on site with allow you to manage any potential workplace spillage. To ensure that you chose the correct type of absorbent, below is a simple guide to the colour coding of absorbents.

MAINTENANCE

GREY and **BLACK** product
For use on non-agressive liquids: Oils, Water, Fuel, Solvents, Thinners, Paints, Aqueous Liquids and Mild Chemicals

OIL SELECTIVE

WHITE product
For the selective recovery of oil on water.
Absorbs most hydrocarbons including vegetable, mineral and synthetic derivatives. Not for use on water or water based liquids.

CHEMICAL

YELLOW product
For use on all aggressive liquids including acids and caustics.





Find Our Full Material Key On 6

Spill and Go Dispensing Box Board

Ideal for dealing with incidental spills & leaks anywhere.
Open finish for quick absorbency.
Comes in handy compact, dispenser box.

Available in Maintenance and Oil only.
Board Size: 90cm x 163cm

Board	Code
Oil	55SF181
Maintenance	55SF180

Contents
Box Size: 48cm x 52cm
25 x Pads





50ltr Vinyl Holdall Board

50ltr spill kit in vinyl holdall (reusable) with shoulder strap.

Board Size: 90cm x 185cm



Board	Code
Chemical	55SF176
Oil	55SF175
Maintenance	55SF174

Contents
Bag size: 70cm x 59cm x 5cm
30 x Premier 50cm x 40cm Pads
3 x Premier 1.2mtr Socks
3 x 38cm x 23cm Absorbent Pillows
5 x waste bags & ties



90ltr Circular Bin Board

90ltr spill kit in cylindrical bin with clip top.

Board Size: 90cm x 185cm

Board	Code
Chemical	55SF179
Oil	55SF178
Maintenance	55SF177

Contents
Bin Size: 72cm x 55cm x 55cm
48 x Premier 50cm x 40cm Pads
8 x Premier 1.2mtr Socks
1kg Drum Plug
1 x Hazard Tape
10 x Waste bags & ties






Wheeled Bin Board

Supplied in a strong, waterproof, two wheeled plastic bin.

Board Size: 90cm x 185cm

Board	120L	240L	360L
Chem.	55SF167	55SF170	55SF173
Oil	55SF166	55SF169	55SF172
Maint.	55SF165	55SF168	55SF171



120L Contents
Bin Size: 95cm x 47cm x 54cm
60 x Premier 50cm x 40cm Pads
4 x Premier 1.2mtr Socks
8 x 38cm x 23cm Pillows
10 x Waste bags & ties


240L Contents
Bin Size: 106cm x 60cm x 74cm
150 x Premier 50cm x 40cm Pads
4 x Premier 1.2mtr Socks
10 x 38cm x 23cm Pillows
1 x Floor Sign
1 x Hazard tape
18 x Waste bags & ties

360L Contents
Bin Size: 110cm x 58cm x 86cm
190 x Premier 50cm x 40cm Pads
20 x Premier 1.2mtr Socks
4 x Premier 3mtr Socks
16 x 38cm x 23cm Pillows
1 x Floor Sign
1 x Hazard Tape
40 x Waste bags & ties

Cleaning Station A

Board only, supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 600 x 2000mm




Shadows:
317mm Professional Medium Brush
320mm D-Grip Shovel
325mm Open Dustpan
305mm Professional Medium Sweeping Broom with Handle

Board	Code
Red Board A	55F5167
Yellow Board A	55F5168
Blue Board A	55F5169
Green Board A	55F5170

Cleaning Station B

Board only, supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 600 x 2000mm




Shadows:
317mm Professional Medium Brush
325mm Open Dustpan
305mm Professional Medium Sweeping Broom with Handle
Warning A-Board
Looped Mop with Handle
12 Litre Polypropylene Mop Bucket

Board	Code
Red Board B	55F5171
Yellow Board B	55F5172
Blue Board B	55F5173
Green Board B	55F5174

Cleaning Station C

Board only, supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 650 x 2000mm



Shadows:
600mm Ultra Hygienic Squeegee with Handle
Warning A-Board
Looped Mop with Handle
12 Litre Polypropylene Mop Bucket

Board	Code
Red Board C	55TC156
Yellow Board C	55F5176
Blue Board C	55F5177
Green Board C	55F5178

Cleaning Station D

Board only, supplied with Stainless Steel Hooks.
Some minor assembly required.

Board Size: 490 x 470mm

Board	Code
Red Board D	55TC157
Yellow Board D	55F5180
Blue Board D	55F5181
Green Board D	55F5182



Shadows:
317mm Professional Medium Brush
325mm Open Dustpan

The board only options are supplied with hooks only, other colours available on request.

Find Our Full Material Key On 6

Safety Rescue Hook Board

Rescue boards provide the means for rapid intervention for victims of an electrical shock whilst safeguarding the rescuer. The boards provide both emergency first response medical advice and a convenient method to store essential equipment and should be placed in a prominent and easily accessible position near to ‘at risk’ areas.

- Wall mounted
- Easily accessible
- Identify missing equipment
- Step by step medical instructions
- Ideal for use in EHV workshops

Safety Rescue Hook Board 45KV - Small

Pre-drilled ACP panel with a anti-scuff laminate.
Board dimensions (WxH): 700 x 750mm

Description	Code
Board & Hook	5773610
Board Only	5773620



Rescue Hook: Conforms to NF EN55F06688 and CEI61235-S, 145cm pole length, 165cm reach length with hook mounted.

Safety Rescue Hook Board 45KV - Large

Pre-drilled ACP panel with a anti-scuff laminate.
Board dimensions (WxH): 55F0380 x 750mm
Board Supplied in 2 pieces

Description	Code
Board Including Gloves, Face Mask & Hook	5773611
Board Only	5773621



Rescue Hook: Conforms to NF EN55F06688 and CEI61235-S, 145cm pole length, 165cm reach length with hook mounted.

Electrical Gloves (Large): Insulate to 1,000V (Class 0). Manufactured from latex rubber to international standards and compliant with EN60903/IEC 60903:2002. Size 9 (Large) – 25cm

Face Shield Visor - Electric Arc Protection: Lightweight, front flip visor with anti-fog acetate coating and adjustable headband. Conforms to: Visor: BS EN 166 2 B 8 N / Frame: BS EN166 3 8 B

PPE Safety Station

Check Before You Enter!

Our PPE Safety Stations are designed to promote safe working practices by encouraging staff and visitors to visually check their Personal Protective Equipment before entering the workplace.

Positioned at entrances, access points, or key operational areas, the integrated safety mirror, clear icons and messaging act as a final reminder to ensure PPE is present, correct, and properly fitted.

Available Options:



Wall-Mounted:

- 1m x 2m ACM board with integrated mirror
- Supplied in two halves
- Suitable for fixed entrances and controlled access
- Secure, permanent installation
- Space-saving and highly visible
-

Freestanding Steel Frame:

- Mounted on a robust steel frame
- Ideal for changing work areas or temporary zones

Freestanding Steel Frame with Castors:

- Option to be fitted with castors for easy movement

Key Features & Benefits:

• Built-in safety mirror:
Encourages users to visually confirm PPE before entry.

• Supports PPE compliance:
Helps reduce incidents caused by missing or incorrectly fitted PPE.

• Clear, effective safety messaging:
Reinforces PPE requirements at the point of use.

• Flexible placement:
Ideal for doorways, entrances, corridors, and high-risk areas.



PPE Safety Station:

Description	Code
Board Only	55TC160
Board on Static Steel Frame	55TC159
Board on Moveable Steel Frame	55TC158

Steel Frames

Description	Code
Steel Trolley Frame	55TC162
Castors	55TC161

Skincare Board

Improve hand hygiene routines in washrooms and hygiene-critical areas with this skincare board. With plenty of room for our preparation cream, gritty handwash and replenishing cream dispensers, this skincare board is designed to help you create an accessible and convenient hygiene station.

- Arco skincare board designed to hold our preparation hand cream, heavy-duty handwash and replenishing hand cream dispensers
- Designed for quick and easy cleaning with a hygienic, wipeable surface
- Easy to mount on walls in washrooms, in hallways and in other areas
- Bespoke branding options available





Standard	800 x 550	ACM	5563950
Custom	800 x 550	ACM	5563980



Standard	1000 x 550	ACM	5563960
Custom	1000 x 550	ACM	5563990

Suncare Board

A highly engaging suncare board designed to encourage sun protection. The interactive design combines practical sunscreen access with clear UV guidance, making sun protection information easy to understand and act on.

- Handy sunscreen dispenser provides convenient access to sunscreen when it is needed.
- UV index wheel allows users to quickly check the day's UV level.
- Clear UV index guide explains the different levels, from low through to extremely high, and the corresponding level of sun protection required.
- Integrated mirror encourages users to apply sunscreen thoroughly and check their coverage.



400 x 570 ACM 5563970

Labels

Labels play a vital role in almost every modern workplace, delivering clear safety, identification, and procedural information exactly where it's needed.

We use high-quality printing methods and durable materials to produce a wide range of safety labels, including:

- Electrical Labels
- PAT Testing Labels
- Quality Control Labels
- Hazardous Substance Labels
- And more

In many cases, proper labelling is a legal requirement. Electrical labelling, in particular, is crucial for safety helping to prevent injury and, in severe cases, save lives.

Ultimately, the purpose of labelling is to communicate danger, instruction, or essential information quickly and clearly. Effective labelling enhances understanding, reduces risk, and supports a safer working environment across all applications.




Quality Control Labels

Self Adhesive Vinyl 50 x 25mm labels

Supplied in rolls of 250



50 x 25 SAV 55A5305



50 x 25 SAV 55A5306



50 x 25 SAV 55F3402



50 x 25 SAV 55F3392



50 x 25 SAV 55A5309



50 x 25 SAV 55F3403



50 x 25 SAV 55A5310



50 x 25 SAV 55F3396



50 x 25 SAV 55F3407



50 x 25 SAV 55F3406



50 x 25 SAV 55F3405



50 x 25 SAV 55A5308



50 x 25 SAV 55F3397



50 x 25 SAV 55F3399



Asbestos Labels

Printed on self adhesive polypropylene

500 labels per roll



25 x 50 SAV 55A5303



25 x 50 SAV 55F0553



Find Our Full Material Key On 6


Door Labels



150 x 150 SAV 55A1139



150 x 150 SAV 55F1184



150 x 150 SAV 55F2194



150 x 150 SAV 55F2195

Packaging Labels

Internationally recognised paper packaging labels
Supplied in rolls of 1000



100 x 150 SAP 55A3873



100 x 150 SAP 55A3871



100 x 150 SAP 55TB852



Label Rolls

Supplied in rolls, these labels are available in a range of sizes and roll quantities. The quantity in each pack is shown by the last numbers in the code.



50 x 50 SAV 55F3373



50 x 50 SAV 55F3375



50 x 50 SAV 55F3381



50 x 50 SAV 55F3385



50 x 50 SAV 55F3379



50 x 50 SAV 55F3387



50 x 50 SAV 55F3377



50 x 50 SAV 55F3359



50 x 50 SAV 55F3357



50 x 50 SAV 55F3367



50 x 50 SAV 55F3369



50 x 50 SAV 55F3371

Hazardous Substances Labels

It is important to mark those areas, rooms or enclosures used for the storage of significant quantities of hazardous substances or mixtures by a suitable warning sign, unless the warning labels on individual containers are clearly visible from outside or nearby.

Supplied in singles



100 x 100 SAV 55F2621



100 x 100 SAV 55F2619



100 x 100 SAV 55F2620



100 x 100 SAV 55F2623



100 x 100 SAV 55F2622



100 x 100 SAV 55F2639



100 x 100 SAV 55F2629



100 x 100 SAV 55F2630



100 x 100 SAV 55F2631



100 x 100 SAV 55F2063



100 x 100 SAV 55F2633



100 x 100 SAV 55F2059



100 x 100 SAV 55F2061

Globally Harmonised System (GHS) Labels

Printed on self adhesive Vinyl.



100 x 100 SAV 55TB855



100 x 100 SAV 55TB857



100 x 100 SAV 55TB859



100 x 100 SAV 55TB861



100 x 100 SAV 55TB863




100 x 100 SAV 55TB865



100 x 100 SAV 55TB867




100 x 100 SAV 55TB869



100 x 100 SAV 55TB871

Labels On A Roll / Label Packs

These labels are manufactured from a laminated Polypropylene.
100mm² labels are supplied in rolls of 250.
250mm² labels supplied in a packs of 10.



100 x 100 SAV 55F3437
100 x 100 SAV 55F3438
250 x 250 SAV 55A5330



100 x 100 SAV 55A5345
250 x 250 SAV 55A5346



250 x 250 SAV 55F4273



100 x 100 SAV 55A5315
250 x 250 SAV 55A5316



100 x 100 SAV 55A5350
250 x 250 SAV 55A5351



100 x 100 SAV 55A5317
250 x 250 SAV 55A5318



100 x 100 SAV 55A5348
250 x 250 SAV 55A5349



100 x 100 SAV 55A5325
250 x 250 SAV 55A5326



100 x 100 SAV 55F3446
250 x 250 SAV 55F4274



100 x 100 SAV 55A5319
250 x 250 SAV 55A5347



100 x 100 SAV 55A5314



100 x 100 SAV 55A5313



100 x 100 SAV 55A5339
250 x 250 SAV 55A5340



100 x 100 SAV 55A5341
250 x 250 SAV 55A5342



100 x 100 SAV 55A5343
250 x 250 SAV 55A5344



Site Surveys

TO FIND OUT HOW SITE SURVEYS CAN HELP YOUR BUSINESS PLEASE CONTACT OUR SALES TEAM.

A site survey can be an essential tool to help in identifying risks, ensuring compliance with regulations, and promoting a safe working environment. Our advisory service can help mitigate these risks with the correct tools and equipment, advice on implementation and procedures to ensure long term safety goals are achieved.

One of our team members will visit your site and work with your teams to advise on:

- Identification of missing or outdated signage.
- Ensuring the correct size and materials are being used.
- Work with you on any bespoke requirements you may have.

Lockout Tagout

Lockout is a physical method of isolating equipment to prevent it from being re-energised or releasing any stored energy.

Tagout is a highly visible written warning attached to the locked-out device, indicating that the equipment must not be used until the lockout has been removed.

Planned Lockout/Tagout (LOTO) procedures are an effective way to reduce risks during maintenance, cleaning, or repair activities. Recognised globally as best practice, proper implementation can reduce downtime and increase productivity. It also helps ensure worker safety while minimising the risk of employer liability, prosecution, and indirect costs such as equipment damage.



perate
This Lock / Tag may
only be removed by:
DANGER
LOCKED
OUT
DO NOT REMOVE

What Padlock and Key Do I Need?

Padlocks are an essential part of a lockout tagout programme, there are also various types of keying systems that can be used as part of an effective loto programme. Choose the type which is suitable for the intended process, bearing in mind its place within the overall lockout procedure.


Padlocks and Keying Systems

The correct keying system for your site will be dictated by LOTO procedures, identified through a LOTO audit. There are varying options listed below:



Keyed Different (KD)


Each padlock can only be opened using a single unique key.



Keyed Alike (KA)

All padlocks in a Keyed Alike team have their own key. That same key can open any padlock within the same team.

Master Keyed (MK) & Grand Master Keyed (GMK)



The padlocks in this system each have their own unique key, which can only open the corresponding padlock. The Master Key for this team can open any of the padlocks within its own team. This can be further extended over multiple teams, with a Grand Master Key able to open any padlock within any team.

PADLOCK DUST COVER FOR LOCKOUT SAFETY PADLOCK - 55TC183

Safety Lockout Padlocks


With a ribbed Nylon body for easy gripping and handling. Compact high security padlocks with a 6-pin lock mechanism which will not release the key until the shackle is closed.



- 6-pin precision-machined cylinder for extra security.
- Non-conductive, non-sparking reinforced Nylon body.
- Resistant to chemicals and corrosion.
- Key retaining feature.
- Etched numbers/serials/initials
- Each padlock is supplied boxed with 1 key and keyring.
- Colour coded for easy identification with a photoluminescent label.

Colour	Keyed Different (KD)
Red	5578140
Yellow	5578141
Green	5578142
Blue	5578143
Black	5578144
Orange	5578145
White	55TC163
Purple	55TC164

Dimensions				
Shackle height (A)	Body height (B)	Body width (C)	Shackle dia (D)	Body depth (E)
40mm	45mm	42mm	6mm	20mm
Each padlock is supplied in a box with 1 key and 1 keyring				



Long Shackle Padlocks


A long shackle variant of our standard safety lockout padlocks
Ideal for areas where standard length padlocks are too restrictive.

- Each padlock is supplied boxed with 1 key and keyring.

Description	Code
Red	5570023
Yellow	5570024
Green	5570025
Blue	5570026

Description	Code
Black	5570028
Orange	5570027
White	55TC259
Purple	55TC260

Dimensions				
Shackle height (A)	Body height (B)	Body width (C)	Shackle dia (D)	Body depth (E)
82mm	45mm	42mm	6mm	20mm
Each padlock is supplied in a box with 1 key and 1 keyring				





Di-electric Padlocks


A di-electric variant of our standard safety lockout padlock, with a nylon shackle to be used for an extra layer of protection in areas of electrical hazard.

- Each padlock is supplied boxed with 1 key and keyring.

Description	Code
Red	55F3218
Yellow	5611701
Green	5611801
Blue	5611901

Description	Code
Black	5612001
Orange	5612101
White	55TC165
Purple	55TC166

Dimensions				
Shackle height (A)	Body height (B)	Body width (C)	Shackle dia (D)	Body depth (E)
40mm	45mm	42mm	6mm	20mm
Each padlock is supplied in a box with 1 key and 1 keyring				





CUSTOMISATION AVAILABLE SAFETY PADLOCKS CAN BE LASER ETCHED
WITH NAMES, NUMBERS OR COMPANY DETAILS

Aluminium Safety Lockout Padlocks


Aluminium padlocks featuring a hardened steel shackle, designed for industrial lockout tagout applications. Suitable for use in conductive environments to help prevent accidental equipment operation.

- Heavy duty aluminium
- 6-pin precision brass cylinder
- Durable & weather resistant
- Key retaining
- Uniquely numbered
- ATEX certified



Colour	Keyed Different (KD)
Red	55TC167
Yellow	55TC168
Green	55TC169
Blue	55TC170
Black	55TC171
Orange	55TC172
Silver	55TC173
Purple	55TC174

Dimensions			
Body Width (A)	Shackle Height (B)	Shackle Width (C)	Shackle dia (D)
38mm	38mm	20mm	6.2mm
Each padlock is supplied in a box with 1 key and 1 keyring			




Long Shackle Aluminium Padlock

Aluminium padlocks featuring a hardened steel shackle, designed for industrial lockout tagout applications. Suitable for use in conductive environments to help prevent accidental equipment operation.

- Heavy duty aluminium
- 6-pin precision brass cylinder
- Durable & weather resistant
- Key retaining
- Uniquely numbered
- Long shackle
- ATEX certified





Dimensions			
Body Width (A)	Shackle Height (B)	Shackle Width (C)	Shackle dia (D)
38mm	76mm	20mm	6.2mm
Each padlock is supplied in a box with 1 key and 1 keyring			

Colour	Keyed Different (KD)
Red	55TC175
Yellow	55TC176
Green	55TC177
Blue	55TC178


Colour	Keyed Different (KD)
Black	55TC179
Orange	55TC180
Silver	55TC181
Purple	55TC182

Find Our Full Material Key On 6

Brass Lockout Padlocks

Brass lockout padlocks are one of the most commonly used padlocks in high risk environments. Many industries use them exclusively due to their spark proof, rust proof and high durable qualities.

Available with or without a dust cap which can protect the internal mechanism keeping it free of blockages and extending the locks usability. Other options include colour coding, engraving and steel shackles.



Description	Code
32mm	5610801
32mm with dust cover	5611301
38mm	5610802



Extended Delivery Time

These products will have an extended delivery time please contact us for further information or delivery times.

Wire Padlock

A compact padlock with 3mm flexible wire shackle.


Supplied keyed to differ, this padlock is ideal for use on smaller MCB Lockouts or when a standard padlock is unsuitable.

Description	Code
Red	5570029



Dimensions	
Shackle height (A)	71mm
Wire length unstressed	146mm
Body height (B)	45mm
Body width (C)	42mm
Shackle dia (D)	3mm
Body depth (E)	20mm

Each padlock is supplied in a box with 1 key and 1 keyring





Site Surveys

TO FIND OUT HOW SITE SURVEYS CAN HELP YOUR BUSINESS PLEASE CONTACT OUR SALES TEAM.

A site survey can be an essential tool to help in identifying risks, ensuring compliance with regulations, and promoting a safe working environment. Our advisory service can help mitigate these risks with the correct tools and equipment, advice on implementation and procedures to ensure long term safety goals are achieved.

One of our team members will visit your site and work with your teams to advise on:

- Identification of missing or outdated signage.
- Ensuring the correct size and materials are being used.
- Work with you on any bespoke requirements you may have.

Padlock Caddy

A simple and useful method to carry multiple padlocks. Hooks over a belt or pocket and comes complete with a retractable strap.

Accommodates up to 12 padlocks.

Description	Code
Padlock Caddy	55TB900




Padlock Cabinet

Red powder coated steel padlock cabinet with interior racks for the storage of padlocks.

- Stores up to 21 padlocks.
- Quality powder coated Steel.
- Wall mountable.
- Fixings included.
- 2 keys included.

Size (HxWxD)	Code
460 x 390 x 55mm	55F3209






Padlock Station

These powder coated metal padlock stations are an ideal method for the storage and display of Lockout safety padlocks.

Description	Code
6 Padlocks (72 x 126 x 31mm)	55TB897
12 Padlocks (72 x 265 x 31mm)	55TB898
18 Padlocks (72 x 368 x 31mm)	55TB899





Training

OUR EXPERIENCED TEAM IS ON HAND TO DELIVER TRAINING ACROSS THE FULL BREADTH OF OUR RANGE.

Our programmes are not only designed to train our resellers sales teams, but also to support our resellers in providing training their Business customers, especially in more niche areas such as Lock Out Tag Out. In addition to our training programmes, we can also offer our resellers our Mobile Training Unit. Free to use, it is ideal for staff training, events or open days, providing the opportunity to get hands on with our products.

Find Our Full Material Key On 6

Ladder Lockout


Ladder lockouts can be used to restrict the use of mobile and fixed ladders for safety and security reasons, including LOTO procedures, Safe Systems of Work or Working at Height Regulations. Ladder Lockouts can prevent the use of unsafe or unchecked ladders and prevent their operation by unauthorised persons, they can also be used as an additional safeguard to prevent access to dangerous locations.





Description	Code
Flexible Woven PVC	5570122


Dimensions		
(A)	(B)	(C)
1775mm	800mm	330mm



Hook the ladder lockout over a ladder rung, positioned so that the bottom-most rung is slightly visible. The chain should then be passed through the bottom hole of the lockout and around the bottom rung, with an appropriate lockout padlock affixing to the chain as close as possible under the rung.

Full Panel: Ideal for long-term application and static use,
Dimensions (WxH): 290 x 1400mm

Three Panel: ideal for compact storage and transportation, supplied with stainless steel quick links to join individual panels together.
Dimensions (WxH): 290 x 460mm (Full height 1400mm)



Laminated digitally aluminum composite panel including stainless steel anti-tamper fixings

Multiple step tread depth options available.
Custom sizes available



Supplied with 1m steel chain
**Padlock supplied seperatly*





Ladder Locked Out

Tread Depth	Full Panel	3 Panel
50mm	5773670	5773650
90mm	5773671	5773651
210mm	5773672	5773652

No Access

Tread Depth	Full Panel	3 Panel
50mm	5773680	5773660
90mm	5773681	5773661
210mm	5773682	5773662

Hasps

When more than one padlock needs to be fitted to an isolation point a hasp can be fitted to expand the number of lockout points available. The design of a hasp ensures that all the padlocks need to be removed before the hasp can be detached.



Standard Hasps



Manufactured from hardened powder coated Steel, this hasp utilises a simple scissor action to lockout an isolation point.

The 25mm version has a double locking arrangement whilst the 38mm is a single locking system.


Description	Code
25mm	5581115



Manufactured from high tensile Steel sheet which has in turn been electro-plated to prevent corrosion.

The padlock fixing section is Vinyl coated to improve grip and provide greater visibility.

Description	Code
25mm	5581130
38mm	5581131



Hasp Dimensions			
Description	Jaw Size (A)	# Of Holes (Padlock)	Padlock Hole dia.
Standard	25mm	6	9mm
Standard	38mm	6	9mm
Vinyl Coated	25mm	6	10mm
Vinyl Coated	38mm	6	10mm

Aluminium Hasps

Manufactured from Aluminium with injection moulded Nylon grip. The hasp jaws are rounded to provide easy fixing on smaller isolation points and Lockout devices.

Suitable for 6 padlocks with a maximum shackle diameter of up to 8mm.



Description	Code
25mm	5570104
38mm	5570105

Stainless Steel Hasp

Manufactured from Stainless Steel and available in powder coated black/yellow.

Suitable for 6 padlocks with a maximum shackle diameter up to 8mm.



Description	Code
Stainless Steel	55SG909

Find Our Full Material Key On 6


Dual Lockout Hasps



This dual scissor action hasp has a Steel body with a powder coating to prevent corrosion.


The Aluminium pivot provides smooth movement. The two different jaw sizes ensure ultimate adaptability when lockout conditions vary.

Description	Code
Dual Lockout	5581116



Dual Lockout Hasp Dimensions	
Inside Height (A)	31mm
Inside Width (B)	45mm
Inside Height (C)	18mm
Inside Width (D)	20mm
# Of Holes (Padlock)	6
Padlock hole dia.	11mm

Di-electric Lockout Hasp



Non-conductive reinforced Nylon hasp which opens using a pull and spring method.

With a shackle thickness of 6mm, the hasp can be locked out by up to 6 padlocks.

# Of Holes	Height	Code
6 Holes	170mm	55TB883

Di-electric Lockout Hasp




Our premier Dielectric Lockout Hasp utilises a unique swing lock system to securely fasten the thread.

Available in 3mm and 6mm thread sizes, each has 4 integral holes for multiple padlock use.

# Of Holes / Thread Size	Code
4/3mm	55F3267
4/6mm	55F3268

Di-electric Lockout Hasp



Manufactured from reinforced Nylon, these hasps are tough, flexible and have the added benefit of being completely non-conductive.

Accepts padlocks with a shackle diameter up to 9mm.

# Of Holes / Thread Size	Code
3/3mm	55F3204
3/6mm	55F3205
6/6mm	5581140



Lockboxes

Provision of a safe location to store keys and other activation devices during maintenance or repair.

Once equipment has been isolated and made safe, any keys or other activating equipment can be stored safely in a lockbox to prevent accidental re-energisation. Multiple padlocks can be affixed to the Lockbox which all must be removed before gaining access to the contents.



Lockbox

Red powder coated steel lockbox for storage of keys or other machine activation devices.

Once a machine has been isolated and made safe, its keys are placed in the Lockbox; each authorised person working on the machine then applies their own padlock to the lockbox, ensuring the keys cannot be accessed until every authorised user is satisfied the machine is safe.

- 13 padlock fixing holes
- Carry handle on top



Size (HxWxD)	Code
155 x 255 x 100mm	5581040

*Padlocks not included

Compact Lockbox

A compact version of the Lockbox.

Suitable for up to 7 padlocks



Size (HxWxD)	Code
155 x 115 x 110mm	55TB904


Wall Mount Lockbox

A compact Lockbox suitable for wall fixing or use as a mobile unit.

Suitable for up to 15 padlock



Size (HxWxD)	Code
258 x 160 x 85mm	55TB906



Find Our Full Material Key On 6

Cable Lockout


Cable lockouts are ideal when there is a need to lockout multiple energy sources with one device or when the design or placement of the energy source prevents other types of lockout being used. Use the flexible cable to tie off the energy source and then secure using the grip handle. The handle traps the cable and prevents it from becoming loose.

Multi-Purpose Cable Lockout

This cable lockout has been ergonomically designed to fit the hand, making placement and use fast and simple.

Route the cable where necessary to Lockout the device then feed the cable down the centre of the open lockout. When the cable is tight and the source is locked out, squeeze the handle closed and apply padlock.

Available in vinyl coated steel and nylon cable versions.





Cable Type	Code
2.5m Steel Core (Blue)	5581030
2.5m Nylon Core (Yellow)	5581031

Aluminium Cable Lockout with Steel Cable

Cable lockouts are ideal when there is a need to lockout multiple energy sources with one device.



Cable Length	Code
1.45m	55TC184

Multipurpose Cable Lockout

A versatile lockout solution designed for isolating energy sources on equipment that cannot be secured using traditional lockout devices. Ideal for irregular or complex machinery.

The 5-hole design allows multiple workers to apply their padlocks simultaneously.





Cable Length	Code
1.8m	55TC185

Gate Valve Lockout

A simple solution for isolating gate valves. Once the valve is in the appropriate position, simply slip the lockout over the top of the handle, rotating freely around the valve stem and thus preventing access and movement of the valve.

The different sizes cover the most commonly used valve diameters. Where a gate valve lockout cannot be used due to fitting or other restraints, consider using a cable lockout system to isolate the valve



- Resistant to cracking and abrasion
- Dielectric properties
- Rotates freely around valve handles
- Resistant to extreme temperatures
- Suitable for hasps and padlocks
- Available in various sizes




IN THE KNOW

USING A GATE VALVE LOCKOUT

Slip the Lockout over the top of the valve handle.
Once in position the cover will rotate freely thereby preventing the valve from turning.


DIRECTIONS FOR USE:



STEP 1

Ensure the valve is in the required locked off position (on/off).

Select the appropriate sized lockout for the gate valve.



STEP 1b (Optional)

Optional clip out centre. Please specify if you would like the lockout with pop out centre when placing your order.

(For use on valves with a rising stem).



STEP 2

Place the lockout device over the valve wheel and close, ensuring it can rotate freely around the wheel.



STEP 3

Secure Lockout with a safety padlock and attach a tag to communicate your chosen safety message.

Use a hasp if more padlocks are required.

Gate Valve Lockout

Comprising of two flattened half moons with a hollow centre. Hinged at one side, they are placed over the valve and then closed, ensuring that the valve wheel is tamper-proof.

Use a hasp if more than one padlock is required to Lockout the device.


Please ask if you require the gate valve lockout with a clip out centre.



Millimetres	Inches	Code
25 - 63.5mm	1” - 2$^{1/2}$”	5581080
63.5 - 127mm	2$^{1/2}$” - 5”	5581081
127 - 165mm	5” - 6$^{1/2}$”	5581082
165 - 254mm	6$^{1/2}$” - 10”	5581083
254 - 355mm	10” - 14”	5581084

Dimensions	(A)	(B)	(C)	(D)	(E)
25 - 63.5mm	70	32	76	38	N/A
63.5 - 127mm	130	34	140	44	33
127 - 165mm	170	41	177	50	53
165 - 254mm	257	50	267	63	70
254 - 355mm	355	63	368	74	74

(A) Inside diameter
(B) Inside depth
(C) Outside diameter
(D) Outside depth
(E) Inner hole diameter



Extra Large Gate Valve Lockout


Our largest sized Gate Valve Lockout is suitable for valve handles with a diameter of 330mm up to 450mm. It has an integral clip out centre and a built in facility to use up to 4 padlocks without the need for a hasp.

When not in use one side of the lockout fits within the other for transportation and storage.

Millimetres	Inches	Code
330 - 450mm	13” - 18”	5570011

Dimensions	(A)	(B)	(C)	(D)	(E)
330 - 450mm	470	75	475	90	90

(A) Inside diameter
(B) Inside depth
(C) Outside diameter
(D) Outside depth
(E) Inner hole diameter
All sizes in millimetres






Adjustable Gate Valve Lockout

Two separate pieces which slide over the valve and lock together.

Fits valve hand wheels between 25.5mm and 165mm in diameter.

Millimetres	Inches	Code
25.5 - 165mm	1” - 6$^{1/2}$”	5581090





Ball Valve Lockout

This lockout device is placed over the top of the ball valve to prevent the valve handle from being turned. Once in the correct isolated position, the handle of the valve is trapped within the body of the lockout, preventing the handle from being operated.

IN THE KNOW

USING A BALL VALVE LOCKOUT

Once in position, the handle of the valve is trapped within the body of the lockout, preventing the handle from being operated.


DIRECTIONS FOR USE:



STEP 1


Turn the valve handle to the correct position,

Either on or off.



STEP 2

Lockout the device by placing the main body over the top of the valve handle. Ensure the valve handle sits inside channel.



STEP 3

Move slider section down the shaft of the lockout until tight against the valve body.



STEP 4


Insert a padlock or hasp through the most appropriate hole which keeps the slider secure.

PLEASE NOTE: Holes on the slider section have a staggered repeat which ensures that at least one hole will be tight when placed against the valve. If more than one padlock is required then a hasp should be used.

Ball Valve Lockout

This lockout device is placed over the top of the ball valve to prevent the valve handle from being turned.

Size	Code
9.5 - 31mm	5581150
32 - 63mm	5581151
50 - 203mm	55F3202



Handle-Off Ball Valve Lockout

Covers the valve stem to prevent operation once the handle has been removed. Manufactured from durable PVC polyester fabric and HDPE plastic, providing a lightweight and flexible solution for demanding industrial environments.

Size	Code
10 - 102mm	55TC186





Find Our Full Material Key On 6

Butterfly Valve Lockout

When slid into position the wedge on the slider section prevents the compression handle being squeezed, preventing operation of the valve.Working in a similar way to the standard ball valve lockouts, the wedge on the slider section sits between the compression handle and lever, preventing operation.




Size	Code
8 - 45mm	5581160

Wedge Style Adjustable Butterfly Valve Lockout

Secures butterfly valves in seconds by passing a 4mm cable lockout through the selected eyelet and around the valve neck. A stainless steel rivet allows the device to pivot smoothly for correct positioning and a secure fit.

Manufactured from durable, lightweight thermoplastic



Adjustable Angle	Code
15° - 36°	55TC187

Wedge Style Valve Lockout

Wedge-style lockout secures manual quarter-turn valve handles in the OFF position to prevent accidental opening. Two rows of lockout points provide a secure fit, while the one-piece design ensures quick and simple application. Manufactured from heat-resistant powder-coated metal, the compact device is durable and easy to carry or store.




Size	Code
6.4 - 25mm	55TC188
50 - 200mm	55TC189



Electrical Lockout

We have a range of lockout devices designed to be used to lockout modern workplace equipment. These are usually fixed to the power control switch of the electrical equipment, and when used with the appropriate tag and padlock are an effective way to ensure the equipment cannot be activated until safe to do so.




Universal Mini Circuit Breaker Lockout

This universal MCB lockout has been designed to fit almost any size of MCB, regardless of size or the position of the holes on the breaker.

Simply turn off the breaker and place the lockout over the switch. Use the thumbscrew to tighten the internal grub screw onto the switch, locking the unit into place.

The thumbscrew will then fold down on its integral hinge, allowing a padlock to be fitted preventing access to the thumbscrew.




Clamp Size	Code
10 x 20mm	5572928

Universal Mini Circuit Breaker Lockout

Our smallest MCB toggle is easy to use - simply place over the breaker and tighten the internal grub screw.Once secure fit a padlock or appropriate hasp through the hole to prevent unauthorised removal.

Maximum clamping size ≤ 6mm.



Clamp Size	Code
≤ 6mm	55TB888

Universal ‘Tool Free’ Mini Circuit Breaker

This MCB lockout device utilises a thumb-screw for easy ‘no tools’ installation and is suitable for use on virtually all ISO/DIN circuit breakers. It can be fitted vertically or horizontally, and is small enough to be used side by side on adjacent breakers.

Simply lift up the cover and fit the unit onto the MCB toggle when in the OFF position, screw down the thumbscrew tight and close the cover, locking out the unit with a padlock. The device also has two locking options providing flexibility when applying a padlock either vertically or horizontally.



Clamp Size	Code
8 x 15mm	5611101

Find Our Full Material Key On 6

Mini Circuit Breakers

Our range of miniature circuit breaker (MCB) lockouts have been designed to fit most modern single and multiple pole miniature circuit breakers. The lockout prevents the circuit breaker toggle from being turned on, use appropriate padlock to prevent unauthorised removal.

Due to the size of these MCB lockouts, should you need to use a hasp to increase the number of padlocks we recommend the di-electric hasp (55F3204) or wire padlock (5570029). All of the following MCB lockouts can be locked out using a single safety padlock with a maximum shackle diameter of 7mm.

Clamp Size	Code
'Pin Out'	5570013
'Pin In'	5570014
'Pin Out Wide'	5570017
Tie Bar Lockout	5570018






IN THE KNOW


PIN OUT

Designed to fit most popular breakers up to 60 Amp.



PIN IN

Designed to fit most popular breakers up to 60 Amp.



PIN OUT WIDE

This MCB has an extra wide body to fit breakers greater than 60 Amp.



TIE BAR

Adjustable thumb wheel operation fits larger or multi-pole circuit breakers connected with a cross bar. Requires no holes in the breaker to fit.



Universal Mini Circuit Breaker Lockout

A universal Lockout which is fitted using an internal grub screw or thumb turn screw.

Suitable for single or multi-pole breaker.



Width	Code
22mm	55TB886

Universal Mini Circuit Breaker Lockout

Fitted using an internal grub screw. This version is suitable for most Siemens style branded circuit breakers.

Maximum clamping size ≤ 5mm.



Clamp Size	Code
6 x 4mm	55TB884


Large Circuit Breaker Lockout Lockout

Fitted using an internal grub screw, this universal lockout is suitable for larger circuit breakers and can be fitted to toggles ≤ 35mm in depth and 40mm wide.



Clamp Size	Code
≤ 35mm x 40mm	55TB887

Dimensions	
(A)	40mm
(B)	22mm
(C)	40mm
(D)	8mm
(E)	47mm




3 Phase Circuit Breakers Lockout

Designed for 3 phase breakers, this large lockout fits over the switch and then the screw is tightened using the clock style section. When tight the clock section is locked to the main body through a sliding section fitted to the main body.

Will accept 3 separate padlocks with a shackle diameter up to 8mm.



Clamp Size	Code
77 x 25mm	5572949




Dimensions	
(A)	93mm
(B)	20mm
(C)	30mm
(D)	8mm
(E)	78mm

Fuse Lockout


Fitted using an internal grub screw, the universal fuse lockout is suitable for use on fuse holders from 20 Amp to 400 Amp, manufactured from nylon.

Maximum clamping size ≤ 5mm.



Clamp Size	Code
5 x 9mm	55TB885

Dimensions					
(A)	29mm	(B)	6mm	(C)	19mm
(D)	9mm	(E)	10mm		



Medium Circuit Breaker Lockout


For use on medium sized circuit breakers, turn the circuit breaker into the off position and place the lockout over the toggle switch. Tighten the screw thread until tight to the toggle with the integral pedal sitting into the housing of the breaker to prevent removal.

Maximum toggle width: 20mm



Description	Code
With Pedal	5570109

Dimensions		
(A)	(B)	(C)
45mm	39mm	8mm



Clamp-on Breaker Lockout

Designed to secure the handle of circuit breakers by tightening the locking screw, preventing unintended operation during maintenance. The clamp-on design is versatile and simple to install using a proprietary thumbwheel mechanism, removing the need for screwdrivers or additional tools.

Description	Code
≤ 18mm	55TC190
≤ 42mm	55TC191
≤ 72mm	55TC192





Circuit breaker cover lockout

Fits most two- and three-pole circuit breakers with tie rods. Supplied with adhesive for secure, easy installation that resists movement.

The transparent cover allows real-time monitoring of the breaker switch to confirm effective lockout.





Description	Code
1 Pole	55TC193
2 Pole	55TC194
3 Pole	55TC195
4 Pole	55TC196


1 Pole


2 Pole


3 Pole


4 Pole

Electrical Plug Lockout

Manufactured from polypropylene, the hexagon design opens up in two halves and is suitable for a variety of industrial plugs.

Small Unit: Can accommodate 2 padlocks.


Large Unit: Can accommodate 4 padlocks.

Accepts padlocks with a shackle diameter of 7mm or less.

Description	Code
Small (4 Holes)	55AT131
Large (4 Holes)	55AT132








Dimensions	Small	Large
(A) height	51mm	83mm
(B) width	89mm	178mm
(C) depth	51mm	83mm
(D) circle dia	13mm	25mm
# of holes	2	4
Inner height	42mm	74mm
Inner length	80mm	165mm

Plug Lockout

Blocks plugs from being inserted during equipment servicing, protecting personnel when multiple users have access. Ideal for preventing accidental power connections during maintenance or extended repairs, especially in remote or high-risk settings.

Size (HxWxD)	Code
185 x 107 x 79mm	55TC197
315 x 162 x 137mm	55TC198




Plug / Pneumatic Lockout

Manufactured from industrial reinforced polystyrene, the unit has been developed to completely enclose electrical plugs to prevent a machine being energized. The plug sits inside the unit with the cable being fed through an access hole.

Small Unit: Suitable for a variety of electrical connections up to 40mm diameter. Accepts up to 4 safety padlocks.


Large Unit: Suitable for standard and larger electrical plugs, including 3 phase connectors. It also has 4 holes of 3 different sizes suitable for pneumatic male air hose connectors. Accepts for up to 4 safety padlocks.

Description	Code
Small (4 Holes)	5581180
Large (4 Holes)	5581181





Dimensions	Small	Large
Inside height (A)	43mm	85mm
Inside width (B)	81mm	155mm
Inside depth (C)	43mm	85mm
Padlock Hole (dia.)	8mm	8mm
Electrical access Holes (dia.)	1 @ 13mm	1 @ 11mm 1 @ 19mm
Pneumatic access Holes (dia.)	-	1 @ 7.5mm 2 @ 9.5mm 1 @ 12mm



Pneumatic Quick-Disconnect Lockout

This lockout isolates pneumatic energy without the need for in-line lockout valves. It fits over the male fitting to block all compressed air sources.

A central hole allows permanent storage on an air hose, while a side loop enables hanging of both the hose and lockout device.
Compatible with most 6.4 mm, 9.5 mm, and 12.7 mm male fittings.


Code
55TC199



Pneumatic Lockout

Manufactured from solid stainless steel this pneumatic lockout is strong, durable, resistant to corrosion and fits virtually all pneumatic fittings used in manufacturing facilities.

To use, place the pneumatic male fitting between the appropriate sized hole and close with a scissor action, this then prevents the hose from being used. Once the lockout is in its closed position it can be locked using up to two safety padlocks.







Description	Code
Pneumatic Lockout	55F3213

Electrical Cylinder Lockout

This large electrical plug Lockout has two interlocking cover plates allowing plugs with various sizes of cable to be inserted.

Interior size of 84mm dia. x 150mm and will accept cable widths up to 34mm dia.


Description	Code
97mm dia x 160mm	55F3208






IN THE KNOW


1. Shown with both plates open allowing insertion of the plug.



2. Shown with cover plate A in place giving a cable access hole of 34mm.



3. Shown with cover plate B in place giving a cable access hole of 16mm.



4. Shown with both plates in place giving a cable access hole of 10 x 15mm.



Switch and Socket Cover

Ensure vital equipment cannot be accessed by locking off the socket at the wall outlet. This lockout is suitable for standard UK single sockets, and can be used for switches, power sockets, network points etc.

To fit, isolate the power to the outlet, loosen the screws and place the cover behind the faceplate. Re-tighten the screws pulling the cover into place. To use cover with plug sockets, turn the cover 90°. Up to two padlocks can be fitted, if more are needed consider using a suitable hasp.

Note: Cable gaps are located at the side and may not be suitable for thicker/ rigid cables

Size	Code
Single Gang	5570019



Push Button Lockout

Designed to encapsulate standard push buttons, this lockout comes with a locking cap to ensure the enclosure cannot be removed without fully removing the padlock.

Small: 75mm diameter by 40mm high, with a 30mm hole to sit around the foot of the button.

Large: 70mm diameter by 80mm high, with a 30mm hole to sit around the foot of the button.

Size	Code
Small	55TB894
Large	55TB895








Button Lockout

This lockout unit fits around the stem of a button which can then be locked out using up to two standard padlocks. Manufactured from glass resin polycarbonate.


Hole diameter of 22 - 30mm

Description	Code
Button Lockout	5570113


Dimensions						
(A)	(B)	(C)	(D)	(E)	(F)	(G)
50mm	8mm	18mm	35mm	50mm	33mm	22mm



IN THE KNOW



STEP 1



STEP 2



STEP 3



Button Lockout

Manufactured from glass resin polycarbonate, these lockouts permanently fit over the stem of the button and adhere to the back panel.


Available in two sizes, they can be locked out using our standard padlocks or a suitable hasp.





Hole Diameter	Code
22mm	5570020
30mm	5570021

Dimensions		
Size	22mm	30mm
(A) Dia.	46mm	46mm
(B) Inner circle dia.	22mm	30mm
(C) height	31mm	31mm
(D) Inner width	44mm	44mm
# of holes	1	1



Find Our Full Material Key On 6


Button Lockout

Manufactured from glass resin polycarbonate, this lockout unit fits around the stem of a button which can then be locked out using a standard padlock. This unit can be fixed either permanently or temporarily. To fit permanently, use the circular section around the stem of the button and shut the cover in place when needed.

To fit temporarily, use the semi-circular section to sit round the stem prior to fitting the cover and remove when finished.

Description	Code
Button Lockout	5570022

Dimensions								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
60mm	46mm	49mm	55mm	52mm	35mm	22mm	40mm	29mm



IN THE KNOW

STEP 1



STEP 2



STEP 3



STEP 4



Pin and Sleeve Plug Lockout


This lockout fits onto the rim of the male socket, locking in place and preventing insertion into the socket.

To use, open the lockout and slip it over the top of the locating tab on the rim of the plug. Close the lockout and secure it with a padlock and affix a tag to display the relevant safety information.


Fits Plug Size	Code
16A - 125A	55TB893

IN THE KNOW

STEP 1



STEP 2



STEP 3



STEP 4



3 Pin Plug Lockout

Ideal for use with power supplies of computers and similar devices. This lockout inserts into the back of the power supply and the circular paddle is then rotated to lock the device in position.

A padlock can then be used to prevent the device being removed.

Size	Code
33 x 130 x 29mm	55F3271






Plug and Hoist Control Cover

Manufactured using hard wearing polyester cloth with reinforced inserts and a PVC liner. Used to enclose plugs and hanging control panels.

Colour	Code
Red	5570124







Pendant Control Safety Cover

Securely locks oversized and irregular electrical connectors and lift controls, using PVC tubing to block access to buttons. Expands to fit pendant controls 100 - 450mm long, accommodating a wide range of switch sizes.

Featuring four hardened sides and a collapsible design, it flattens for easy storage when not in use.

Size	Code
100 - 450mm	55TC200





Keep your lockout tagout equipment easily accessible

Keeping your workplace tidy.



Lockout Stations

Lockout stations provide storage and display solutions for your lockout equipment when not in use.

A lockout station should be located wherever it is deemed most appropriate for its desired purpose. This could be next to the equipment to be locked out, in a maintenance department or a central location.

Lockout Station A

Pre-drilled ACP panel with a anti-scuff laminate.
Board dimensions (WxH): 500 x 675mm

Description	Code
Lockout Station A	5625501

Contents:	Qty
Red Safety Lockout Padlocks (KD)	5
Blue Safety Lockout Padlocks (KD)	5
25mm Stainless Steel Lockout Hasp (Nickel Plated)	2
Do Not Operate Tags (Pack of 10)	2
Lockout Tag Holder	2



Lockout Station B

Pre-drilled ACP panel with a anti-scuff laminate.
Board dimensions (WxH): 1075 x 965mm

Description	Code
Lockout Station B	5625701

Contents:	Qty
Red Safety Lockout Padlocks (KD)	12
Pneumatic Lockout	1
25mm Stainless Steel Lockout Hasp	5
Do Not Operate Tags (Pack of 10)	2
Multi-purpose Cable Lockout	1
Ball Valve Lockout (Small)	1
Ball Valve Lockout (Large)	1
Gate Valve Lockout (25 - 63.5mm)	1
Gate Valve Lockout (63.5 - 127mm)	1
Gate Valve Lockout (127 - 165mm)	1
A4 Wallfix Literature Holder	1
Lockout Tag Holder	2
Aluminium MCB Lockout Toggle	2
MCB Lockout Pin Out Standard	2
MCB Lockout Pin In Standard	2
MCB Lockout Pin Out Wide	2
Covered MCB Lockout	2
Wall Mounted Lock Box	1



To place your order please contact us and email either a vector, high res pdf or 300dpi JPG of your logo.

Non-conductive Station C

Pre-drilled ACP panel with a anti-scuff laminate.
Board dimensions (WxH): 875 x 810mm

Description	Code
Lockout Station C	5625601

Contents:	Qty
Red Dielectric Nylon Shackle Safety Padlocks (KD)	18
Dielectric Lockout Hasp	4
Do Not Operate Tags (Pack of 10)	2
A4 Wallfix Literature Holder	1
Cable Lockout with 2.5m Nylon Cable	1
Lockout Tag Holder	2




Lockout Station D

Pre-drilled ACP panel with a anti-scuff laminate.
Board dimensions (WxH): 1050 x 850mm

Description	Code
Lockout Station D	5625801

Contents:	Qty
Red Safety Lockout Padlocks (KD)	42
25mm Stainless Steel Lockout Hasp (Nickel Plated)	10
Do Not Operate Tags (Pack of 10)	3
Lockout Tag Holder	3



7 Station Lockout Board

With 2 hooks for hasps, 1 padlock bar (takes up to 7 padlocks), 2 pockets for lockout tags. Complete with fixings.
Board dimensions (HxWxD): 290 x 395 x 40mm

Description	Code
Filled	5570006
Board Only	5581020

Contents:	Qty
7 Station Lockout Board	1
Red Safety Lockout Padlocks (KD)	5
Do Not Operate Tags (Pack of 10)	1
Do Not Start Tags (Pack of 10)	1
38mm Vinyl Coated Lockout Hasp	1
25mm Vinyl Coated Lockout Hasp	1



Find Our Full Material Key On 6


16 Station Lockout Board

With 2 hooks for hasps, 2 padlock bars (takes up to 16 padlocks), and 1 pocket for lockout tags. Complete with fixings.

Board dimensions (HxWxD): 345 x 345 x 40mm

Description	Code
Filled	5570007
Board Only	5581025

Contents:	Qty
16 Station Lockout Board	1
Red Safety Lockout Padlocks (KD)	10
Do Not Operate Tags (Pack of 10)	1
25mm Vinyl Coated Lockout Hasp	1
38mm Vinyl Coated Lockout Hasp	1



48 Station Lockout Board

With 2 hooks for hasps, 2 padlock bars (takes up to 48 padlocks) and 4 pockets for lockout tags. Complete with fixings.

Board dimensions (HxWxD): 550 x 590 x 40mm

Description	Code
Filled	5570010

Contents:	Qty
48 Station Lockout Board	1
Red Safety Lockout Padlocks (KD)	48
Do Not Operate Tags (Pack of 10)	2
Do Not Open Tags (Pack of 10)	2
Do Not Start Tags (Pack of 10)	2
Caution Out of Order Tags (Pack of 10)	2
25mm Vinyl Coated Lockout Hasp	1
38mm Vinyl Coated Lockout Hasp	1




THE ABSENCE OF ANY EQUIPMENT IS IMMEDIATELY APPARENT WHEN USING A LOCKOUT STATION AND THE MISSING ITEMS CAN BE TRACED OR REPLENISHED.



Advanced Lockout Station (Small)

Multiple padlock positions, each position can hold 2 padlocks, a hasp, several tags and/or cable ties. Supplied with cover that enables the station to be locked out. Engineered from plastic PC.
Board dimensions (HxWxD): 406 x 315 x 65mm







Description	Code
Filled 5570115 Station	5570114
Board Only	5570115

Contents:	Qty
Advanced Station Lock Board (Small)	1
Red Safety Lockout Padlocks (KD)	4
25mm Vinyl Coated Hasp	1
Do Not Operate Tags (Pack of 10)	1

Advanced Lockout Station (Large)

Multiple board clips to house padlocks and hasps including additional space for tags and cable ties. Supplied with cover that enables the station to be locked out. Engineered from plastic PC.
Board dimensions (HxWxD): 558 x 393 x 65mm




Description	Code
Filled 5570117 Station	5570116
Board Only	5570117

Contents:	Qty
Advanced Station Lock Board (Large)	1
Red Safety Lockout Padlocks (KD)	10
25mm Vinyl Coated Hasp	1
38mm Vinyl Coated Hasp	1
Do Not Operate Tags (Pack of 10)	1
Do Not Use Tags (Pack of 10)	1

Find Our Full Material Key On 6

30 Padlock Station (Lockout Board 1)



Description	Code
Lockout Board 1 with Cover	55SG910
Lockout Board 1 without Cover	55SG911

Contents:	Qty
Red Safety Lockout Padlocks (KD)	30

10 Station - Large (Lockout Board 2)



Description	Code
Lockout Board 2 with Cover	55SG912
Lockout Board 2 without Cover	55SG913

Contents:	Qty
Red Safety Lockout Padlocks (KD)	10
Vinyl Coated Lockout Hasp (25mm)	2
Vinyl Coated Lockout Hasp (38mm)	2
Safety Tag Pen - Ultra Fine (Black)	1
Do Not Operate Tags (Pack of 10)	1
This Equipment Has Been Locked Out (10pk)	1

Electrical Station (Lockout Board 3)

Description	Code
Lockout Board 3 with Cover	55SG914
Lockout Board 3 without Cover	55SG915

Contents:	Qty
Red Di-electric Nylon Shackle Safety Padlocks (KD)	6
Non-Conductive Lockout Hasp (6 Holes)	2
Non-Conductive Lockout Hasp (3 Holes)	2
Do Not Operate Tags (Pack of 10)	1
This Equipment Has Been Locked Out Tag (10pk)	1
Lockout Shell Case/Pouch	1
Universal Circuit Breaker Lockout	2
Aluminium MCB Lockout Toggle	2
Miniature Circuit Breaker Lockout (Pin Out Standard)	1
Miniature Circuit Breaker Lockout (Pin In Standard)	1
Miniature Circuit Breaker Lockout (Tie Bar)	1
Miniature Circuit Breaker Lockout (Pin Out Wide)	1
Universal Extra Large Circuit Breaker Lockout	1
Universal Fuse Circuit Breaker Lockout	1
Safety Tag Pen - Ultra Fine (Black)	1



Lockout Tagout Station

Cabinet with 2 adjustable shelves and plastic window

Quality powder coated steel
Wall mountable
Fixings included
2 keys included



Size (HxWxD)	Code
410 x 360 x 155mm	55TB905

Small Tag Station

Holder for a single pack of tags
Complete with fixings
Tags not included



Size (HxWxD)	Code
230 x 130 x 30mm	5570121

Literature Holder

Desktop Holder



Display Size	Code
A5	55F2369
A4	55F2370

Wall Fix Holder



Display Size	Code
A5 (Vertical)	55F2371
A4	55F2372

Premium Lockout Pouch

Hard shell nylon pouch with integral pocket webbing.



Dimensions (HxWxD)	Code
75 x 265 x 165mm	5570127

Belt Pouch

Three pocket belt pouch made from woven nylon with 3 pockets and adjustable waist strap suitable for up to a 40” waist.



Size	Code
up to 40” waist	55F3221

Premium Lockout Bag

High quality nylon lockout bag with reinforced solid waterproof base. Complete with detachable shoulder straps and 3 pockets.



Dimensions (HxWxD)	Code
300 x 460 x 280mm	5570125

Find Our Full Material Key On 6

Lockout Pouch Kits

Our lockout pouch kits provide a convenient and ultra-portable method of storing our essential lockout equipment. Ideal for storing in a van, toolbox or on your belt using the integrated strap, they ensure your vital lockout equipment is always within reach.

- Mobile
- Compact
- Economical



Personal Lockout Pouch Kit

Description	Code
6 Piece Kit	5773640

Contents:	Qty
Red Safety Lockout Padlocks (KD)	1
Universal Mini Circuit Breaker	1
Lockout Tag - Do not operate	2
Ultra-fine Permanent Pen	1



Advanced Personal Lockout Pouch Kit

Description	Code
9 Piece Kit	5773641

Contents:	Qty
Mini Lockout Pouch	1
Red Safety Lockout Padlocks (KD)	1
Miniature Circuit Breaker - Pin Out	1
Miniature Circuit Breaker - Pin In	1
Miniature Circuit Breaker - Pin Out Wide	1
Universal Mini Circuit Breaker	1
Lockout Tag with Eyelet - Do not operate	2
Ultra-fine Permanent Pen	1



Lockout Kits

Our pre-selected kits are designed to cover most common needs. Ideal for keeping essential lockout equipment in one convenient place, without the need to return to a lockout station.

Each kit is supplied in a carry case and provides a convenient choice for any lockout professional.

Residential Electrical Lockout Kit

Description	Code
5 Piece Kit	5570123

Contents	Qty
Lockout Shell Case/Pouch	1
Red Safety Lockout Padlocks (KD)	1
Aluminium MCB Lockout Toggle	1
Single Tag with Eyelet (Double Sided)	1
Ultra-fine Permanent Pen	1



Electrical Lockout Kit

Description	Code
11 Piece Kit	5570002

Contents	Qty
Lockout Shell Case/Pouch	1
Red Safety Lockout Padlocks (KD)	2
Single Tag with Eyelet (Double Sided)	2
Miniature Circuit Breaker Lockout Pin Out Standard	1
Miniature Circuit Breaker Lockout Pin In Standard	1
Miniature Circuit Breaker Lockout Pin Out Wide	1
Yellow Miniature Circuit Breaker Lockout (Universal)	1
Yellow Miniature Circuit Breaker Lockout (Type 1)	1
Ultra-fine Permanent Pen	1





Find Our Full Material Key On 6

Advanced Electrical Lockout Kit

Description	Code
15 Piece Kit	5570004

Contents	Qty
Lockout Shell Case/Pouch	1
Red Safety Lockout Padlocks (KD)	2
Non-Conductive Lockout Hasp (6 Holes)	1
Pneumatic Lockout	1
MCB Lockout Pin Out Standard	1
MCB Lockout Pin In Standard	1
MCB Lockout Pin Out Wide	1
MCB Lockout Tie Bar	1
Universal Fuse Circuit Breaker Lockout	1
Universal Extra Large Circuit Breaker Lockout	1
Universal Circuit Breaker Lockout	1
Do Not Operate Tags (Pack of 10)	1
Universal Miniature Circuit Breaker Lockout	1
Ultra-fine Permanent Pen	1



Maintenance Lockout Kit

Description	Code
13 Piece Kit	5570003

Contents	Qty
Lockout Shell Case/Pouch	1
Red Safety Lockout Padlocks (KD)	2
Single Tag with Eyelet (Double Sided)	2
Miniature Circuit Breaker Lockout Pin Out Standard	1
Miniature Circuit Breaker Lockout Pin In Standard	1
Miniature Circuit Breaker Lockout Pin Out Wide	1
Universal Circuit Breaker Lockout	1
Aluminium Miniature Circuit Breaker Lockout Toggle	1
Cable Lockout with 2.5m Coated Steel Cable	1
Non-Conductive Lockout Hasp (6 Holes)	1
Ultra-fine Permanent Pen	1



Electrical Lockout Belt Pouch Kit

Description	Code
13 Piece Kit	5581195

Contents	Qty
Lockout Belt Pouch	1
Red Safety Lockout Padlocks (KD)	1
Blue Safety Lockout Padlocks (KD)	1
Miniature Circuit Breaker Lockout Pin Out Standard	1
Miniature Circuit Breaker Lockout Pin In Standard	1
Miniature Circuit Breaker Lockout Pin Out Wide	1
Universal Circuit Breaker Lockout	2
Non-Conductive Lockout Hasp	2
Pneumatic Lockout - Large	1
Lockout Tags - Do not operate	1
Ultra-fine Permanent Pen	1



Small Lockout Kit

Contents	Qty
Premium Lockout Bag	1
Red Safety Lockout Padlocks (KD)	2
Cable Lockout with 2.5m Coated Steel Cable	1
Vinyl Coated Lockout Hasp (38mm)	1
Do Not Operate Tags (Pack of 10)	1
Ultra-fine Permanent Pen	1
Adjustable Gate Valve	1
Small Ball Valve Lockout	1
Universal MCB Lockout	1
Pneumatic Lockout	1

Description	Code
11 Piece Kit	5570005



Medium Lockout Kit

Contents	Qty
Premium Lockout Bag	1
Small Ball Valve Lockout	1
Cable Lockout with 2.5m Coated Steel Cable	1
Vinyl Coated Lockout Hasp (25mm)	1
Vinyl Coated Lockout Hasp (38mm)	1
Red Safety Lockout Padlocks (KD)	2
Do Not Operate Tags (Pack of 10)	1
Ultra-fine Permanent Pen	1
Caution Lockout A-Board	1
Adjustable Gate Valve Lockout	1
MCB Lockout Pin Out Standard	1
Universal Circuit Breaker Lockout	2
Pneumatic Lockout	1

Description	Code
15 Piece Kit	5581196



Large Lockout Kit

Description	Code
32 Piece Kit	5581197

Contents	Qty
Premium Lockout Bag	1
Small Ball Valve Lockout	1
Large Ball Valve Lockout	1
Cable Lockout with 2.5m Coated Steel Cable	2
Vinyl Coated Lockout Hasp (25mm)	2
Vinyl Coated Lockout Hasp (38mm)	2
Red Safety Lockout Padlocks (KD)	6
Do Not Operate Tags (Pack of 10)	3
Ultra-fine Permanent Pen	2
Gate Valve Lockout (25 - 63.5mm)	1
Gate Valve Lockout (63.5 - 127mm)	1
Gate Valve Lockout (127 - 165mm)	1
Caution Lockout in Operation A-Board	1
Plug / Pneumatic Lockout (Large)	1
MCB Lockout Pin Out Standard	1

Contents	Qty
MCB Lockout Pin In Standard	1
MCB Lockout Pin Out Wide	1
Universal Circuit Breaker Lockout	2
Pneumatic Lockout	1
3-Phase Dial Lockout	1



Find Our Full Material Key On 6

Lockout Tags




These highly visible warning tags should be applied alongside a lockout device to provide details of the lockout procedure. Manufactured from durable non-tear polypropylene using UV resistant inks which is resistant to water, oils and extreme temperatures.

Single Sided Lockout Tags

SUPPLIED IN PACKS OF 10

Single-sided and supplied in packs of 10 complete with cable ties.
Size: 75 x135mm




55F3244 55F3245 55F3246 55F3247 55F3248 55F3249 55F3250 55F3251 55F3252

55F3254 55F3255 55F3256 55F3257 55F3258 55F3260 55F3261 55F3253

Lockout Tags with Eyelet

Designed to be placed directly on the lock shackle through the tag. Double-sided and supplied packs of 10. Complete with eyelet for use without a tie wrap.
Size: 75 x135mm



5570129 Each
55SG187 10pk

5570130 Each

5570131 Each

5570032 10pk

5570033 10pk

5570034 10pk

5570030 10pk

5570031 10pk

5570128 10pk

Double Sided Lockout Tags

SUPPLIED IN PACKS OF 10

Tags are printed on both sides. Supplied in packs of 10 complete with cable ties.
Size: 75 x 135mm

FRONT

REVERSE



55F3232



55F3233



55F3229



55F3230



55F3231





55F3237



55F3238



55F3234



55F3235



55F3236





55F3242



5581053



55F3239



55F3240



55F3241





55F3227



5581050




5581051




5581052



55F3222





55F3228



55F3223




55F3224



55F3225



55F3226



WE CAN PRINT BESPOKE TAGS TO SUIT YOUR SPECIFICATION.

ASK US FOR MORE DETAILS.



Permanent Fine Liner Pen

These permanent ultra-fine marker pens can write on almost any surface. The waterproof and smudge proof ink dries in seconds with almost no odour, and is ideal for use with our tags and padlocks.

Quantity	Code
Each	55F3865
Pack of 10	55F3866




Find Our Full Material Key On 6

Lockout Signs


Our lockout signs are designed to be highly visible for use as a temporary or permanent reminder to adhere to l ockout procedures. Manufactured on rigid PVC, they can be fixed in place using adhesive or pierced and hung at the point of lockout.



300 x 200 PP 55F2210



300 x 200 PP 55F2211



300 x 200 PP 55F2212



300 x 200 PP 55F2213



300 x 200 PP 55F2217



300 x 200 PP 55F2218



300 x 200 PP 55F2221



300 x 200 PP 55F2222



300 x 200 PP 55F2223



300 x 200 PP 55F2225



300 x 200 PP 55F2228



300 x 200 PP 55F2229

CUSTOM DESIGN AND MANUFACTURING AVAILABLE ON REQUEST

PLEASE CONTACT THE SALES OFFICE FOR MORE INFORMATION

Magnetic Signs

Printed on quality white faced magnetic substrate, these signs are easy to attach and provide clear and important messages at the point of isolation.



225 x 150 MAG 55F2233



225 x 150 MAG 55F2236

Heavy Duty A-Boards

These heavy duty polypropylene A-Boards are printed on both sides. Ideal for placement around the workplace and near equipment being locked out.
Size: 620 x 300 x 450mm



55F0646



55F0647



55F0639




55F0648



55F0644



55F0649



Tagging Systems

The Working at Height Regulations require that scaffolding and ladders from which a person could fall 2 metres or more are regularly inspected and that a report is issued by a competent person.


Tagging systems provide a simple and effective way to ensure that anyone can immediately see the inspection status. They also act as a record-keeping tool, helping organisations maintain up-to-date inspection procedures and equipment maintenance schedules.

Scaffold Tagging System

Scaffold must be inspected in the following conditions:

- Following initial erection
- Exposure to adverse weather
- Conditions that could affect its strength or stability
- Following substantial alteration (addition or subtraction)
- At regular intervals not exceeding 7 days from previous inspection
- Available in retail ready packaging

ClawTag
80 x 280 x 6mm
55F3861



Scaffold Safety Tag
75 x 180mm
Polypropylene
55F3791

10 Holders
20 Inserts
2 Pens
5512000

Description	Qty	Code
Single Insert	1	55F3791
Pack of 10 Inserts	10	55F3792
Pack of 50 Inserts	50	5512050
Kit	1 Holder, 2 Inserts, 1 Pen	55F3794
Box	10 Holder, 20 Inserts, 2 Pens	5512000
ClawTag	5	55F3861



IN THE KNOW

Use Scaffolding Safety inserts with our ClawTag holder at all legal entry points to the scaffold providing relevant safety information alongside an inspection record. Should the scaffolding fail inspection the insert can be removed to display the message 'Do Not Use This Equipment' or replace with a prohibition insert.

Ladder Tagging System

The AssetTag holder should be permanently fixed to the ladder in a suitable safe place.

Perform an inspection of the ladder (a checklist is printed on the reverse) and record the result on the tag.

If the ladder fails the inspection remove insert and inform a supervisor.



10 Holders
10 Inserts
1 Pens
5517000



Description	Qty	Code
Single Insert	1	55F3799
Pack of 10 Inserts	10	5517010
Pack of 50 Inserts	50	5517050
Kit	1 Holder, 2 Inserts, 1 Pen	55F3801
Box	10 Holder, 10 Inserts, 1 Pen	5517000
AssetTag	5	55F3864



CONSIDER USING A LADDER LOCKOUT, SEE PAGE 111 FOR MORE DETAILS.

AssetTag
55 x 210 x 6mm
55F3864

USE WITH AssetTag



Ladder Tag
50 x 181mm
Polypropylene
55F3799

ENLARGED TO SHOW DETAIL

IN THE KNOW

The Work at Height Regulations came into force in 2005. These regulations apply to work at height where there is a risk of fall liable to cause personal injury. This applies to both internal and external work at height, and includes below ground level and low height.All ladders should be checked daily and prior to use for any damage, faults or wear and tear. In addition they should be inspected at defined intervals as part of a risk assessment programme. Use these inserts to manage the, safety and maintenance of ladders and help conform to the Work at Height Regulations 2005.

Find Our Full Material Key On 6

Tower Scaffold Tagging System

The Tower Scaffold Safety Tag provides an essential platform for entering and storing essential safety information, including movements and safe weight tolerances. Designed for use with the ClawTag holder, these tags can be fixed to the scaffold after erection without needing to dismantle part of the structure.

Essential safety and audit information can be referenced with the storage of these inserts after job completion.

Description	Qty	Code
Single Insert	1	55TB912
Pack of 10 Inserts	10	55TB913
Pack of 50 Inserts	50	55TB914
Kit	1 Holder, 2 Inserts, 1 Pen	55TB916
Box	10 Holder, 20 Inserts, 2 Pens	55TB915
ClawTag	5	55F3861

ClawTag
80 x 280 x 6mm
55F3861

Tower Scaffold Tag
75 x 180mm
Polypropylene
55TB912

10 Holders
20 Inserts
2 Pens
55TB915



Scaffold / Tower Tagging System

This kit offers both the Scaffold Safety Tag insert and the Tower Scaffold Safety Tag insert alongside a holder to provide an essential part of your safety procedure on site.

Designed for use with the ClawTag holder, these tags can be fixed after erection without needing to dismantle the structure. For more information on individual inserts refer to Scaffolding or Tower Scaffolding Tagging System.

Description	Qty	Code
Tower Single Insert	1	55TB913
Scaffold Single Insert	10	55F3792
ClawTag	5	55F3861

ClawTag
80 x 280 x 6mm
55F3861

Tower Scaffold Tag
75 x 180mm
Polypropylene
55TB913

Scaffold Safety Tag
75 x 180mm
Polypropylene
55F3792



IN THE KNOW

The Work at Height Regulations 2005 require an assessment to be undertaken before starting any work. Erection should be made to Prefabricated Access Suppliers and Manufacturers Association (PASMA) approved methods.

Scaffold Prohibition

ClawTag
80 x 280 x 6mm
55F3861



Side 1:
To be displayed if scaffold has failed inspection, warning not to use until it has been made safe and passed re-inspection.

Side 2:
Used to temporarily prohibit access to certain sections of a scaffold.

Scaffold Prohibition
75 x 180mm
Polypropylene
55F3808

Description	Qty	Code
Single Insert	1	55F3808
Pack of 10 Inserts	10	55F3809
Pack of 50 Inserts	50	5512020
Kit	10 Holder, 20 Inserts, 2 Pens	55F3810
Box	10 Holder, 20 Inserts, 2 Pens	55F4305
ClawTag	5	55F3861



10 Holders
20 Inserts
2 Pen
55F4305

LOLER Safety

AssetTag
55 x 210 x 6mm
55F3864



The Lifting Operations and Lifting Equipment Regulations 1998 (LOLER) covers any equipment used at work for lifting or lowering loads, including anchoring or supporting attachment Regulations stipulate that equipment is marked with the appropriate information for its safe use, such as safe working loads.

Daily and weekly checks should be made, in addition to a thorough recorded examination every 6 to 12 months. If the equipment is installed, the location must also be examined at the following points:

After installation but before first use. After assembly but before first use on a site or in a new location.

Should the equipment be hired it should be accompanied by a physical copy of the last examination report. The AssetTag holder should be permanently fixed to the equipment in a suitable safe place. Perform a thorough inspection of the equipment and complete the insert. In the result of an failure remove insert and inform a supervisor.

LOLER Tag
50 x 181mm
Polypropylene
55F3816

Description	Qty	Code
Pack of 10 Inserts	10	55F3816
AssetTag	5	55F3864
Box	10 Holder, 20 Inserts, 2 Pens	55F3818

Find Our Full Material Key On 6

Racking Safety

Due to the weight, size and loads involved with modern racking it must be checked regularly to ensure the safety of staff and visitors. Our racking tag holders are a modified version of the AssetTag Max system and are designed to be fixed to the crossbeams of the racking displaying racking specific safety messages.


A checklist on the insert describes the checks which must be made and includes space for inspection details to be recorded. An area is available for completion should intermediate work be required, whereas the insert should be removed totally if the racking is deemed unsafe. This will then display the 'Do Not Use Unsafe Racking' message pre-printed on the holder.

Description	Qty	Code
Pack of 10 Inserts	10	55F3812
Pack of 50 Inserts	50	55F3813
Box	10 Holder, 20 Inserts, 2 Pens	55F4306
Kit	10 Holder, 20 Inserts, 2 Pens	55F3814



Racking Safety
75 x 180mm
Polypropylene
55F3812





10 Holders
20 Inserts
2 Pen
55F4306



MEWP Safety

The Work at Height Regulations came into force in 2005. These regulations apply to work at height where there is a risk of fall liable to cause personal injury. It states that 'equipment for work at height is properly inspected and maintained'. MEWPs (Mobile Elevating Work Platforms), scissor lifts, booms and cherry pickers are included under this instruction.

A daily pre-work inspection should be carried out and recorded on these tags. Inserts are designed for use with the AssetTag MAX holder. The holder should be permanently fixed to the equipment in a suitable safe place. Perform an inspection (a checklist is printed on the reverse) and record the result on the tag. In the event of the equipment failing, remove insert and inform a supervisor. The holder clearly states 'Do Not Use This Equipment' when the tag is removed.

Description	Qty	Code
Single Insert	1	55F3819
Pack of 10 Inserts	10	55F3820
Pack of 50 Inserts	50	55F3821
Box	10 Holder, 20 Inserts, 2 Pens	55F4308
Kit	10 Holder, 20 Inserts, 2 Pens	55F3822
AssetTag Max	5	55F3863

AssetTag Max
80 x 213 x 6mm
55F3863

MEWP Safety
75 x 180mm
Polypropylene
55F3819

10 Holders
20 Inserts
2 Pens
55F4308



Forklift Safety

An employer must ensure that a forklift is safe to use and all forklifts should be checked by a competent person prior to use for any damage, faults or wear.

On the reverse the Forklift Safety Tag lists the basic safety checks needed with an inspection record (date, signature, defects reported) on the front.

Designed for use with the AssetTag MAX holder which should be fixed permanently at the point of access to the forklift. If the forklift is safe to use the insert can be slid into the holder with the signature side showing.

The holder clearly states 'Do Not Use This Equipment' when the tag is removed, should an inspection find any failures.

AssetTag Max
80 x 213 x 6mm
55F3863

Forklift Safety
75 x 180mm
Polypropylene
55F3795

10 Holders
10 Inserts
1 Pen
55F4310



Description	Qty	Code
Single Insert	1	55F3795
Kit	10 Holders, 10 Inserts, 1 Pen	5514000
Box	10 Holder, 10 Inserts, 1 Pen	55F4310
AssetTag Max	5	55F3863

Chemical Safety

Our Chemical insert has been specifically designed to display important and relevant information in one place.

Details include:

- Chemical name(s)
- Emergency telephone numbers
- Supplier details and references
- Immediate action and first aid alongside notes for medical personnel
- Spillage treatment and disposal
- Appropriate fire extinguishing and PPE information

Removal of the insert displays the 'Do Not Use' message on the AssetTag MAX holder. In an accident, the insert can be given to emergency personnel, providing vital information for diagnosis and treatment.

These inserts should not be considered a replacement for material safety sheets or any other safety documents and procedures which may be required by law

AssetTag Max
80 x 213 x 6mm
55F3863

Chemical Safety
75 x 180mm
Polypropylene
5513010

10 Holders
10 Inserts
1 Pen
55F4308



Description	Qty	Code
Pack of 10 Inserts	10	5513010
Box	10 Holder, 10 Inserts, 1 Pen	55F4308
AssetTag Max	5	55F3863

Find Our Full Material Key On 6

Universal Equipment Inspection

Our Universal Equipment Inspection record helps an employer comply with legislative requirements when inspecting and helps maintain equipment at suitable periods as deemed appropriate by a risk assessment.

The insert has clearly defined areas to record equipment identification or reference numbers, alongside an inspection record. This allows a user instant access to important safety information. Should equipment fail, the tag can be removed to clearly display the message 'Do Not Use This Equipment' which is printed on the holder.

Description	Qty	Code
Single Insert	1	55F3802
Pack of 10 Inserts	10	5518010
Pack of 50 Inserts	50	5518050
Box	10 Holder, 20 Inserts, 1 Pen	55F4309
AssetTag	5	55F3864

AssetTag
55 x 210 x 6mm
55F3864




Universal Equipment Inspection
50 x 181mm
Polypropylene
55F3802



10 Holders
20 Inserts
2 Pens
55F4309

Isolation Tags

Prevent inadvertent energising of a system with this 2-part perforated tag. Each part is completed by the person in charge with the top half attached to the isolation point and the bottom attached to the permit to work. When both are re-attached to each other the isolation can be classed as removed.



Isolation Tags
75 x 180mm
Polypropylene
55F3803

Description	Code
Single Insert	55F3803
Pack of 10 Inserts	5515110
Pack of 50 Inserts	5515150

Flange Tags

These 3-part perforated tags are designed to help control the inspection and maintenance procedure when a flange breaks.


Assisting the user to clearly identify the various stages from initial break through to the re-energisation of the system.



Flange Tags
75 x 180mm
Polypropylene
55TB918

Description	Code
Pack of 50 Inserts	55TB918

Asset Tag Holder



Holders can be fixed using the following: cable ties, rivets, adhesive strips or glue, inbuilt claw (Claw Tag only), keyring or split-ring (AssetTag MINI only).

Each holder also has a 'break' in the edge wall to allow for easy removal of the insert. Use a screwdriver to prise behind the tag and flip the insert out. All holders are manufactured from a Nylon composite providing excellent strength and flexibility even in temperature extremes.

AssetTag



Description	Size	Code	Qty
AssetTag	55x210x6mm	55F3864	5

AssetTag MAX



Description	Size	Code	Qty
AssetTag MAX	80x213x6mm	55F3863	5

ClawTag



Description	Size	Code	Qty
ClawTag	80x280x6mm	55F3861	5

Site Surveys

TO FIND OUT HOW SITE SURVEYS CAN HELP YOUR BUSINESS PLEASE CONTACT OUR SALES TEAM.

A site survey can be an essential tool to help in identifying risks, ensuring compliance with regulations, and promoting a safe working environment. Our advisory service can help mitigate these risks with the correct tools and equipment, advice on implementation and procedures to ensure long term safety goals are achieved.

One of our team members will visit your site and work with your teams to advise on:

- Identification of missing or outdated signage.
- Ensuring the correct size and materials are being used.
- Work with you on any bespoke requirements you may have.



Find Our Full Material Key On 6

AssetTags

Our tags are manufactured from TPU (Polyurethane) and are perfect for use on a multitude of applications including the identification of assets, inspection and safety tagging. They are highly flexible, incredibly durable, suitable for all weather conditions and resistant to both high and low temperatures as well as most acids, alkalis and solvents.




Key Points:

- Flexible and durable
- Weatherproof
- 8 Colours available
- Single or double sided print options
- Custom design available

Asset Tag Flex: Works as a complete unit without the need for any further equipment. Using two integral slots the tag can be fastened through itself at two positions depending on the application.


Asset Tag Medium: Attached to any piece of equipment using a cable tie, rivet or similar.

The Asset Tag series is available in 6 different colours with a wide variety of print options, plain, single sided, pre-printed or fully customised.




AssetTag Medium

Please note: All below designs are available in all colours




Plain




Inspection Style A



Inspection Style B



Vibration Control



Safe Working Load



Do Not Use Style A




Do Not Use Style B



Custom Design



Dimensions	
(A)	4.5mm
(B)	60mm
(C)	11mm
(D)	5mm
(E)	2mm
(F)	2mm



How to Order:

Step 1: Colour

Step 2: Plain or pre-printed


*Standard printed tags are single sided

	Blue	Green	Orange	Red	White	Yellow
Description	Supplied in packs of 10					
Plain Tags	55SF143	55SF145	55TC201	55SF153	55TC202	55TC203
Inspection (Style A)	55SG949	55TC209	55TC215	55TC221	55TC225	55TC230
Inspection (Style B)	55TC204	55TC210	55TC216	55TC222	55TC226	55TC231
Vibration Control	55TC205	55TC211	55TC217	55TC223	55TC227	55TC232
Safe Working Load	55TC206	55TC212	55TC218	55SF100	55SF101	55TC233
Do Not Use (Style A)	55TC207	55TC213	55TC219	55TC224	55TC228	55TC234
Do Not Use (Style B)	55TC208	55TC214	55TC220	55SF132	55TC229	55TC235


Find Our Full Material Key On 6

AssetTag Flex


Please note: All below designs are available in all colours




Plain




Inspection Style A



Inspection Style B



Vibration Control



Safe Working Load



Do Not Use Style A



Do Not Use Style B



Custom Design

How to Order:


Step 1: Colour

Step 2: Plain or pre-printed

*Standard printed tags are single sided



Dimensions	
(A)	245mm
(B)	60mm
(C)	15mm
(D)	80mm
(E)	140mm
(F)	10mm
(G)	40mm



	Blue	Green	Orange	Red	White	Yellow
Description	Supplied in packs of 10					
Plain Tags	5562031	5562032	5562033	5562034	5562035	5562036

Inspection (Style A)	5562051	5562052	5562053	5562054	5562055	5562056
Inspection (Style B)	55TC236	5562072	55TC240	5562074	5562075	5562076
Vibration Control	5562091	5562092	5562093	5562094	55TC242	5562096
Safe Working Load	5562111	55TC238	5562113	55TC241	5562115	5562116
Do Not Use (Style A)	55TC237	5562132	5562133	5562134	55TC243	55TC244
Do Not Use (Style B)	5562151	55TC239	5562153	5562154	5562155	55TC245

Workplace Supplies

The right workplace supplies are essential to the smooth and safe operation of any business. We offer a comprehensive range of products designed to help you maintain safety, compliance, and efficiency across your organisation.

Safety Essentials

Employers are required to record a variety of workplace incidents, including accidents, near misses, fire safety checks, and work permits.

Workplace Efficiency

Efficiency is critical in today's modern workplace. Clear organisation of products, people, and processes supports smoother operations and reduces disruption. Line marking and racking identification help structure work areas, while floor tapes assist in planning safe and efficient routes throughout the business.

Information Systems

Keeping employees and visitors informed is easily achieved with pin boards, poster frames, and hanging frames. These systems are ideal for displaying health and safety information, wayfinding guidance, or general workplace communications.



Report Books



Description	Code
3 Pack - Accident Report Book, Near Miss Book and Fire Log Book	55F5001

IN THE KNOW

RIDDOR is the law that requires employers and those in control of work premises to report and keep records of:

- Work-related accidents which cause death.
- Work-related accidents which cause certain serious injuries (reportable injuries).
- Diagnosed cases of certain industrial diseases.
- Certain 'dangerous occurrences' (incidents with the potential to cause harm).







Accident / Injury Report Book and Folder

Every business must record employee and visitor accidents by law. This book is a quick, easy and accurate method for recording these incidents.

- Enables compliance with all requirements of the Social Security Administration Act 1992 and Data Protection Act 1996.
- Holds up to 100 incidents.
- Folder provides secure storage and indexing.
- Folder includes useful guidance notes for completing and storing accident records.

Description	Code
Accident Report Book	5570036
Accident Report Book Folder	5581236

Near Miss Report Book

A quick, easy and accurate method for recording near misses within the workplace.

- Enables you to be compliant with all requirements of the Social Security Administration Act 1992 and Data Protection Act 1996.
- Holds up to 100 incidents.

Description	Code
Near Miss Report Book	5570038

Fire Safety Log Book

The Regulatory Reform (Fire Safety) Order 2005 (FSO) requires that the 'responsible person' for premises should ensure that all fire safety facilities, equipment and devices are maintained in efficient working order and in good repair.

- Keeps critical fire safety information in one place.
- Includes tips on fire extinguishers, emergency lighting, fire doors, fire drills, staff training, and fire alarms.

Description	Code
Fire Safety Log Book	5570037

As with all instances where sensitive personal data may be recorded, appropriate processing and safeguarding procedures must be followed to ensure gdpr compliance.

Find Our Full Material Key On 6


Permit to Work Forms




An integral part of a comprehensive Health and Safety Management system, each permit records hazards and precautions relevant to the specific job.

- Each permit contains three parts the original plus two carbon copies.
- Card backing insert for separating the carbon copies.
- Supplied in packs of 10 of the same design.

Description	Code
General	5581237
Electrical	5581238
Confined Spaces	5581242
Breaking Lines	5581243
Asbestos Alert	5581248
Asbestos Present	5581247
Excavation	5581241
Hazardous Substances	5581249
Hot Work	5581240
Lifting Equipment	5581244
Overhead Cranes	5581245
Pressure Testing	5581246
Working at Heights	5581239










Permit Document Holder

Weatherproof with reinforced eyelet for fixing.
Holds A4 sized documents, with zip opening.





Description	Code
10pk	5519100

PPE Safety Mirrors

PPE Mirrors are designed to encourage staff to check they have the appropriate PPE and that it is fitted correctly before entering the workplace.

Laser cut from Optix Acrylic mirrored sheet, each comes complete with pre-drilled holes, mirror screws and adhesive tape. PPE Mirrors are simple to use as well as being easy to keep clean and maintain.

OUR SMALLER 200 x 300MM MIRRORS ARE IDEAL FOR INSTALLATION ON ANY ENTRANCE DOOR TO THE WORKPLACE AND ARE AVAILABLE IN 3 DIFFERENT DESIGNS.





200 x 300 55F5002



200 x 300 55F5003



200 x 300 55F5004

Mirror Labels

This pack of 100mm dia. Vinyl labels comes with all 3 part mirror sets below.


Replacement label packs can also be ordered using code 55F5008.



OUR LARGER 400 x 1800MM MIRROR SETS ARE SUPPLIED IN 3 PIECES AND PROVIDE A FULL BODY VIEW. THESE MIRROR SETS COME COMPLETE WITH A MIRROR LABEL PACK, SELECTION AND PLACEMENT OF WHICH CAN REMIND USERS OF THE APPROPRIATE PPE TO WEAR.



MIRROR SETS ARE SUPPLIED WITH 11 SINGLE SAV SAFETY SYMBOLS TO ENSURE YOUR MESSAGE IS SPECIFIC TO YOUR WORKPLACE.



400 x 1800 55F5005

400 x 1800 55F5006

400 x 1800 55F5007

Find Our Full Material Key On 6

Steering Wheel Covers

These highly visible coverscan be used to encapsulate a steering wheel preventing unauthorised use.

It can be locked out with a suitable padlock.
Find on page 108



Size	Code
400mm Diameter	55TB901
600mm Diameter	55TB903

Literature Holder

Manufactured from injection moulded crystal clear acrylic these holders are ideal for displaying a range of brochures and leaflets.

Desktop Holder



Display Size	Code
A5	55F2369
A4	55F2370

Wall Fix Holder



Display Size	Code
A5 (Vertical)	55F2371
A4	55F2372

Fire alarm

With plastic fronted 'glass' which is ideal for glass sensitive environments.

Secure 'snap fit' mechanism.



Description	Code
Break Glass Keybox	55TB953
Replacement 'Glass'	55TB954

Nylon Armbands

Printed Nylon armbands with Velcro fastening.



Description	Code
Fire Marshal	55F2459

Lanyards

Lanyards with hook and safety release clasp.




Description	Code
Fire Marshal	55TB050
First Aider	55TB052


Safety Light Sticks

Multi-purpose, cool to the touch, water resistant light source.

- CE & EN71 UN approved
- Glows for 12 hours +
- Non Flammable
- Non Toxic




Description	Code
Green Light Stick (each)	55F4251
Orange Light Stick (each)	55F4252
Yellow Light Stick (each)	55F4253



Magnetic 'Easy Wipe' Strip

A flexible magnetic strip that's easily cut to size. Writeable gloss vinyl surface allows marking with dry-wipe pens. Easily cleaned with a suitable solvent cleaner.


Size	White	Yellow
20mm x 10m	5583601	5583701
30mm x 10m	5583602	55F2006
50mm x 10m	5583603	55F2007
70mm x 10m	5583604	55F4209
90mm x 10m	5583605	55F4210



Magnetic Pieces

A flexible magnetic strip that's cut to size. Writeable gloss vinyl surface allows marking with dry-wipe pens. Easily cleaned with a suitable solvent cleaner.

Size	Qty	Code
15 x 80mm	100	5583901
30 x 100mm	100	5583902
40 x 80mm	100	5583904
50 x 100mm	100	5583906
50 x 150mm	100	5583907
30 x 80mm	100	5583903
50 x 80mm	100	5583905
90 x 210mm	10	5585001



Magnetic Document Pockets

Tough blue PVC wallet with magnetic strip and clear front pocket providing protection for documents and papers.

The magnetic strip at the top adheres to all steel materials.



Supplied in singles



Size	Code
A4	55F1994
A5	55F1995

'C' Section Label Holders

Label holders are ideal for environments where inserts need to be changed frequently.

Our self-adhesive option offers a long term solution while the magnetic version can be easily removed.



Self Adhesive		
Size	Qty	Code
15 x 80mm	100	5583401
50 x 80mm	100	5583403

Magnetic		
Size	Qty	Code
30 x 80mm	10	5583501
50 x 80mm	10	5583502

Magnetic Tape (Self Adhesive)

Magnetic tape backed with adhesive. Allows items to be attached to Steel products without the need for drilling.

Size	Code
12.7mm x 30m	55F2048
25.4mm x 10m	5583802




IMAGES ARE FOR ILLUSTRATION ONLY PRODUCT MAY VARY


Find Our Full Material Key On 6

Printed Tape


Printed in red text on white Polypropylene
Each roll is 50mm x 66m




55F3273




55F3274




55F3275



55F3276




55F3277




55F3278




55F3279



55F3280



55F3281



55F4279



Ultra-fine Permanent Marker

These permanent ultra-fine marker pens can write on almost any surface. The waterproof and smudge proof ink dries in seconds with almost no odour, and is ideal for use with our tags and padlocks.



Description	Code
Single	55F3865
Pack of 10	55F3866

Dry Wipe Markers

Dry wipe pens suitable for use on the 'Easy Wipe' magnetic materials.

Supplied in packs of 10.



Description	Code
Black	55F2051
Blue	55F2052
Red	55F2053
Green	55F2054

3 Way Safety Barrier

The 3 Way Safety Barrier offers protection in environments where traffic and pedestrians constantly interact.

Overall extended panel length: 3000(W)

Size (Per Panel)	Code
1000 x 760mm	55TC258



Index

55S1505 12
55F2282 12
55F0419 12
55F1484 12
55A1621 12
55A1622 12
55TB002 12
55A1623 12
55A1624 12
55TB120 12
55A5106 12
55A1625 12
55A1627 12
55A1628 12
55TB117 12
55A5108 12
55A1621 12
55A1622 12
55S1507 12
55F2317 12
55F2318 12
55TB005 12
55F2319 12
55F2320 12
55S1503 12
55F2284 12
55F0418 12
55F1485 12
55A1609 12
55A1610 12
55TB001 12
55A1611 12
55A1612 12
55TB116 12
55A5104 12
55A1617 12
55A1619 12
55A1620 12
55TB121 12
55A5102 12
55A1609 12
55A1610 12
55TB007 12
55TB008 12
55F1487 12
55A1749 12
55A1750 12
55TB006 12
55A1751 12
55A1752 12
55F1486 12
55S1506 12
55F2285 12
55S1583 12
55F1482 12
55A1605 12
55A1606 12
55TB003 12
55A1607 12
55A1608 12
55TB118 12
55A5098 12
55A1629 12
55A1631 12
55A1632 12
55TB119 12
55A5110 12
55A1605 12
55A1606 12
55A1803 12
55A1804 12
55F4164 12
55A1803 12
55A1804 12
55A1805 12
55A1806 12
55TB142 12
55F0060 12
55S1504 12
55F2283 12
55S1581 12
55F1483 12
55A1601 12
55A1602 12
55TB004 12
55A1603 12
55A1604 12
55TB122 12
55A5096 12
55A1613 12
55A1614 12
55A1615 12
55A1616 12
55TB123 12
55A5100 12
55A1601 12
55A1602 12
55S1513 12
55F0390 12
55TB011 13
55TB000 13
55TB016 13
55TB017 13
55TB012 13
55F0385 13
55TB058 13
55F0399 13
55TB069 13
55TB128 13
55TB935 13
55S1516 13
55F0401 13
55TB156 13
55F0431 13
55TB014 13
55TB015 13
55S1523 14
55TB158 14
55F0421 14
55F0707 14
55A1847 14
55A1848 14
55A1827 14
55A1828 14
55S1527 14
55TB938 14
55TB939 14
55A1853 14
55A1854 14
55F0704 14
55A1829 14
55A1830 14
55A1741 14
55A1742 14
55F0567 14
55F2321 14
55A1743 14
55A1744 14
55F2322 14
55F0398 14
55A1855 14
55A1856 14
55TB029 14
55TB030 14
55F1457 14
55F1456 14
55A1849 14
55A1850 14
55TB160 14
55A5154 14
55A1851 14
55A1852 14
55F0396 14
55A1823 14
55TB154 14
55TB155 14
55F0708 14
55TB031 14
55TB933 14
55F0397 14
55A1851 14
55A1852 14
55A1865 14
55A1866 14
55F4165 14
55F0712 14
55A1839 14
55A1840 14
55F0710 14
55S1550 15
55TB038 15
55TB039 15
55F0410 15
55F0709 15
55A1859 15
55A1860 15
55TB036 15
55TB037 15
55F1440 15
55TB034 15
55TB035 15
55A1845 15
55A1846 15
55F4331 15
55TB399 15
55F4356 15
55F4359 15
55F1455 15
55TB152 15
55A5164 15
55F1454 15
55A1873 15
55A1874 15
55TB150 15
55A5160 15
55A1861 15
55A1862 15
55F4355 15
55F4358 15
55F2294 15
55F2295 15
55F0408 15
55A1861 15
55A1862 15
55F4357 15
55F4360 15
55F4361 15
55S1555 15
55A1867 15
55A1868 15
55F0345 18
55A1534 18
55A1535 18
55TB200 18
55F0427 18
55TB201 18
55A5228 18
55A1315 18
55A1316 18
55A1317 18
55A1318 18
55TB183 18
55A5206 18
55F0347 18
55A1536 18
55A1537 18
55TB204 18
55F0429 18
55TB205 18
55A5226 18
55A1343 18
55A1344 18
55F0346 18
55A1532 18
55A1533 18
55TB202 18
55F0428 18
55TB203 18
55A5230 18
55F0694 18
55F0348 18
55A1530 18
55A1531 18
55TB206 18
55F0430 18
55TB207 18
55A5224 18
55A1301 18
55A1302 18
55TB188 18
55A5208 18
55A1501 18
55A1502 18
55A1503 18
55A1504 18
55F0350 18
55F1434 18
55F1435 18
55TB953 19
55TB954 19
55F1438 19
55F1439 19
55F0352 19
55TB184 19
55S1572 19
55A1319 19
55A1320 19
55TB186 19
55A5212 19
55F0366 19
55A1311 19
55A1312 19
55A1313 19
55A1314 19
55TB185 19
55A5190 19
55F2309 19
55F2268 19
55TB055 19
55TB056 19
55F0356 19
55F2459 19
55F1282 19
55F1283 19
55A1341 19
55A1342 19
55TB190 19
55F0416 19
55F0358 19
55F1425 19
55A1352 19
55TB050 19
55TB052 19
55A1349 19
55A1350 19
55F1422 19
55TB053 19
55TB054 19
55A1367 19
55A1368 19
55A1305 19
55A1306 19
55TB191 19
55A5192 19
55F0696 19
55A1346 19
55TB398 19
55AT018 19
55F0626 20
55F0632 20
55TC002 20
55F0627 20
55F0634 20
55TC003 20
55F0629 20
55F0635 20
55TC004 20
55F0631 20
55F4362 20
55TC005 20
55F0633 20
55TC001 20
55TC006 20
55TC007 21
55TC008 21
55S0001 24
55A1019 24

55A1020	24	55A0885	24	55A1108	26	55TC010	27	55F1733	30
55S0005	24	55A0886	24	55TB169	26	55TC011	27	55F1734	30
55S0003	24	55F1160	24	55TB170	26	55A2110	27	55TC018	30
55S0016	24	55F1161	24	55F2164	26	55A2111	27	55TC019	30
55A1023	24	55S0009	25	55F2165	26	55F0665	27	55TC020	30
55A1024	24	55F0573	25	55F0054	26	2900061	27	55TC021	30
55A1026	24	55F2269	25	55A0849	26	55A0817	27	55F0444	30
55A1005	24	55F0030	25	55F1147	26	55A0818	27	55F1396	30
55A1006	24	55A1145	25	55S0158	26	55TC012	27	55F1343	30
55A1008	24	55A1146	25	55F1149	26	55TC013	27	55A0255	30
55A0969	24	55S0013	25	55A0841	26	55A2150	27	55A0062	30
55A0970	24	55TB995	25	55A0842	26	55A2151	27	55F1318	30
55A0972	24	55F2281	25	55A0843	26	55A0019	30	55A0064	30
55A0889	24	55TB996	25	55A0844	26	55A0020	30	55TB990	30
55A0890	24	55F0009	25	55F0655	26	55A0021	30	55TB991	30
55AT042	24	55AT006	25	55F0660	26	55A0022	30	55A1970	30
55AT043	24	55F0654	25	55F1182	26	55A0023	30	55S0600	31
55A0881	24	55F0003	25	55F1183	26	55A0024	30	55F0670	31
55A0882	24	55TB067	25	55S0163	26	55F0668	30	55A0137	31
55A0883	24	55TB068	25	55F1101	26	55F1291	30	55A0138	31
55A0884	24	55F0007	25	55A0806	26	55F2476	30	55A0139	31
55S0007	24	55F0035	25	55F0663	26	55F4231	30	55A0140	31
55F1137	24	55F0661	25	55A0869	26	55F1325	30	55A0111	31
55A0946	24	55S0015	25	55A0870	26	55TB982	30	55A0112	31
55A0947	24	55F1441	25	55F1089	26	55TB983	30	55A0113	31
55A0948	24	55F4333	25	55F1090	26	55TB984	30	55F1215	31
55F0667	24	55F4336	25	55A1022	26	55TB985	30	55A0115	31
55A0981	24	55A0877	25	55F0056	26	55TB986	30	55A0116	31
55A0982	24	55A0878	25	55F2286	26	55F1399	30	55AT011	31
55A0983	24	55A0879	25	55A0829	26	55F1400	30	55F0173	31
55A0984	24	55A0880	25	55A0830	26	55F1384	30	55A0146	31
55F4354	24	55A0873	25	55F0066	26	55A0054	30	55A0147	31
55A0906	24	55A0874	25	55A0837	26	55F1314	30	55A0148	31
55F0651	24	55F1280	25	55A0838	26	55A0001	30	55A0133	31
55F0666	24	55F1281	25	55A0839	26	55A0002	30	55A0134	31
55F1125	24	55TB071	25	55A0840	26	55A0003	30	55F2288	31
55A0898	24	55A1113	26	55S0353	26	55F1287	30	55AT035	31
55A0899	24	55A1114	26	55F2280	26	55A0005	30	55F1196	31
55F1128	24	55A1115	26	55S0255	26	55A0006	30	55F1197	31
55F1170	24	55A1116	26	55F4363	26	55F0135	30	55F1198	31
55A0938	24	55A1117	26	55TB405	26	55F4228	30	55A0098	31
55A0940	24	55A1118	26	55F0063	27	55TC014	30	55F0164	31
55F0652	24	55F4260	26	55F0065	27	55TC015	30	55A0039	31
55A0977	24	55TB072	26	55TB086	27	55A1983	30	55A0040	31
55A0978	24	55F1184	26	55TB087	27	55A1984	30	55F1240	31
55A0979	24	55F1185	26	55A2118	27	55A1857	30	55F1241	31
55A0980	24	55F1186	26	55A2119	27	55A1858	30	55F2179	31
55F0001	24	55F1187	26	55F0093	27	55A0253	30	55F2180	31
55A0893	24	55F1188	26	55F0097	27	55F1339	30	55F1222	31
55A0894	24	55F1189	26	2900071	27	55A0045	30	55A0150	31
55F1168	24	55F2166	26	55TB066	27	55A0046	30	55A0151	31
55F1169	24	55F2167	26	55A1031	27	55F1311	30	55A0152	31
55A0941	24	55F0053	26	55A1032	27	55A0032	30	55A0125	31
55A0942	24	55A1137	26	55F0094	27	55A0033	30	55A0126	31
55A0943	24	55A1138	26	55F0110	27	55A0034	30	55A0127	31
55A0944	24	55A1139	26	55F0064	27	55TC016	30	55A0128	31
55A0949	24	55A1140	26	55S4002	27	55TC017	30	55F0175	31
55A0950	24	55A1101	26	55AT052	27	55TB988	30	55F0676	31
55A0951	24	55A1102	26	55F1448	27	55A1968	30	55TB061	31
55A0952	24	55A1103	26	5555601	27	55F1341	30	55TB062	31
55TC009	24	55A1104	26	5773602	27	55A0035	30	55A0117	31
55F1129	24	55TB166	26	55A2116	27	55A0036	30	55A0118	31
55A0902	24	55F0062	26	55A2117	27	55A0037	30	55A0119	31
55A0903	24	55A1105	26	55A2120	27	55A0038	30	55A0120	31
55A0904	24	55A1106	26	55F1176	27	55F1731	30	55A0099	31
55F0653	24	55A1107	26	55F0048	27	55F1732	30	55A0100	31

55A0101	31	55A0353	36	55A0586	37	55F0297	38	55F0295	40
55A0102	31	55A0354	36	55A0449	37	55A0441	38	55F0324	40
55S0608	31	55F1470	36	55A0450	37	55A0442	38	55A0635	40
55A0121	31	55A0373	36	55A0451	37	55A0443	38	55A0636	40
55F1247	31	55TB105	36	55A0452	37	55A0551	38	55F0332	40
55A0123	31	55TB106	36	55F0264	37	55A0552	38	55S1106	40
55A0124	31	55S0753	36	55S0907	37	55F2271	38	55F0325	40
55A0103	31	55TB093	36	55A0431	37	55F1445	38	55F1071	40
55A0104	31	55TB094	36	55A0432	37	55F1444	38	55A0640	40
55A0105	31	55A0369	36	55S0853	37	55A0379	39	55A0465	40
55A0106	31	55A0370	36	55S0854	37	55A0380	39	55A0466	40
55F2296	32	55F0867	36	55A0461	38	55F0881	39	55A0467	40
55F2297	32	55A0358	36	55A0462	38	55F0882	39	55A0468	40
55TB065	32	55A0351	36	55A0464	38	55A0504	39	55A0487	40
55F0165	32	55A0352	36	55F1473	38	55A0505	39	55A0488	40
55F1228	32	55F0193	36	55F1472	38	55A0506	39	55A0489	40
55F1229	32	55A0305	36	55S1203	38	55F0308	39	55A0490	40
55A0179	32	55A0306	36	55A0535	38	55A0395	39	55S1607	40
55A0180	32	55F0677	36	55A0536	38	55A0396	39	55A0645	40
55F0170	32	55F4157	36	55A0561	38	55A0397	39	55F1754	40
55S0556	32	55A0575	36	55A0562	38	55A0398	39	55A0375	40
55A0175	32	55A0576	36	55A0563	38	55F0887	39	55F0876	40
55A0176	32	55A0325	36	55A0564	38	55F0888	39	55A0377	40
55A0171	32	55A0326	36	55F0686	38	55F0316	39	55A0378	40
55A0172	32	55A0309	36	55A0427	38	55S1105	39	55A0401	40
55F1747	32	55A0343	36	55A0428	38	55F0293	39	55A0402	40
55F1748	32	55A0344	36	55A0429	38	55F0296	39	55S1105	40
55A0141	32	55F0198	36	55A0430	38	55A0388	39	55A0404	40
55F1219	32	55F0300	36	55A0415	38	55F0318	39	55A0643	40
55A0143	32	55F0684	37	55A0416	38	55S1100	39	55A0644	40
55A0144	32	55F0679	37	55A0417	38	55F0319	39	55F0226	40
55F0561	32	55S0904	37	55A0418	38	55S4107	39	55A0435	41
55A0185	32	55S0901	37	55F0689	38	55A0473	39	55A0436	41
55A0186	32	55A0583	37	55F0290	38	55A0474	39	55A0437	41
55F1270	32	55A0584	37	55F0572	38	55A0476	39	55A0438	41
55A0188	32	55S0861	37	55S1301	38	55TC246	39	55F4157	41
55A0129	32	55F0682	37	55A0491	38	55TC247	39	55F0296	41
55A0130	32	55F0685	37	55A0492	38	55F0999	39	55F0309	41
55F1256	32	55F1772	37	55S0954	38	55A0548	39	55A0423	41
55F1257	32	55F1773	37	55F0594	38	55F0693	39	55A0424	41
55TC022	32	55S0910	37	55F0943	38	55F2298	39	55S0950	41
55TC023	32	55A0581	37	55F0944	38	55F2299	39	55F0331	41
55TC024	32	55A0582	37	55F0690	38	55A0495	39	55TC254	41
55TC025	32	55A0469	37	55A0391	38	55A0496	39	55TC255	41
55F0236	36	55A0470	37	55A0392	38	55S1306	39	55A0439	41
55TB089	36	55A0471	37	55F0937	38	55F0565	39	55A0440	41
55TB090	36	55A0472	37	55A0394	38	55TC248	39	55S0861	41
55F0678	36	55F0680	37	55TB109	38	55TC249	39	55F0441	41
55F2308	36	55F1476	37	55F0600	38	55TC250	39	55TC256	41
55F4156	36	55F1475	37	55F1442	38	55TC251	39	55TC257	41
55TC026	36	55S0915	37	55F2307	38	55F0997	39	55A0581	41
55TC027	36	55A0589	37	55F0291	38	55A0546	39	55A0582	41
55TC028	36	55A0590	37	55F2272	38	55F0692	39	55F0569	41
55TC029	36	55A0579	37	55A0409	38	55F0303	39	55F0311	41
55TC030	36	55A0650	37	55A0410	38	55A0497	39	55S0952	41
55TC031	36	55F1039	37	55A0411	38	55F0992	39	55F0310	41
55A0333	36	55A0458	37	55A0412	38	55F0314	39	55F0576	42
55A0334	36	55A0459	37	55F0687	38	55TC252	39	55F0580	42
55F0859	36	55A0460	37	55A0383	38	55TC253	39	55F0579	42
55F0860	36	55F0681	37	55A0384	38	55F0710	39	55F0577	42
55F0861	36	55A0419	37	55A0539	38	55F0669	39	55F0587	42
55F0862	36	55A0420	37	55A0540	38	55F1051	40	55F0588	42
55A0301	36	55S0916	37	55F2279	38	55A0500	40	5551800	42
55A0302	36	55A0591	37	55TB110	38	55A0637	40	55F0578	42
55A0365	36	55A0592	37	55TB111	38	55A0638	40	55F0582	42
55A0366	36	55A0585	37	55F0298	38	55S1107	40	55F4901	42

55TC261	42	55TB186	47	55F5129	54	55TC064	55	55F0642	60
55TC262	42	55A5212	47	55F5130	54	55TC065	55	55TB755	60
55TC263	42	55TB202	47	55F5131	54	55TC066	55	55F0647	60
55TC264	42	55F0428	47	55F5136	54	55TC077	55	55F0644	60
55TC265	42	55TB203	47	55F5137	54	55TC078	55	55TB758	60
55TC266	42	55A5230	47	55F5138	54	55TC079	55	55TB754	60
55TB175	46	55TB190	47	55F5139	54	55TC080	55	55F0643	60
55A5188	46	55F0416	47	55F5082	54	55TC081	55	55F0649	60
55TB119	46	55TB206	47	55F5083	54	55TC102	55	55TB757	60
55A5110	46	55F0430	47	55F5108	54	55TC103	55	55F0640	60
55TB128	46	55TB207	47	55F5109	54	55TC104	55	55F0648	60
55TB120	46	55A5224	47	55F5132	54	55TC105	55	55TB753	60
55A5106	46	55TB188	47	55F5133	54	55TC106	55	55F1516	64
55F0419	46	55A5208	47	55F5084	54	55TC042	55	5602901	64
55TB179	46	55TB183	47	55F5086	54	55TC043	55	5603601	64
55F0425	46	55A5206	47	55F5087	54	55TC044	55	5602101	64
55TB157	46	55A5245	47	55F5112	54	55TC045	55	5603201	64
55F0423	46	55A5246	47	55F5115	54	55TC046	55	55F1514	64
55TB150	46	55F2113	47	55F5144	54	55TC067	55	55F1518	64
55A5160	46	55A5248	47	55F5145	54	55TC068	55	5602001	64
55TB116	46	55A5250	47	55F5146	54	55TC069	55	55F1515	64
55A5104	46	55F1988	47	55F5147	54	55TC070	55	55F1517	64
55TB117	46	55F1989	47	55F5101	54	55TC071	55	5601301	64
55A5108	46	55A5252	47	55F5103	54	55TC082	55	5603401	64
55F0418	46	55F1990	47	55F5120	54	55TC083	55	55F4208	64
55TB178	46	55A5243	47	55F5121	54	55TC084	55	5605301	64
55A5186	46	55F1991	47	55F5122	54	55TC085	55	55F1529	64
55TB152	46	55TB184	47	55F5123	54	55TC086	55	5617101	65
55A5164	46	55S1572	47	55F5148	54	55TC107	55	5616801	65
55TB156	46	55TB191	47	55F5149	54	55TC108	55	55F1528	65
55F0431	46	55A5192	47	55F5150	54	55TC109	55	5607001	65
55A5184	46	55A3102	50	55F5151	54	55TC110	55	55F1521	65
55TB118	46	55F2058	50	55F5116	54	55TC111	55	5609001	65
55A5098	46	55A2004	50	55F5117	54	55TC047	55	55F1524	65
55TB121	46	55A8128	50	55F5118	54	55TC048	55	5616501	65
55A5102	46	55A3104	50	55F5125	54	55TC049	55	5616901	65
55S1581	46	55A3879	50	55F5126	54	55TC050	55	55F1530	65
55TB154	46	55A3110	50	55F5152	54	55TC051	55	5606201	65
55TB155	46	55A8114	50	55F5154	54	55TC087	55	5616701	65
55TB169	46	55A3101	50	55TC032	55	55TC088	55	5617001	65
55TB170	46	55TB696	50	55TC033	55	55TC089	55	55F1531	65
55TB160	46	55A8112	50	55TC034	55	55TC090	55	55F1522	65
55A5154	46	55A8119	50	55TC035	55	55TC091	55	5600501	65
55TB122	46	55A3721	50	55TC036	55	55TC052	55	55F1526	65
55A5096	46	55TB695	50	55TC057	55	55TC053	55	55F1982	66
55TB123	46	55A8111	50	55TC058	55	55TC054	55	55F1983	66
55A5100	46	55A2011	51	55TC059	55	55TC055	55	55F1984	66
55TB142	46	55TB705	51	55TC060	55	55TC056	55	55F1986	66
55F0060	46	55A2012	51	55TC061	55	55TC092	55	55F3790	66
55TB158	46	55A8124	51	55TC072	55	55TC093	55	55F3788	66
55F0421	46	55A8120	51	55TC073	55	55TC094	55	55F3789	66
55TB166	46	55A8113	51	55TC074	55	55TC095	55	55A5245	66
55F0062	46	55A8130	51	55TC075	55	55TC096	55	55A5246	66
55F4251	47	55A8117	51	55TC076	55	5625901	56	55F2113	66
55F4252	47	55A8115	51	55TC097	55	5625911	56	55A5248	66
55F4253	47	55A8116	51	55TC098	55	5625921	56	55F1988	66
55TB200	47	55A8125	51	55TC099	55	5625931	56	55F1988	66
55F0427	47	55A8131	51	55TC100	55	5625941	56	55F1989	66
55TB201	47	55A8118	51	55TC101	55	5625961	56	55A5252	66
55A5228	47	55A8123	51	55TC037	55	5625951	56	55F1990	66
55TB185	47	55A8121	51	55TC038	55	55F0639	60	55A5243	66
55A5190	47	55F5079	54	55TC039	55	55F0650	60	55F1991	66
55TB204	47	55F5104	54	55TC040	55	55TB756	60	55F4207	66
55F0429	47	55F5105	54	55TC041	55	55F0641	60	55F1987	66
55TB205	47	55F5106	54	55TC062	55	55F0645	60	55F3782	67
55A5226	47	55F5128	54	55TC063	55	55F0646	60	55F3783	67

55F3784	67	55F1487	73	55F2269	75	55A1103	75	55TB378	76
55F0804	69	55A1749	73	55A1005	75	55A1104	75	55F0446	77
55F0805	69	55A1750	73	55A1006	75	55F1125	75	55F0448	77
55F0806	69	55TB006	73	55A1008	75	55A0898	75	55F1611	77
55F0807	69	55A1751	73	55A0137	75	55A0899	75	55F4245	77
55S9416	69	55A1752	73	55A0138	75	55F1128	75	55F1604	77
55S9417	69	55F1486	73	55A0139	75	55A0121	75	55F4238	77
55S4550	72	55F1440	73	55A0140	75	55F1247	75	55F2162	77
55A5281	72	55TB034	73	55A0111	75	55A0123	75	55S1607	77
55F0636	72	55TB035	73	55A0112	75	55A0124	75	55F1600	77
55F1467	72	55F0345	74	55A0113	75	55F1445	75	55F4234	77
55A5280	72	55A1534	74	55F1215	75	55F1444	75	55F1605	77
55A5282	72	55A1535	74	55A0115	75	55F1472	75	55F4239	77
55A5283	72	55A1349	74	55A0116	75	55F1476	75	55F0436	77
55F0637	72	55A1350	74	55F2279	75	55F1475	75	55F1601	77
55AT039	72	55A0881	74	55F1470	75	55F2261	76	55F4235	77
55F1484	73	55A0882	74	55F0009	75	55F1447	76	55S1652	77
55A1621	73	55A0883	74	55F4354	75	55TB340	76	55F1610	77
55A1622	73	55A0884	74	55A0906	75	55TB341	76	55F4244	77
55TB002	73	55F2286	74	55A0133	75	55TB319	76	55F1602	77
55A1623	73	55A0829	74	55A0134	75	55F2264	76	55F4236	77
55A1624	73	55A0830	74	55F2288	75	55TB355	76	55F4240	77
55F1457	73	55F0066	74	55AT035	75	55TB365	76	55F4241	77
55F1456	73	55F1280	74	55F0175	75	55TB372	76	55F0440	77
55A1845	73	55F1281	74	55A0539	75	55F0483	76	55F1609	77
55A1846	73	55F0347	74	55A0540	75	55F0484	76	55F4243	77
55A1873	73	55A1536	74	55F1473	75	5769008	76	55F1603	77
55A1874	73	55A1537	74	55A1019	75	55F0486	76	55F4237	77
55F1485	73	55TB398	74	55A1020	75	5769005	76	55TC112	78
55A1609	73	55AT018	74	55A0981	75	55F0488	76	55TC113	78
55A1610	73	55A0889	74	55A0982	75	55TB339	76	55TC122	78
55TB001	73	55A0890	74	55A0983	75	55TB337	76	55TC123	78
55A1611	73	55AT042	74	55A0984	75	55F2263	76	55TC132	78
55A1612	73	55AT043	74	55A0129	75	55TB320	76	55TC133	78
55F1455	73	55F0064	74	55A0130	75	55F2265	76	55TC134	78
55F1454	73	55S4002	74	55F1256	75	55TB352	76	55TC135	78
55A1969	73	55F4333	74	55F1257	75	55TB353	76	55TC144	78
55A1970	73	55F4336	74	55A0019	75	55TB367	76	55TC145	78
55A1839	73	55F0346	74	55A0020	75	55TB309	76	55TC114	78
55A1840	73	55A1532	74	55A0021	75	55TB310	76	55TC115	78
55F1482	73	55A1533	74	55A0022	75	55F1495	76	55TC124	78
55A1605	73	55A0969	74	55A0023	75	55TB311	76	55TC125	78
55A1606	73	55A0970	74	55A0024	75	55TB349	76	55TC136	78
55TB003	73	55F4363	74	55F2271	75	55TB356	76	55TC137	78
55A1607	73	55TB405	74	55A0365	75	55TB357	76	55TC146	78
55A1608	73	55F1441	74	55A0366	75	55TB327	76	55TC147	78
55F4331	73	55F0348	74	55A1031	75	55TB328	76	55TC116	78
55TB399	73	55A1530	74	55A1032	75	55TB386	76	55TC117	78
55A1849	73	55A1531	74	55F1137	75	55TB370	76	55TC126	78
55A1850	73	55F0573	74	55A0946	75	55TB313	76	55TC127	78
55A1851	73	55F1182	74	55A0947	75	55F1496	76	55TC138	78
55A1852	73	55F1183	74	55A0948	75	55TB314	76	55TC139	78
55F0396	73	55F1448	74	55A0001	75	55F0472	76	55TC148	78
5551900	73	55F2309	74	55A0002	75	55F0473	76	55TC149	78
55F1483	73	55F2310	74	55A0003	75	55F0474	76	55TC118	78
55A1601	73	55F2280	74	55F1287	75	55F0475	76	55TC119	78
55A1602	73	55S0255	74	55A0005	75	55F0476	76	55TC128	78
55TB004	73	55F4260	74	55A0006	75	55F1492	76	55TC129	78
55A1603	73	55TB072	74	55A0591	75	55F0478	76	55TC140	78
55A1604	73	55F1184	74	55A0592	75	55TB322	76	55TC141	78
55A1741	73	55F1185	74	55A0415	75	55TB359	76	55TC150	78
55A1742	73	55F1186	74	55A0416	75	55TB376	76	55TC151	78
55F2321	73	55F1187	74	55A0417	75	55TB317	76	55TC120	78
55A1743	73	55F1188	74	55A0418	75	55TB318	76	55TC121	78
55A1744	73	55F1189	74	55A1101	75	55TB324	76	55TC130	78
55F2322	73	55AT052	74	55A1102	75	55TB388	76	55TC131	78

55TC142	78	55TB488	83	55F2524	84	55TB498	86	55F2559	87
55TC143	78	55TB491	83	55F5157	84	55TB536	86	55F2305	87
55F2329	82	55F1592	83	55F1568	84	55F1633	86	55F2602	87
55F2606	82	55F4264	83	55F2517	84	55F2550	86	55F1657	87
55F1533	82	55TB430	83	55F1576	84	55F1634	86	55F2574	87
55F2482	82	55TB438	83	55F2525	84	55F2551	86	55F1658	87
55F2334	82	55F1546	83	55F5156	84	55F2311	86	55F2575	87
55F2611	82	55F2495	83	55F1577	84	55F2604	86	55F1675	87
55F1538	82	55F1550	83	55F2526	84	55F2303	86	55F2592	87
55F2487	82	55F2499	83	55F1581	85	55F2600	86	55F1676	87
55F2339	82	55F1589	83	55F1689	85	55F1621	86	55F2593	87
55F2616	82	55F2529	83	55F1582	85	55F2538	86	55F1661	87
55F1543	82	55F1595	83	55TB493	85	55F1622	86	55F2578	87
55F2492	82	55F4267	83	55F1583	85	55F2539	86	55F1662	87
55F1555	82	55F1598	83	55TB494	85	55TB534	86	55F2579	87
55F2504	82	55F4268	83	55TB495	85	55TB546	86	55F1647	87
55F2330	82	55TB436	83	55TB496	85	55F1635	86	55F2564	87
55F2607	82	55TB444	83	55F1584	85	55F2552	86	55F2565	87
55F1534	82	55F1547	83	55F2342	85	55F1636	86	55F1649	87
55F2483	82	55F2496	83	55F1586	85	55F2553	86	55F1659	87
55F2335	82	55TB463	83	55F1625	86	55F2306	86	55F2576	87
55F2612	82	55TB483	83	55F2542	86	55F2603	86	55F1660	87
55F1539	82	55F1594	83	55F1626	86	55F1667	86	55F2577	87
55F2488	82	55F4266	83	55F2543	86	55F2584	86	55F1677	87
55TB410	82	55TB487	83	55F1627	86	55F1668	86	55F2594	87
55TB411	82	55TB490	83	55F2544	86	55F2585	86	55F1678	87
55TB423	82	55F1599	83	55F1628	86	55F1623	86	55F2595	87
55F1553	82	55F2533	83	55F2545	86	55F2540	86	55F1649	87
55F2502	82	55F1554	83	55TB499	86	55F1624	86	55F2566	87
55F2331	82	55F2503	83	55TB537	86	55F2541	86	55F1650	87
55F2608	82	55F1548	83	55TB500	86	55TB531	86	55F2567	87
55F1535	82	55F2497	83	55TB538	86	55TB543	86	55F1663	87
55F2484	82	55TB486	83	55F1653	86	55F1637	86	55F2580	87
55F2336	82	55TB489	83	55F2570	86	55F2554	86	55F1664	87
55F2613	82	55F1593	83	55F1654	86	55F1638	86	55F2581	87
55F1540	82	55F4265	83	55F2571	86	55F2555	86	55TC152	87
55F2489	82	55F1612	83	55F1669	86	55TB549	86	55TC153	87
55F2338	82	55F4246	83	55F2586	86	55TB556	86	55TC154	87
55F2615	82	55F1590	83	55F1670	86	55TB550	86	55TC155	87
55F1542	82	55F2530	83	55F2587	86	55TB557	86	55F1679	87
55F2491	82	55F1596	83	55F1617	86	55F1639	86	55F2596	87
55TB431	82	55F2531	83	55F2534	86	55F2556	86	55F1680	87
55TB439	82	55F1613	83	55F1618	86	55F1640	86	55F2597	87
55F2332	82	55F4249	83	55F2535	86	55F2557	86	55F1651	87
55F2609	82	5584101	84	55F1629	86	55F1685	87	55F2568	87
55F1536	82	5584201	84	55F2546	86	55F1686	87	55F1652	87
55F2485	82	5584202	84	55F1630	86	55F2314	87	55F2569	87
55F2337	82	5584203	84	55F2547	86	55F1686	87	55F1665	87
55F2614	82	5584301	84	55TB529	86	55F2588	87	55F2582	87
55F1541	82	55F1565	84	55TB541	86	55F1672	87	55F1666	87
55F2490	82	55F2514	84	55TB530	86	55F2589	87	55F2583	87
55F4220	82	55F1571	84	55TB542	86	55TB547	87	55F1676	87
55F2333	82	55F2520	84	55F1655	86	55TB554	87	55F2593	87
55F2610	82	55F5158	84	55F2572	86	55TB548	87	55F1681	87
55F1537	82	55F1566	84	55F1656	86	55TB555	87	55F2598	87
55F2486	82	55F1567	84	55F2573	86	55F1643	87	55F1682	87
55F2511	82	55F1572	84	55F1645	86	55F2560	87	55F2599	87
55F2510	82	55F2521	84	55F2562	86	55F1644	87	55F2250	88
55F1559	83	55F5162	84	55F1646	86	55F2561	87	55F2249	88
55F2508	83	5584401	84	55F2563	86	55F1673	87	55TB581	88
55F1545	83	5584501	84	55F1619	86	55F2590	87	55F2256	88
55F2494	83	5584502	84	55F2536	86	55F1674	87	55F2255	88
55F1549	83	5584503	84	55F1620	86	55F2591	87	55TB586	88
55F2498	83	55F1567	84	55F2537	86	55F1641	87	55F2293	88
55F1588	83	55F2516	84	55TB497	86	55F2558	87	55F2292	88
55F4262	83	55F1575	84	55TB535	86	55F1642	87	55TB591	88

55TB596	88	55F2250	89	55F5167	96	55F2639	104	5612101	109
55F0622	88	55F2249	89	55F5168	96	55F2633	104	55TC165	109
55TB598	88	55F0622	89	55F5169	96	55TB855	104	55TC166	109
55F0624	88	55F0616	89	55F5170	96	55TB865	104	5570028	109
55TB606	88	55F0619	89	55TC156	96	55F2619	104	5570027	109
55F2252	88	55S4322	89	55F5176	96	55F2629	104	55TC259	109
55F2251	88	55F2237	89	55F5177	96	55F2059	104	55TC260	109
55TB582	88	55F2240	89	55F5178	96	55TB857	104	55TC167	110
55F2242	88	55F2239	89	55F5171	96	55TB867	104	55TC168	110
55F2241	88	55F2256	89	55F5172	96	55TB859	104	55TC169	110
55TB587	88	55F2255	89	55F5173	96	55F2620	104	55TC170	110
55F2244	88	55F2252	89	55F5174	96	55F2630	104	55TC171	110
55F2243	88	55F2251	89	55TC157	96	55F2061	104	55TC172	110
55TB592	88	55F0623	89	55F5180	96	55TB869	104	55TC173	110
55TB597	88	55F0614	89	55F5181	96	55F2623	104	55TC174	110
55F0623	88	55AT059	89	55F5182	96	55F2631	104	55TC175	110
55TB605	88	55S4323	89	5773610	97	55TB861	104	55TC176	110
55F0625	88	55F2238	89	5773620	97	55TB871	104	55TC177	110
55TB607	88	55F2242	89	5773611	97	55F2622	104	55TC178	110
55TB611	88	55F2241	89	5773621	97	55F2063	104	55TC179	110
55F0620	88	55F2260	89	55TC160	98	55TB863	104	55TC180	110
55F2254	88	55F2259	89	55TC159	98	55F3437	105	55TC181	110
55F2253	88	55F2293	89	55TC158	98	55F3438	105	55TC182	110
55TB583	88	55F2292	89	55TC162	98	55A5330	105	5610801	111
55F2258	88	55F0624	89	55TC161	98	55A5317	105	5611301	111
55F2257	88	55F0615	89	5563950	99	55A5318	105	5610802	111
55TB588	88	55TB392	89	5563960	99	55A5314	105	5570029	111
55F2246	88	55S4331	89	5563970	99	55A5345	105	55TB900	112
55F2245	88	55F2244	89	5563980	99	55A5346	105	55F3209	112
55TB593	88	55F2243	89	5563990	99	55A5348	105	55TB897	112
55TB392	88	55F2291	89	55A5303	102	55A5349	105	55TB898	112
55TB612	88	55F2290	89	55A5305	102	55A5313	105	55TB899	112
55S4321	88	55F2258	89	55A5309	102	55F4273	105	5570122	113
55F2248	88	55F2257	89	55F3407	102	55A5325	105	5773671	113
55F2247	88	55F0625	89	55F3397	102	55A5326	105	5773651	113
55TB584	88	55F2270	89	55F0553	102	55A5339	105	5773672	113
55F2260	88	55F0611	89	55A5306	102	55A5340	105	5773652	113
55F2259	88	55F2287	89	55F3403	102	55A5315	105	5773681	113
55TB589	88	55S4500	89	55F3406	102	55A5316	105	5773661	113
55TB615	88	55F2246	89	55F3399	102	55F3446	105	5773682	113
55TB616	88	55F2245	89	55F3402	102	55F4274	105	5773662	113
55TB617	88	55F2248	89	55A5310	102	55A5341	105	5581115	114
55AT059	88	55F2247	89	55F3405	102	55A5342	105	5570104	114
55TB613	88	55F2254	89	55F3392	102	55A5350	105	5570105	114
55S4322	88	55F2253	89	55F3396	102	55A5351	105	5581130	114
55F2237	88	55F5163	90	55A5308	102	55A5319	105	5581131	114
55TB594	88	55F5164	90	55A3873	103	55A5347	105	55SG909	114
55F2240	88	55F5165	90	55F3381	103	55A5343	105	5581116	115
55F2239	88	55F5166	90	55F3359	103	55A5344	105	55F3267	115
55TB585	88	55SF181	95	55A1139	103	5578140	108	55F3268	115
55F2291	88	55SF180	95	55A3871	103	5578141	108	55F3204	115
55F2290	88	55SF179	95	55F3385	103	5578142	108	55F3205	115
55TB608	88	55SF178	95	55F3357	103	5578143	108	5581140	115
55TB609	88	55SF177	95	55F1184	103	5578144	108	55TB883	115
55TB610	88	55SF167	95	55TB852	103	5578145	108	5581040	116
55F0621	88	55SF170	95	55F3379	103	55TC163	108	55TB904	116
55AT061	88	55SF173	95	55F3367	103	55TC164	108	55TB906	116
55TB614	88	55SF166	95	55F2194	103	5570023	109	5581030	117
55S4323	88	55SF169	95	55F3373	103	5570024	109	5581031	117
55F2238	88	55SF172	95	55F3387	103	5570025	109	55TC184	117
55F2274	89	55SF165	95	55F3369	103	5570026	109	55TC185	117
55F0618	89	55SF168	95	55F2195	103	55F3218	109	5581080	119
55S4321	89	55SF171	95	55F3375	103	5611701	109	5581081	119
55AT104	89	55SF176	95	55F3377	103	5611801	109	5581082	119
55F2326	89	55SF175	95	55F3371	103	5611901	109	5581083	119
55F2325	89	55SF174	95	55F2621	104	5612001	109	5581084	119

5570011	119	55TB905	136	55F3231	142	55F3863	149	55F4209	162
5581090	119	55F2369	136	55F3236	142	55F3795	150	5583605	162
5581150	120	55F2370	136	55F3241	142	5514000	150	55F4210	162
5581151	120	5570127	136	55F3222	142	55F4310	150	55F2048	162
55F3202	120	5570125	136	55F3226	142	55F3863	150	5583802	162
55TC186	120	5570121	136	55F3865	142	5513010	150	55F1994	162
5581160	121	55F2371	136	55F3866	142	55F4308	150	55F1995	162
55TC187	121	55F2372	136	55F2210	143	55F3863	150	5583901	162
55TC188	121	55F3221	136	55F2221	143	55F3802	151	5583902	162
55TC189	121	5773640	137	55F2233	143	5518010	151	5583904	162
5572928	122	5773641	137	55F2211	143	5518050	151	5583906	162
55TB888	122	5570123	138	55F2222	143	55F4309	151	5583907	162
5611101	122	5570002	138	55F2236	143	55F3864	151	5583903	162
5570013	123	5570004	139	55F0646	143	55F3803	151	5583905	162
5570014	123	5570003	139	55F2212	143	5515110	151	5585001	162
5570017	123	5581195	139	55F2223	143	5515150	151	5583401	162
5570018	123	5570005	140	55F0647	143	55TB918	151	5583403	162
55TB886	123	5581196	140	55F0639	143	55F3864	152	5583501	162
5570013	123	5581197	140	55F2213	143	55F3863	152	5583502	162
5570014	123	55F3244	141	55F2225	143	55F3861	152	55F3865	163
55TB884	123	55F3254	141	55F0648	143	55F5001	158	55F3866	163
55TB887	124	5570129	141	55F2217	143	5570036	158	55TC258	163
5572949	124	55SG187	141	55F2228	143	5581236	158	55F3273	163
55TB885	124	5570034	141	55F0644	143	5570038	158	55F3277	163
5570109	124	55F3245	141	55F0649	143	5570037	158	55F3281	163
55TC190	125	55F3255	141	55F2218	143	5581237	159	55F3274	163
55TC191	125	5570130	141	55F2229	143	5581238	159	55F3278	163
55TC192	125	5570030	141	55F3791	145	5581242	159	55F4279	163
55TC193	125	55F3246	141	55F3792	145	5581243	159	55F2051	163
55TC194	125	55F3256	141	5512050	145	5581248	159	55F2052	163
55TC195	125	5570131	141	55F3794	145	5581247	159	55F2053	163
55TC196	125	5570031	141	5512000	145	5581241	159	55F2054	163
55AT131	125	55F3247	141	55F3861	145	5581249	159	55F3275	163
55AT132	125	55F3257	141	55F3799	146	5581240	159	55F3279	163
55TC197	126	55F3248	141	5517010	146	5581244	159	55F3276	163
55TC198	126	55F3258	141	5517050	146	5581245	159	55F3280	163
5581180	126	55F3249	141	55F3801	146	5581246	159		
5581181	126	5570032	141	5517000	146	5581239	159		
55TC199	126	55F3250	141	55F3864	146	5519100	159		
55F3208	127	55F3260	141	55TB912	147	55F5002	160		
5570019	127	5570033	141	55TB913	147	55F5003	160		
5570020	127	5570128	141	55TB914	147	55F5004	160		
5570021	127	55F3251	141	55TB916	147	55F5005	160		
55TB894	128	55F3261	141	55TB915	147	55F5006	160		
55TB895	128	55F3252	141	55F3861	147	55F5007	160		
5570113	128	55F3253	141	55TB913	147	55TB901	161		
5570022	129	55F3232	142	55F3792	147	55TB903	161		
55TB893	129	55F3237	142	55F3861	147	55TB953	161		
55F3271	130	55F3242	142	55F3808	148	55TB954	161		
5570124	130	55F3227	142	55F3809	148	55F4251	161		
55TC200	130	55F3228	142	5512020	148	55F4252	161		
55F3213	130	55F3233	142	55F3810	148	55F4253	161		
5625501	131	55F3238	142	55F4305	148	55F2459	161		
5625701	131	5581053	142	55F3861	148	55F2369	161		
5625601	132	5581050	142	55F3816	148	55F2370	161		
5625801	132	55F3223	142	55F3864	148	55TB050	161		
5581020	132	55F3229	142	55F3818	148	55TB052	161		
5581025	133	55F3234	142	55F3812	149	55F2371	161		
5570115	134	55F3239	142	55F3813	149	55F2372	161		
5570117	134	5581051	142	55F4306	149	5583601	162		
55SG910	135	55F3224	142	55F3814	149	5583701	162		
55SG911	135	55F3230	142	55F3819	149	5583602	162		
55SG912	135	55F3235	142	55F3820	149	55F2006	162		
55SG913	135	55F3240	142	55F3821	149	5583603	162		
55SG914	135	5581052	142	55F4308	149	55F2007	162		
55SG915	135	55F3225	142	55F3822	149	5583604	162		

arco®

Experts in Safety

Arco Limited
P.O. Box 21,
1 Blackfriargate,
Hull, HU1 1BH,
United Kingdom

In UK
Visit your nearest store, find opening times, address detail and directions at
www.arco.co.uk/branchloc

0330 390 2050 (local rate)
sales@support.arco.co.uk
www.arco.co.uk

In Ireland
Visit your Arco Safety Centre Dublin, find out more information at
www.arcosafety.ie/branchloc

01 409 5000
www.arcosafety.ie

